

DAFTAR PUSTAKA

- Adi A. C., Nelly Setiawaty, Atsarina Larasati Anindya , Heni Rachmawati. (2019). Formulasi Dan Karakterisasi Sediaan Nanoemulsi Vitamin A. *Media Gizi Indonesia*. Vol. 14(1):1-13
- Ansel, H. C. (2005). *Pengantar bentuk sediaan farmasi*. Edisi IV. Jakarta: UI Press.
- Audia Triani Olii, Jessie Sofi a Pamudji , Diky Mudhakir, dan Maria Immaculata Iwo. (2014). Pengembangan, Evaluasi, dan Uji Aktivitas Antiinfl amasi Akut Sediaan Nanoemulsi Spontan Minyak Jintan Hitam. *Jurnal Farmasi Indonesia*. Vol. 7.
- Aulton, M.E., Taylor, K.M.G. (2018). *Aulton's Pharmaceutics: The. Design and Manufacture of Medicines*. Fifth Edition. Churcihill Livingstone Elsevier
- Ayumi, N. S., Sahudin, S., Hussain, Z., Hussain, M., & Samah, N. H. A. (2019). Polymeric nanoparticles for topical delivery of alpha and beta arbutin: preparation and characterization. *Drug Delivery and Translational Research*, 9(2), 482–496.
- Baitariza, A., Darijanto, S. T., Pamudji, J. S., & Fidrianny, I. (2014). Formulasi dan Evaluasi Mikroemulsi Antikerut Ekstrak Beras Hitam (*Oryza sativa L.*). *Ijpst*, 1(1), 3–8.
- Barel, A. O. (2009). Anticellulite products and treatments. In *Handbook of Cosmetic Science and Technology, Third Edition*.
- Baumann, L., 2009, *Cosmetic Dermatology: Principle and Practice*, 2nd ed., The McGraw-Hill Companies, New York, 1-8, 98-106.
- Berger, I., & Shaul, Y. (1991). Structure and function of human jun-D. *Oncogene*, 6(4), 561–566.
- Bernauer U, Chaudhry Q, Coenraads P, Degen G, Dusinska M, Lilienblum W, dkk. (2015). Scientific Committee On Consumer Safety: Opinion On Alpha-Arbutin. *Europe Union*:6-39.

- Bouchemal, K., Briançon, S., Perrier, E., & Fessi, H. (2004). Nano-emulsion formulation using spontaneous emulsification: Solvent, oil and surfactant optimisation. *International Journal of Pharmaceutics*, 280(1–2), 241–251.
- Chakraborty, A. K., Funasaka, Y., Komoto, M., & Ichihashi, M. (1998). Effect of Arbutin on Melanogenic Proteins in Human Melanocytes. *Pigment Cell Research*, 11(4), 206–212.
- Council of Europe. (2008). *Active Ingredients Used in Cosmetics: Safety Survey*. Council of Europe.
- Dąbrowska, A. K., Spano, F., Derler, S., Adlhart, C., Spencer, N. D., & Rossi, R. M. (2018). The relationship between skin function, barrier properties, and body-dependent factors. *Skin Research and Technology*, 24(2), 165–174.
- Degen G.H. (2016). *Opinion Of The Scientific Committee On Consumer Safety (SCCS) -Opinion On The Safety Of The Use Of AArbutin In Cosmetic Products*. Regul Toxicol Pharmacol.
- Fisk, W. A., Agbai, O., Lev-Tov, H. A., & Sivamani, R. K. (2014). The use of botanically derived agents for hyperpigmentation: A systematic review. *Journal of the American Academy of Dermatology*, 70(2), 352–365.
- Fitriani, E. W., Erlina Imelda, Christina Kornelis, Christina Avanti. (2006). Karakterisasi dan Stabilitas Fisik Mikroemulsi Tipe A/M dengan Berbagai Fase Minyak. *Pharm Sci Res*. Vol. 3(1).
- Funayama M., Arakawa H., Yamamoto R., Nishino T., Shin T., Murao S. (1995). *Effects of Alpha- and Beta-arbutin on Activity of Tyrosinases from Mushroom and Mouse Melanoma*. Technical Research Laboratory. Jepang, 143-144.
- Gandjar IG, Rohman A. (2013). *Kimia Farmasi Analisis*. Edisi XI. Yogyakarta: Pustaka Pelajar.
- Garcia-Jimenez, A., Teruel-Puche, J. A., Berna, J., Rodriguez-Lopez, J. N., Tudela, J., & Garcia-Canovas, F. (2017). Action of tyrosinase on alpha and beta arbutin: A kinetic study. *PLoS ONE*, 12(5), 1–19.

- Gillbro, J. M., & Olsson, M. J. (2011). The melanogenesis and mechanisms of skin-lightening agents - Existing and new approaches. *International Journal of Cosmetic Science*, 33(3), 210–221.
- Gupta, V., & Sharma, V. K. (2019). Skin typing: Fitzpatrick grading and others. *Clinics in Dermatology*.
- Hanifa, H. L., Diaz, E., Handayani, R., Mipa, F., Garut, U., Jati, J., & Kaler, T. (2019). Formulation of kerson leaves (*Muntingia calabura L.*) ethanol extract and evaluation of its activity as antiacne against *Propionibacterium acnes*. *Jurnal Ilmiah Farmako Bahari*. 146–159.
- Harmita. (2004). Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya. *Majalah Ilmu Kefarmasian*; 1(3): 117-35.
- Hirao, T. (2017). Structure and Function of Skin From a Cosmetic Aspect. In *Cosmetic Science and Technology: Theoretical Principles and Applications*.
- Hirata, N., Naruto, S., Ohguchi, K., Akao, Y., Nozawa, Y., Iinuma, M., & Matsuda, H. (2007). Mechanism of the melanogenesis stimulation activity of (-)-cubebin in murine B16 melanoma cells. *Bioorganic and Medicinal Chemistry*, 15(14), 4897–4902.
- Intan, K., Hidayat, T., dan Setiabudy, D. (2012). Pengaruh kondisi homogenisasi terhadap karakteristik fisik dan mutu santan selama penyimpanan. *Jurnal Litri* 18(1). Bogor: Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian.
- Jufri M., Effionora Anwar, Putri Margaining Utami. (2006). Uji Stabilitas Sediaan Mikroemulsi Menggunakan Hidrolisat Pati (De 35–40) Sebagai Stabilizer. *Majalah Ilmu Kefarmasian*. Vol. III(1).
- Kalangi, S. J. R. (2014). Histofisiologi Kulit. *Jurnal Biomedik (Jbm)*, 5(3), 12–20.
- Kaufman, B. P., & Alexis, A. F. (n.d.). Bridget P. Kaufman and Andrew F. Alexis 53.
- Kong, M., Chen, X. G., Kweon, D. K., & Park, H. J. (2011). Investigations on skin

- permeation of hyaluronic acid based nanoemulsion as transdermal carrier. *Carbohydrate Polymers*, 86(2), 837–843.
- Körner A, Pawelek J. (2001). *Mammalian tyrosinase catalyzes three reactions in the biosynthesis of melanin*. Science, 217: 1163-5.
- Kurniawan, D., S., N., & Maddu, A. (2012). Sintesis nanopartikel serat rami dengan metode ultrasonikasi doni kurniawan. *Jurnal Biofisika*, 8(2), 34–41.
- Lachman, L., & Lieberman, H. A. (1994). *Teori dan Praktek Farmasi Industri*. Edisi Kedua. Jakarta: UI Press.
- Lartey, M., Krampa, F. D., Abdul-Rahman, M., Quarcoo, N. L., Yamson, P., Hagan, P. G., Adjei, A. A. (2017). Use of skin-lightening products among selected urban communities in Accra, Ghana. *International Journal of Dermatology*, 56(1), 32–39.
- Lim, Y. J., Lee, E. H., Kang, T. H., Ha, S. K., Oh, M. S., Kim, S. M., Kim, S. Y. (2009). Inhibitory effects of arbutin on melanin biosynthesis of α -melanocyte stimulating hormone-induced hyperpigmentation in cultured brownish guinea pig skin tissues. *Archives of Pharmacal Research*, 32(3), 367–373.
- Lin, Jen-Wen, Hsui-Mei Chiang, Yi-Chun Lin and Kuo-Ching Wen. (2008). Natural Products with Skin – Whitening Effects. *Journal of Food and Drug Analysis*, 16(2), 1-1.
- Lv N, Koo JH, Yoon HY, Yu J, Kim KA, Choi IW, dkk. (2007). Effect of Angelica gigas extract on melanogenesis in B16 melanoma cells. *Int J Mol Med*. 20: 763-67.
- Maibach, H. i, & Ong, M. W. S. (2017). 40 Skin Whitening Agents. *Handbook of Cosmetic Science and Technology*, (January 2014), 423–438.
- Mizutani, Y., Mitsutake, S., Tsuji, K., Kihara, A., & Igarashi, Y. (2009). Ceramide biosynthesis in keratinocyte and its role in skin function. *Biochimie*, 91(6), 784–790.
- Nevin, K. G., & Rajamohan, T. (2010). Effect of topical application of virgin

- coconut oil on skin components and antioxidant status during dermal wound healing in young rats. *Skin Pharmacology and Physiology*, 23(6), 290–297.
- Ngawhirunpat, T., Panomsuk, S., Opanasopit, P., Rojanarata, T., Hatanaka, T. (2004). Comparison of the percutaneous absorption of hydrophilic and lipophilic compounds in shed snake skin and human skin. *Pharmazie*, 61(4) 5-331.
- Nikam, T. H., Patil, M. P., Patil, S. S., Vadnere, G. P., & Lodhi, S. (2018). Nanoemulsion: A brief review on development and application in Parenteral Drug Delivery. *Advance Pharmaceutical Journal*, 3(2), 43–54.
- Nycz, J. E., Malecki, G., Morag, M., Nowak, G., Ponikiewski, L., Kusz, J., & Switlicka, A. (2010). Arbutin: Isolation, X-ray structure and computational studies. *Journal of Molecular Structure*, 980(1–3), 13–17.
- Oe, Z., Iana, D., & Raelos, D. (2007). Dermatologic therapy: Skin lightening preparations and the hydroquinone controversy. *Dermatology Consulting Services*, 20, 308–313.
- Ortonne, JP., Bissett, DL. (2008). Latest insight into skin hyperpigmentation. *J Investig Dermatol Symp Proc*. 13: 10-4.
- Pamudji, J. S., Darijanto, S. T., & Rosa, S. (2017). Formulasi dan Evaluasi Mikroemulsi Minyak dalam Air Betametason 17-Valerat. *Acta Pharmaceutica Indonesia*, 37(4), 140–146.
- Pratiwi L., Achmad Fudholi, Ronny Martien, Suwidjiyo Pramono. (2018). Uji Stabilitas Fisik dan Kimia Sediaan SNEDDS (*Self-nanoemulsifying Drug Delivery System*) dan Nanoemulsi Fraksi Etil Asetat Kulit Manggis (*Garcinia mangostana* L.). *Traditional Medicine Journal*. Vol. 23(2).
- Priprem, A., Khamlet, C., Pongjanyakul, T., Radapong, S., Rittirod, T., Chitopras, P. (2008). Comparative permeation studies between scale region of shed snake skin and human skin in vitro. *Am J Agril Biol Sci*. 3(2) 444-450.

- Pyka, A. (2007). Densitometric Determination Of Arbutin In Cowberry Leaves (*Vaccinium Vitis Idaeae*). *Acta Poloniae Pharmaceutical and Drug Research*: 395-400
- Ravi Shankar, P., & Subish, P. (2007). Fair skin in South Asia: An obsession? *Journal of Pakistan Association of Dermatologists*, 17(2), 101–104.
- Rivire, J.E., Menteiro-Revire, N.A. (2006). *Dermal absorbtion models in toxicology and pharmacology*. Amerika, Taylor & Francis Group. 317.
- Sachdeva, S. (2009). Fitzpatrick skin typing: Applications in dermatology. *Indian Journal of Dermatology, Venereology and Leprology*, 75(1), 93–96.
- Salim, N., Ahmad, N., Musa, S. H., Hashim, R., Tadros, T. F., & Basri, M. (2016). Nanoemulsion as a topical delivery system of antipsoriatic drugs. *RSC Advances*, 6(8), 6234–6250.
- Segre, J. A., & Segre, J. A. (2006). *Epidermal barrier formation and recovery in skin disorders Find the latest version : Review series Epidermal barrier formation and recovery in skin disorders*. 116(5), 1150–1158.
- Seo, D. H., Jung, J. H., Lee, J. E., Jeon, E. J., Kim, W., & Park, C. S. (2012). Biotechnological production of arbutins (α - and β -arbutins), skin-lightening agents, and their derivatives. *Applied Microbiology and Biotechnology*, Vol. 95, pp. 1417–1425.
- Shakeel, F., Baboota, S., Ahuja, A., Ali, J., & Shafiq, S. (2008). Skin permeation mechanism and bioavailability enhancement of celecoxib from transdermally applied nanoemulsion. *Journal of Nanobiotechnology*, 6, 1–11.
- Shaker, D. S., Ishak, R. A. H., Ghoneim, A., & Elhuoni, M. A. (2019). Nanoemulsion: A review on mechanisms for the transdermal delivery of hydrophobic and hydrophilic drugs. *Scientia Pharmaceutica*, 87(3).
- Sharma, N., Mishra, S., Sharma, S., Deshpande, R. D., & Kumar Sharma, R. (2013). Preparation and Optimization of Nanoemulsions for targeting Drug Delivery. *International Journal of Drug Development and Research*, 5(4), 37–48.

- Sharma, S., & Sarangdevot, K. (2012). *Nanoemulsions For Cosmetics*. 2(3), 408–415.
- Sheskey P.J., Walter G. C., dan Colin G. (2017). *Handbook of Pharmaceutical Excipients*. Eighth Edition. London:Pharmaceutical Press and American Pharmacists Assosiation.
- Shijna Kappally, A. S. and A. S. (2015). a Review of Potential Applications. *Hygeia.J.D.Med*, 7(2), 34–41.
- Solans, C., & García-Celma, M. J. (2017). Microemulsions and Nano-emulsions for Cosmetic Applications. *Cosmetic Science and Technology: Theoretical Principles and Applications*, 507–518.
- Suciati, T dan Lisa Patricia. (2012). Formulasi Natrium Ascorbyl Phosphate dalam Mikroemulsi A/M VCO. *Acta Pharmaceutica Indonesia*, 37(3), 90–94.
- Suciati, T., Dwiani, Sarlita R. R., dan Sudiati, T. (2011). Peningkatan Penetrasi Senyawa Hidrofilik Melalui Formulasi Emulsi Ganda A1/M/A2 dengan Mikroemulsi A1/M sebagai Fasa Dalam. *Acta Pharmaceutica Indonesia*. Vol. XXXVI. No. 1 & 2, 1-5.
- Sugimoto, K., Nishimura, T., Nomura, K., Sugimoto, K. (2004). Inhibitory Effects of α -Arbutin on Melanin Synthesis in Cultured Human Melanoma Cells and a Three-Dimensional Human Skin Model. *Biol. Pharm. Bull.* Vol. 27(4) 510—514
- Sugimoto, K., Nishimura, T., Nomura, K., Sugimoto, K., & Kuriki, T. (2003). Syntheses of arbutin- α -glycosides and a comparison of their inhibitory effects with those of α -arbutin and arbutin on human tyrosinase. *Chemical and Pharmaceutical Bulletin*, 51(7), 798–801.
- Syed A., Sharifah Nurfadhlina Afifah, Siti Efliza, Ashari Norazlinaliza. (2018). Development of a kojic monooleate-enriched oil-in-water nanoemulsion as a potential carrier for hyperpigmentation treatment. *International Journal of Nanomedicine*. Vol.13, 6465–6479.

- Thakur, N., Garg, G., Sharma, P. K., & Kumar, N. (2012). Nanoemulsions: A Review on Various Pharmaceutical Application. *Global Journal of Pharmacology*, 6(3), 222–225.
- Tristiana E., Widji S., Noorma R., Wida R., dan Hanifa R. (2014). The Influence of Sesame Oil Addition on the Arbutin Release and Penetration in Carbomer Gel Base. *Pharma Health Science*. Volume 2 (3):241-245.
- Vashi, N. A., & Kundu, R. V. (2013). Facial hyperpigmentation: Causes and treatment. *British Journal of Dermatology*, 169(SUPPL. 3), 41–56.
- Walters K. A., dan Roberts M. S. (2008). *Dermatologic, Cosmeceutic, and Cosmetic Development Therapeutic and Novel Approaches*. New York: Informa Healthcare USA, Inc.
- Won, J., dan Jin W. P. (2014). Improvement of Arbutin Trans-Epidermal Delivery Using Radiofrequency Microporation. *Tropical Journal of Pharmaceutical Research*. 13 (11):1775-1781.
- Yukuyama, M. N., Ghisleni, D. D. M., Pinto, T. J. A., & Bou-Chacra, N. A. (2016). Nanoemulsion: Process selection and application in cosmetics - A review. *International Journal of Cosmetic Science*, 38(1), 13–24.
- Zhu W, Gao J. (2008). The use of botanical extracts as topical skinlightening agent for the improvement of skin pigmentation disorders. *J Investig Dermatol Symp Proc*. 13: 20-4
- Ziser, M. (2005). *Integumentary System*. In *Human Anatomy dan Physiology*: 5–20.