

DAFTAR PUSTAKA

1. Votano J, Parham M, Hall L. Chronic Kidney Disease Management in General Practice. *Chem ...* [Internet]. 2012;(January 2012). Available from:
<http://onlinelibrary.wiley.com/doi/10.1002/cbdv.200490137/abstract>
2. Chung S, Koh ES, Shin SJ, Park CW. Malnutrition in patients with chronic kidney disease. *Open J Intern Med.* 2012;02(02):89–99.
3. De Nicola L, Zoccali C. Chronic kidney disease prevalence in the general population: Heterogeneity and concerns. *Nephrol Dial Transplant.* 2016;31(3):331–5.
4. Tandi M, Mongan A, Manoppo F. Hubungan Antara Derajat Penyakit Ginjal Kronik Dengan Nilai Agregasi Trombosit Di Rsup Prof. Dr. R. D. Kandou Manado. *J e-Biomedik.* 2014;2(2).
5. Indonesian P, Registry R, Course H. 10 th Report Of Indonesian Renal Registry 2017 10 th Report Of Indonesian Renal Registry 2017. 2014;
6. Sabatino A, Regolisti G, Gandolfini I, Delsante M, Fani F, Gregorini MC, et al. Diet and enteral nutrition in patients with chronic kidney disease not on dialysis: a review focusing on fat, fiber and protein intake. *J Nephrol.* 2017;30(6):743–54.
7. Puspawati NW. Penatalaksanaan nutrisi pada penyakit gagal ginjal kronik dengan dialisis. 2017;1–11.
8. Ikizler TA, Cano NJ, Franch H, Fouque D, Himmelfarb J, Kalantar- Zadeh K, et al. Prevention and treatment of protein energi wasting in chronic kidney disease patients: A consensus statement by the International Society of Renal Nutrition and Metabolism. *Kidney Int* [Internet]. 2013;84(6):1096–107. Available from:
<http://dx.doi.org/10.1038/ki.2013.147>
9. Suharni E. Gambaran Pemenuhan Nutrisi Dan Cairan Pada Pasien Gagal Ginjal Kronik Yang Mendapat Terapi Hemodialisa di RSUP Dr. Hasan Sadikin Bandung. Bandung: Poltekkes Kemenkes Bandung; 2016.
10. Sinaga W. Tatalaksana Nutrisi Pasien Penyakit Ginjal Kronik Derajat 5 dengan Hemodialisis Rutin. 2015.
11. Dovč Dimec R. Algorithm on enteral nutrition in chronic kidney disease.

Clin Nutr ESPEN. 2016;14(2016):43–4.

12. Palupi FD, Kristianto Y, Santoso AH, Malang PK, Besar J, No I. Pembuatan Makanan Enteral Gagal Ginjal Kronik (Ggk) Menggunakan Tepung Mocaf , Tepung Ikan Gabus Dan Konsentrat Protein Kecambah Kedelai. J Inf Kesehat Indones [Internet]. 2015;1(1):42–57. Available from:
https://www.researchgate.net/publication/308158787_Pembuatan_Makanan_Enteral_Gagal_Ginjal_Kronik_GGK_Menggunakan_Tepung_Mocaf_Tepung_Ikan_Gabus_dan_Konsentrat_Protein_Kecambah_Kedelai_Pembuatan_Makanan_Enteral_Gagal_Ginjal_Kronik_GGK_Menggunakan_Tepung_Mo
13. Ferrie S, Daniells S, Gagnon S, Hamlyn J, Jukkola K, Riley N, et al. Enteral nutrition manual for adults in health care facilities. Dietitian Association Australia. 2018.
14. Pernefri. Konsensus Nutrisi pada Penyakit Ginjal Kronik ke-1. Edisi 1. Jakarta: PERNEFRI; 2011.
15. Henderson BJ, Vu T, Zljvukhy L, Jo UYZZ, Jvuq HZ, Lk NH, et al. Dietary Considerations in Chronic Kidney Disease. Vol. 2, Medicine. 2010. p. 12–5.
16. Gang Jee Ko YOART, Kalantar-Zadeh K. Dietary Protein Intake and Chronic Kidney Disease. Curr Opin Clin Nutr Metab Care. 2017;20(1):77–85.
17. Rysz J, Franczyk B, Cialkowska-Rysz A, Gluba-Brzózka A. The effect of diet on the survival of patients with chronic kidney disease. Nutrients. 2017;9(5):1–18.
18. Tallman DA, Sahathevan S, Karupaiah T, Khosla P. Egg intake in chronic kidney disease. Nutrients. 2018;10(12):1–13.
19. Swandayani P., Santoso A, Kristianto Y. Pengembangan tepung labu kuning, tepung ikan gabus, dan konsentrat protein kecambah kedelai sebagai bahan penyusun makanan enteral bagi penderita gagal ginjal kronik (analisis mutu fisik, kandungan gizi, dan kepadatan energi). J Nutr. 2016;18(2):82–92.
20. Nurul Huda, Clara Meliiyanti Kusharto MA. Formulasi Makanan Cair Alternatif Berbasis Tepung Ikan Lele (*Clarias gariepinus*) sebagai Sumber Protein. 2014;(2002):483–90.
21. Husnul F, Widi P, Gizi J, Kemenkes P. Formulasi Makanan Enteral Berbasis Tepung Tempe. 2019;11(2):67–74.

22. Sunarsi S, A MS, Wahyuni S, Ratnaningsih W. Memanfaatkan Singkong Menjadi Tepung Mocaf untuk Pemberdayaan Masyarakat Sumberejo. *Semin Has Penelit dan Pengabd Kpd Masy*. 2011;(1):306– 10.
23. Kementerian Kesehatan RI. Data Komposisi Pangan Indonesia [Internet]. Kementerian Kesehatan RI. 2018. Available from: www.panganku.org
24. Perikanan Kementerian Kelautan dan Perikanan. *Refleksi Outlook*. 2019.
25. Pajarianto H. Pendidikan dan Pemberdayaan Masyarakat Berbasis Home Industri Ikan Lele Asap. *CARADDE J Pengabd Kpd Masy*. 2019;1(2):174–9.
26. Holloszy J. Branched-Chain Amino Acids : Metabolism , Physiological Function , and Application Application of Branched-Chain Amino Acids in Healthy Humans : Discussion. *Amino Acids*. 2006;(March):3166– 3166.
27. Prabasini H, Ishartani D, Muhammad DRA. Kajian Sifat Kimia dan Fisik Tepung Labu Kuning (*Cucurbita Moschata*) dengan Perlakuan Blanching dan Perendaman dalam Natrium Metabisulfit ($\text{Na}_2\text{S}_2\text{O}_5$). *J Teknosains Pangan*. 2013;2(2):93–102.
28. Merviana C, M K, Marliyati SA. Formulasi Biskuit dengan Substitusi Tepung Ikan Lele Dumbo (*Clarias gariepinus*) dan Isolat Protein Kedelai (*Glycine max*) sebagai Makanan Potensial untuk Anak Balita Gizi Kurang. *J Teknol dan Ind Pangan*. 2012;23(1):9–16.
29. Haddad MN, Winnicki E, Nguyen S. Adolescents with chronic kidney disease: From diagnosis to end-stage disease. *Adolescents with Chronic Kidney Disease: From Diagnosis to End-Stage Disease*. 2018. 1–283 p.
30. Himmelfarb J, Ikizler TA. Chronic kidney disease, dialysis, and transplantation : companion to Brenner & Rector's the kidney. 2018. 779 p.
31. Grams ME, Chow EKH, Segev DL, Coresh J. Lifetime Incidence of CKD stages 3-5 in the United States. *Am J Kidney Dis*. 2013;62(2):245–52.
32. Mahan LK, Raymond Janice L. Krause's Food and the Nutrition care Process. Fourteenth. Elsevier; 2017.
33. Krenawan T. Diet Rendah Protein dan Penggunaan Protein Nabati pada Penyakit Ginjal Kronik. *Div Ginjal Hipertens Bagian Penyakit Dalam FKUI - RSCM*. 2010;1–6.
34. Eaton DC, Pooler JP, York N, San C, Lisbon F, Madrid L, et al. *Vander's Renal Physiology Eighth Edition*. 2013.
35. Kalantar-Zadeh K, Block G, McAllister CJ, Humphreys MH, Kopple JD.

- Appetite and inflammation, nutrition, anemia, and clinical outcome in hemodialysis patients. *Am J Clin Nutr.* 2004;80(2):299–307.
36. Disease CK, Category G, Specialty C, Users I, Dietitians R, Nurses AP, et al. Chronic Kidney Disease. 2010;3–5.
 37. Cupisti A, Brunori G, Di Iorio BR, D'Alessandro C, Pasticci F, Cosola C, et al. Nutritional treatment of advanced CKD: twenty consensus statements. *J Nephrol [Internet]*. 2018;31(4):457–73. Available from: <http://dx.doi.org/10.1007/s40620-018-0497-z>
 38. Cederholm T, Barazzoni R, Austin P, Ballmer P, Biolo G, Bischoff SC, et al. ESPEN guidelines on definitions and terminology of clinical nutrition. *Clin Nutr.* 2017;36(1):49–64.
 39. Wright M, Southcott E, MacLaughlin H, Wineberg S. Clinical practice guideline on undernutrition in chronic kidney disease. *BMC Nephrol.* 2019;20(1).
 40. Mak RH, Ikizler AT, Kovesdy CP, Raj DS, Stenvinkel P, Kalantar-Zadeh K, et al. Wasting in chronic kidney disease. *J Cachexia Sarcopenia Muscle.* 2011;2:9–25.
 41. Mak RH, Ikizler AT, Kovesdy CP, Raj DS, Stenvinkel P, Kalantar-Zadeh K. Wasting in chronic kidney disease. *J Cachexia Sarcopenia Muscle.* 2011;2(1):9–25.
 42. Turner JM, Bauer C, Abramowitz MK, Melamed ML, Hostetter TH. Treatment of chronic kidney disease. *Kidney Int [Internet]*. 2012;81(4):351–62. Available from: <http://dx.doi.org/10.1038/ki.2011.380>
 43. Tom K, Young VR, Chapman T, Masud T, Akpele L, Maroni BJ. Long-term adaptive responses to dietary protein restriction in chronic renal failure. *Am J. Physiol*; 1995. p. 668–77.
 44. Piccoli GB, Capizzi I, Vigotti FN, Leone F, D'Alessandro C, Giuffrida D, et al. Low protein diets in patients with chronic kidney disease: a bridge between mainstream and complementary-alternative medicines? *BMC Nephrol [Internet]*. 2016;17(1):1–13. Available from: <http://dx.doi.org/10.1186/s12882-016-0275-x>
 45. Huang X, Lindholm B, Stenvinkel P, Carrero JJ. Dietary fat modification in patients with chronic kidney disease: N-3 fatty acids and beyond. *J Nephrol.* 2013;26(6):960–74.
 46. Whelton PK, Appel LJ, Sacco RL, Anderson CAM, Antman EM, Campbell N, et al. Sodium, blood pressure, and cardiovascular disease: Further evidence supporting the American Heart Association sodium

- reduction recommendations. *Circulation*. 2012;126(24):2880–9.
47. Skipper A. Gizi Enteral dan Parenteral. 2019. p. 203–15.
 48. Vi L, Kepala P, Pengawas B, Dan O, Klaim P, Label D, et al. Badan pengawas obat dan makanan republik indonesia. 2011;1–3.
 49. Nuraini, Ngadiarti I, Moviana Y. Bahan Ajar Gizi Dietetika Penyakit Infeksi [Internet]. Kementerian Kesehatan Republik Indonesia; 2017. Available from: http://www.ghbook.ir/index.php?name=فرهنگ و رسانه های نوین&option=com_dbook&task=readonline&book_id=13650&page=73&ckhashk=ED9C9491B4&Itemid=218&lang=fa&tmpl=component
 50. BAPEN. Enteral and Parenteral Nutrition [Internet]. 2018 [cited 2020 Mar 25]. Available from: <https://www.bapen.org.uk/nutrition-support/assessment-and-planning/enteral-and-parenteral-nutrition>
 51. Katsilambros N, Dimosthenopoulos C, Kontogianni M, Manglara E, Kalliopi-Anna P. Asuhan Gizi Klinik. Makassar: EGC; 2014.
 52. National Institute for Health and Care Excellence. Nutrition support for adults: oral nutrition support, enteral tube feeding and parenteral nutrition Clinical guideline [Internet]. Guidance. 2016. Available from: <https://www.nice.org.uk/guidance/cg32>
 53. Stratton R, Smith T, Gabe S. Managing malnutrition to improve lives and save money. 2018;(October):1–16.
 54. Hartono A. Terapi Gizi dan Diet Rumah Sakit. 2nd ed. Jakarta: Buku Kedokteran EGC; 2014.
 55. Bobo E. Reemergence of Blenderized Tube Feedings. *Nutr Clin Pract* [Internet]. 2016 Dec 25 [cited 2020 Apr 4];31(6):730–5. Available from: <http://doi.wiley.com/10.1177/0884533616669703>
 56. Brown B, Roehl K, Betz M. Enteral Nutrition Makanan Selection: Current Evidence and Implications for Practice. *Am Soc Parenter Enter Nutr*. 2015;30(1):72–85.
 57. Martin K. Home Enteral Nutrition: Updates, Trends and Challenges. *Nutr Clin Pract* [Internet]. 2017;32(6):97–111. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1177/0884533617701401>
 58. Kulick D, Deen D. Specialized Nutrition Support. *Am Fam Physician* [Internet]. 2011 [cited 2020 Apr 5];83(2):173–83. Available from: <https://www.aafp.org/afp/2011/0115/p173.html>
 59. KalbeMed. Nephrisol-D [Internet]. 2018 [cited 2020 Apr 6]. Available from: <https://kalbemed.com/Products-Diseases/Products/Read-Product->

Article/ArtMID/458/ArticleID/387/NEPHRISOL-D

60. KalbeMed. Nephrisol [Internet]. 2018. Available from: <https://kalbemed.com/Products-Diseases/Products/Read-Product-Article/ArtMID/458/ArticleID/386/NEPHRISOL>
61. Ridho R, Nofrizal, Irwandy S. Study On Cathfish (*Clarias Batrachus*) Behavior In The Capture Process. Fakultas Ilmu Perikanan dan Kelautan. Universitas Riau. 2012;
62. Ubadillah A, Hersoelistyorini W. Kadar Protein dan Sifat Organoleptik Nugget Rajungan dengan Substitusi Ikan Lele (*Clarias gariepinus*). *J Pangan dan Gizi*. 2010;1(2):301–8.
63. FAO. Proteins, Amino Acid Content of Foods and Biological Data on Proteins [Internet]. Ketiga. Food and Agriculture Organization. Rome: Food and Agriculture Organization; 1981. Available from: <http://www.fao.org/3/AC854T/AC854T00.htm#TOC>
64. Nastiti AN, Christyaningsih J. Pengaruh Substitusi Tepung Ikan Lele Terhadap Pembuatan Cookies Bebas Gluten Dan Kasein Sebagai Alternatif Jajanan Anak Autism Spectrum Disorder
<i>[Effect of Catfish Flour Substitution towards Gluten-Free and Casein-Free Cookies as an Alternative Sna. Media Gizi Indones. 2019;14(1):35.
65. Yusuf M. Pengaruh Penambahan Tepung Ikan Lele Dumbo (*Clarias gariepinus*) Terhadap Mutu Biskuit dari Campuran Tepung Sorgum (*Sorghum bicolor L.*) dan Tepung Terigu [Internet]. Universitas Andalas; 2014. Available from: <http://scholar.unand.ac.id/id/eprint/11888>
66. Zuhri NM, Swastawati F, Wijayanti I, Studi P, Hasil T, Perikanan J, et al. Pengkayaan Kualitas Mi Kering Dengan Penambahan Tepung Daging Ikan Lele Dumbo (*Clarias Gariepinus*) Sebagai Sumber Protein. 2014;3(4):119–26.
67. Mursyid. Kandungan zat gizi dan nilai gizi protein tepung tempe kedelai lokal dan impor serta aktivitas antioksidannya. 2014;
68. Muchtadi D. Kedelai : komponen untuk kesehatan. Pertama. Bandung : Alfabeta; 2010.
69. Astawan M, Mursyid M, Muchtadi D, Wresdiyati T, Bintari SH, Suwarno M. Evaluasi Nilai Gizi Protein Tepung Tempe yang Terbuat dari Varietas Kedelai Impor dan Lokal Evaluation on Protein Nutritional Value of Tempe Flour Made from Imported and Local Soybean Varieties. *J Pangan*. 2014;23(1):33–42.
70. Hughes G, Ryan D, Mukherja R, Schasteen C. NoProtein Digestibility-Corrected Amino Acid Scores (PDCAAS) for Soy Protein Isolates and Concentrate: Criteria for Evaluation Title. *J Agric Food Chem*.

2011;59(23):12707–12.

71. Sitompul S. Komposisi asam-asam amino dari biji-bijian dan kacang-kacangan. Komposisi Asam-Asam Amin Dari Biji-Bijian Dan Kacang-Kacangan. 1997;1–3.
72. Mulyani S. Karakterisasi Tepung Tempe dari Empat Varietas Kedelai Impor dan Aplikasinya menjadi Minuman. Institut Pertanian Bogor; 2013.
73. Bastian F, Ishak E, Tawali A., Bilang M. Daya Terima dan Kandungan Zat Gizi Makanan Tepung Tempe dengan Penambahan Semi Refined Carrageenan (SRC) dan Bubuk Kakao. J Apl Teknol Pangan. 2013;Vol.2 No.1:5–8.
74. Febri Nuron Amanu1* Whs. Penanaman) Terhadap Mutu Dan Rendemen Mocaf Production in Madura (Study of Varieties and Plantation Sites) Toward Quality and Yield. J Pangan Dan Agroindustri. 2014;2(3):161–9.
75. Nasional BS. SNI 7622:2011 Standar Mutu Tepung MOCAF [Internet]. Syarat Mutu Tepung Mocaf. 2011 [cited 2020 Apr 27]. Available from: <http://www.tepungmocaf.com/2014/12/sni-mocaf.html>
76. Nurhayani HM, M. Natsir D, Suryani A. Kandungan Protein dan HCN “Wikau Maombo” Hasil Fermentasi Umbi Ubi Kayu Pahit (Manihot aipi Phol) Menggunakan Beberapa Isolat Mikroorganisme Lokal. Jurnal Sainsmat; 2013. p. 161–72.
77. Putri NA, Herlina H, Subagio A. Karakteristik Mocaf (Modified Cassava Flour) Berdasarkan Metode Penggilingan Dan Lama Fermentasi. J Agroteknologi. 2018;12(01):79.
78. Marta H, Tensiska T, Riyanti L. Karakterisasi Maltodekstrin dari Pati Jagung (*Zea mays*) Menggunakan Metode Hidrolisis Asam pada Berbagai Konsentrasi. Chim Nat Acta. 2017;5(1):13.
79. Husnul F. Pengaruh Formulasi Terhadap Sifat Organoleptik dan Sifat Fisik Makanan Enteral Berbasis Tepung Tempe Sebagai Alternatif Bagi Pasien Malnutrisi. Poltekkes Kemenkes Bandung; 2019.
80. Savino P. Knowledge of Constituent Ingredients in Enteral Nutrition Makanans Can Make a Difference in Patient Response to Enteral Feeding. Nutr Clin Pract. 2018;33(1):90–8.
81. Lin L, Allemekinders H, Dansby A, Campbell L, Durance-Tod S, Berger A, et al. Evidence of health benefits of canola oil. Nutr Rev. 2013;71(6):370–85.
82. Piccinin E, Cariello M, De Santis S, Ducheix S, Sabbà C, Ntambi JM, et

- al. Role of oleic acid in the gut-liver axis: From diet to the regulation of its synthesis via Stearoyl-CoA desaturase 1 (SCD1). *Nutrients*. 2019;11(10):1–22.
83. Lee SM, An WS. Cardioprotective effects of ω -3 PUFAs in chronic kidney disease. *Biomed Res Int*. 2013;2013.
 84. Anjali M, Nair B, Madan J, Dhanaki MN. Mekanisme dan Nutritional Appraisal of Low Cost Enteral Makanan. *Int J Sci Res Publ*. 2014;5(1):2250–3153.
 85. Kokkinidou S, Peterson D, Bloch T, Bronston A. The important role of carbohydrates in the flavor, function, and mekanisme of oral nutritional supplements. *Nutrients*. 2018;10(6).
 86. Ayustaningwarno F. *Teknologi Pangan ; Teori Praktis dan Aplikasi*. I. Graha Ilmu. Yogyakarta: Graha Ilmu; 2014. 3–8 p.
 87. Agusman. *Pengujian Organoleptik : Modul Penanganan Mutu Fisis (Organoleptik)*. Univ Muhammadiyah Semarang. 2013;31.
 88. Musfiroh I, Indriyati W, Muchtaridi, Setiya Y. Analisis Proksimat dan Penetapan Kadar Beta Karoten dalam Selai Lembaran Terung Belanda (*Cyphomandra betacea* Sendtn.) Dengan Metode Spektrofotometri Sinar Tampak. *Magnesium*. 2007;1–8.
 89. BSN. *Cara Uji Makanan dan Minumam*. Badan Standarisasi Nasional; 1992.
 90. Putra, A. R., Maskur, Tahyan Y. Menggunakan Larutan Standar Pada Alat Automatic Osmometer. *J Forum Nukl*. 2016;10(2):65–70.
 91. Pratiwi LE, Noer ER. Analisis Mutu Mikrobiologi Dan Uji Viskositas Makanan Enteral Berbasis Labu Kuning (*Curcubita Moschata*) Dan Telur Bebek. 2014;3(4):951–7.
 92. Department of Health. National renal nutrition practice guidelines for adults. *Natl Dep Heal Dir Nutr*. 2018;(June):1–46.
 93. Mahnaz M, Khan N, Sana Farooq M, Samia Khalid M, Kausar MN, Khalid MM. Development of Energi Dense Cost-Effective Home-Made Enteral Feed For Nasogastric Feeding. *IOSR J Nurs Heal Sci Ver I [Internet]*. 2015;4(3):2320–1940. Available from: www.iosrjournals.org
 94. Nelms CL, Adam D, Friedman SEC and RL, Brown RO, Compher C, Lochs H, Allison SP, et al. ESPEN guideline on clinical nutrition in hospitalized patients with acute or chronic kidney disease. *Clin Nutr [Internet]*. 2006;25(4):1644–68. Available from: <https://doi.org/10.1016/j.clnu.2021.01.028>

95. Sabatino A, Regolisti G, Gandolfini I, Delsante M, Fani F, Gregorini MC, et al. Diet and enteral nutrition in patients with chronic kidney disease not on dialysis: a review focusing on fat, fiber and protein intake. *J Nephrol*. 2017;30(6):743–54.
96. Halodoc. Nephrisol Rasa Vanilla [Internet]. Obat dan Vitamin. 2021. Available from: <https://www.halodoc.com/obat-dan-vitamin/nephrisol-rasa-vanila>
97. KDOQI. NFK KDOQI GUIDELINES [Internet]. KDOQI Clinical Practice Guidelines for Nutrition in Chronic Renal Failure. 2000. Available from: https://kidneyfoundation.cachefly.net/professionals/KDOQI/guidelines_nutrition/nut_a25.html
98. Cano N, Fiaccadori E, Tesinsky P, Toigo G, Druml W, Kuhlmann M, et al. ESPEN Guidelines on Enteral Nutrition: Adult Renal Failure. *Clin Nutr*. 2006;25(2):295–310.
99. Nephrology B. Comparisons among the nutrient values of some commercially available supplements in the USA, manufactured and distributed by Abbott Nutrition or Nestle Nutrition. Commercially Supplement. 2021.
100. AsDI. Panduan Pemberian Makanan Enteral. Jakarta: Jaya Pratama; 2005. 9 p.
101. FG W. Kimia Pangan dan Gizi. Edisi 1. Jakarta: Gramedia Pustaka; 2002.
102. Abdullah K, Asriati DW. Karakteristik Minuman Sari Tempe dengan Penambahan Rasa Vanilla Characteristics of Tempeh Drink with Vanilla Flavour. *Juournal Agro-Based Ind*. 2015;33(1):1–8.
103. Wang G, Hayes J, Ziegler G, Roberts R, Hopfer H. Dose-Response Relationships for Vanilla Flavor and Sucrose in Skim Milk: Evidence of Synergy. *Beverages*. 2018;4(4):73.
104. Imaningsih, Nelis. Rossi Apriyono NN. Faktor-faktor Pengolahan dan Komposisi Bahan yang Mempengaruhi Citarasa “Off Flavour” Makanan Tempe. *Penelit Gizi Makanan*. 2007;30(2):67–74.
105. Pramitasari D, Anandhito Rbk, Fauza G. The addition of ginger extract in making soymilk powder by spray drying method: Chemical constituents, sensory characteristic and antioxidant activity. *Biofarmasi J Nat Prod Biochem*. 2011;9(1):17–25.
106. Persagi A. Penuntun Diet dan Terapi Gizi. Edisi Ke-3. Jakarta: EGC; 2019.

107. Lestari S, A MR, J DS. Modifikasi Formula Enteral Rumah Sakit Siap Seduh. *JGK*-vol.11, no. 26 Juli 2019. 2019;11(26):11–8.
108. Nursing B, Long H, Management T, Vol C, Feb J. Common complications of enteral feedings. 1994;43(2):1–6.
109. Ikizler TA, Burrowes JD, Byham-Gray LD, Campbell KL, Carrero JJ, Chan W, et al. KDOQI Clinical Practice Guideline for Nutrition in CKD: 2020 Update. *Am J Kidney Dis* [Internet]. 2020;76(3):S1–107. Available from: <https://doi.org/10.1053/j.ajkd.2020.05.006>
110. Henriques GS, Miranda LAV de O, Generoso S de V, Guedes EG, Jansen AK. Osmolality and pH in handmade enteral diets used in domiciliary enteral nutritional therapy. *Food Sci Technol*. 2017;37:109–14.