

## DAFTAR PUSTAKA

- Adcock, D. M., Kressin, D. C., & Marlar, R. A. (n.d.). *Effect of 3 . 2 % vs 3 . 8 % Sodium Citrate Concentration on Routine Coagulation Testing*. 105–110.
- Bain, B., Bates, I., Laffan, M., & Lewis, S. (2016). *Dacie and Lewis Practical Haematology* (Twelfth Ed).
- Bakta, I. M. (2006). *Hematologi Klinik Ringkas*. EGC.
- DM, A., DM, H., K, K.-M., RA, M., DI, S., & DJ, W. (n.d.). *Collection, Transport, and Processing of Blood Specimens for Testing Plasma-Based Coagulation Assays and Molecular Hemostasis Assays* (Fifth Edit). Clinical Laboratory Standards Institute.
- Durachim, A., & Astuti, D. (2018). *Hemostasis* (Edisi 2018). Badan Pengembangan dan Pemberdayaan Sumber Daya Manusia Kesehatan.
- Eschenbacher, L. (2013). *PT, INR, and APTT Testing*. XVIII(3), 3–6.
- Falay, M., Senes, M., Yücel, D., Turhan, T., Dagdaş, S., Pekin, M., Nazaroglu, N. K., & Özeti, G. (2018). What should be the laboratory approach against isolated prolongation of activated partial thromboplastin time? *Journal of Clinical Laboratory Analysis*, 32(6), 1–6. <https://doi.org/10.1002/jcla.22415>
- Favaloro, E., Hospital, W., & Lippi, G. (2008). *Preanalytical and Postanalytical Variables : The Leading Causes of Diagnostic Error in Hemostasis ? November*. <https://doi.org/10.1055/s-0028-1104540>
- Feng, L., Zhao, Y., Zhao, H., & Shao, Z. (2014). Effects of storage time and temperature on coagulation tests and factors in fresh plasma. *Scientific Reports*, 4, 6–10. <https://doi.org/10.1038/srep03868>
- Gosselin, R. C., & Marlar, R. A. (2019). *Pre-analytical Variables In Routine Coagulation Testing : Setting the Stage for Accurate Results*. 30.
- Hillman, R., & Ault, K. (2002). *Hematology in Clinical Practicers. A Guide to Diagnosis and Management* (Third Edit). McGraw Hill inc.
- Hoffbrand, A. V., & Moss, P. A. H. (2011). *Essential Haematology* (6th editio). wiley-blackwell.
- Kottke-Marchant, K. (2014). Algorithmic approaches to hemostasis testing. *Seminars in Thrombosis and Hemostasis*, 40(2), 195–204. <https://doi.org/10.1055/s-0033-1364187>
- KS, I. (2016). Molecular Aspect Correlation between Glycated Hemoglobin (HbA1c), Prothrombin Time (PT) and Activated Partial Thromboplastin Time

(APTT) on Type 2 Diabetes Mellitus (T2DM) (Aspek molekuler Hubungan Kadar Hemoglobin Terglikasi (HbA1c), Prothrombin Time (PT). *Jurnal Indonesia*, 21(3), 261–265. <http://journal.unair.ac.id/download-fullpapers-IJCPML-12-3-08.pdf>

Lippi, G., & Favaloro, E. J. (2017). Preanalytical issues in hemostasis and thrombosis testing. *Methods in Molecular Biology*, 1646, 29–42. [https://doi.org/10.1007/978-1-4939-7196-1\\_2](https://doi.org/10.1007/978-1-4939-7196-1_2)

Marlar, R. A., & Rollins-Raval, M. A. (2019). Sources and solutions for spurious test results in coagulation. *International Journal of Laboratory Hematology*, 41(S1), 162–169. <https://doi.org/10.1111/ijlh.12989>

Nugraha, G. (2017). *Panduan Pemeriksaan Laboratorium Hematologi Dasar* (Edisi 2). Trans Info Media.

Setiabudy, R. D. (2012). *Hemostasis dan Trombosis* (Edisi Keli). Fakultas Kedokteran Universitas Indonesia.

Wahed, A., & Dasgupta, A. (2015). Hematology and Coagulation: A Comprehensive Review for Board Preparation, Certification and Clinical Practice. In *Hematology and Coagulation: A Comprehensive Review for Board Preparation, Certification and Clinical Practice*. <https://doi.org/10.1016/C2013-0-16034-5>

Zhao, Ying, Feng, G., & Feng, L. (2018). Effects of pre-analytical storage time, temperature, and freeze-thaw times on coagulation factors activities in citrate-anticoagulated plasma. *Annals of Translational Medicine*, 6(23), 456–456. <https://doi.org/10.21037/atm.2018.11.24>