

DAFTAR PUSTAKA

- Agaoglu, N. B., Yıldız, J., Dogan, O. A., Alkurt, G., Kose, B., Demirkol, Y. K., Irvem, A., Doğanay, L., & Doganay, G. D. (2020). *COVID-19 PCR TEST PERFORMANCE for SAMPLES STORED at AMBIENT TEMPERATURE*. 21(1), 1–9.
- Agustiningsih, Nugraha, A. A., Daryanto, Pawesti, H. A., Ikawati, H. D., Harianja, H., Wibowo, H. A., Susanti, I., & Indalao, I. L. (2020). *Pedoman Pemeriksaan PCR SARS-CoV-2 Bagi Petugas Laboratorium* (p. 251). Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan (LPB).
- Bio-Rad. (2006). Real-Time PCR Applicatin Guide. *Bio-Rad Laboratories*.
- Brian, D. A., and Baric, R. S. (2005). *Brian, D. A., and Baric, R. S. Coronavirus genome structure and replication*. *Curr. Topics Microbiol. Immunol.* 287, 1–30. https://doi.org/https://doi.org/10.1007/3-540-26765-4_1
- Budiarto, B. R. (2018). Kaitan genotyping errors dengan performa diagnostik molekuler kanker berbasis amplifikasi asam nukleat. *Biodidaktika, Jurnal Biologi Dan Pembelajarannya*, 13(2), 1–18. <https://doi.org/10.30870/biodidaktika.v13i2.3279>
- Chin, A. W. H., Chu, J. T. S., Perera, M. R. A., Hui, K. P. Y., Yen, H.-L., Chan, M. C. W., Peiris, M., & Poon, L. L. M. (2020). Stability of SARS-CoV-2 in different environmental conditions. *The Lancet Microbe*, 1(1), e10. [https://doi.org/10.1016/s2666-5247\(20\)30003-3](https://doi.org/10.1016/s2666-5247(20)30003-3)
- Feranisa, A. (2016). Komparasi Antara Polymerase Chain Reaction (Pcr) Dan Loopmediated Isothermal Amplification (Lamp) Dalam Diagnosis Molekuler. *ODONTO: Dental Journal*, 3(2), 145. <https://doi.org/10.30659/odj.3.2.145-151>
- Handoyo, D., & Rudiretna, A. (2001). Prinsip umum dan pelaksanaan Polymerase Chain Reaction (PCR). *Unitas*, 9(1), 17–29.
- Hartanti, M. D. (2020). Real-Time Polymerase Chain Reaction for detecting SARS-CoV-2 in Indonesia: Are the results reliable? *Universa Medicina*, 39(2), 71. <https://doi.org/10.18051/univmed.2020.v39.71-73>
- Karahasan Yagci, A., Sarinoglu, R. C., Bilgin, H., Yanılmaz, Ö., Sayın, E., Deniz, G., Guncu, M. M., Doyuk, Z., Barış, C., Kuzan, B. N., Aslan, B., Korten, V., & Cimsit, C. (2020). Relationship of the cycle threshold values of SARS-CoV-2 polymerase chain reaction and total severity score of computerized tomography in patients with COVID 19. *International Journal of Infectious Diseases*, 101, 160–166. <https://doi.org/10.1016/j.ijid.2020.09.1449>

- Kim, N., Kwon, A., Roh, E. Y., Yoon, J. H., Han, M. S., Park, S.-W., Park, H., & Shin, S. (2020). Effects of Storage Temperature and Media/Buffer for SARS-CoV-2 Nucleic Acid Detection. *American Journal of Clinical Pathology*, 280–285. <https://doi.org/10.1093/ajcp/aqaa207>
- Lai, C. C., Shih, T. P., Ko, W. C., Tang, H. J., & Hsueh, P. R. (2020). Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) and coronavirus disease-2019 (COVID-19): The epidemic and the challenges. In *International Journal of Antimicrobial Agents* (Vol. 55, Issue 3, p. 105924). Elsevier B.V. <https://doi.org/10.1016/j.ijantimicag.2020.105924>
- Li, L., Li, X., Guo, Z., Wang, Z., Zhang, K., Li, C., Wang, C., & Zhang, S. (2020). Influence of Storage Conditions on SARS-CoV-2 Nucleic Acid Detection in Throat Swabs. *Journal of Infectious Diseases*, 222(2), 203–205. <https://doi.org/10.1093/infdis/jiaa272>
- lifetechnologies. (2014). Real-time PCR Handbook. *Thermo Fisher Scientific Inc.*
- Liu, D. X., Liang, J. Q., & Fung, T. S. (2020). Human Coronavirus-229E, -OC43, -NL63, and -HKU1. *Reference Module in Life Sciences*, January. <https://doi.org/10.1016/b978-0-12-809633-8.21501-x>
- Lu, R., Zhao, X., Li, J., Niu, P., Yang, B., Wu, H., Wang, W., Song, H., Huang, B., Zhu, N., Bi, Y., Ma, X., Zhan, F., Wang, L., Hu, T., Zhou, H., Hu, Z., Zhou, W., Zhao, L., ... Tan, W. (2020). Genomic characterisation and epidemiology of 2019 novel coronavirus: implications for virus origins and receptor binding. In *The Lancet* (Vol. 395, Issue 10224, pp. 565–574). [https://doi.org/10.1016/S0140-6736\(20\)30251-8](https://doi.org/10.1016/S0140-6736(20)30251-8)
- maccura. (2020). SARS-CoV-2 Flourescent PCR Instructions for Use. *Microbiologics*. https://v3.globalcube.net/clients/beldico/content/medias/images/producten/imp/quality_control/english_lyfo_disk_kwik-stik_kwik-stik_plus_instructions_for_use.pdf
- Nugroho, E. D., & Rahayu, D. A. (2018). *Pengantar Bioteknologi (Teori & Aplikasi)*. Penerbit Deepublish.
- Nurhayati, B., & Darmawati, S. (2017). *Biologi Sel dan Molekuler* (N. L. Saputri & H. Junianto (eds.); First). BPPSDMK.
- Prastyowati, A. (2020). *Mengenal Karakteristik Virus SARS-CoV-2 Penyebab Penyakit COVID-19 Sebagai Dasar Upaya Untuk Pengembangan Obat Antivirus Dan Vaksin*. 11(1).
- Roche. (2006). *PCR Application Manual* (3rd ed.). Roche Diagnostics.
- Skalina, K. A., Goldstein, D. Y., Sulail, J., Hahm, E., Narlieva, M., Szymczak, W., & Fox, A. S. (2020). Extended storage of SARS-CoV-2 nasopharyngeal swabs

- does not negatively impact results of molecular-based testing across three clinical platforms. *Journal of Clinical Pathology*, 1–4. <https://doi.org/10.1136/jclinpath-2020-206738>
- Skalina, K. A., MD, D. Y. G., Sulail, J., Hahm, E., Narlieva, M., Szymczak, W., & Fox, A. S. (2020). *Extended Storage of SARS-CoV2 Nasopharyngeal Swabs Does Not Negatively Impact Results of Molecular-Based Testing*. 2507(February), 1–9.
- Tahamtan, A., & Ardebili, A. (2020). Real-time RT-PCR in COVID-19 detection: issues affecting the results. *Expert Review of Molecular Diagnostics*, 20(5), 453–454. <https://doi.org/10.1080/14737159.2020.1757437>
- Tan, S. C., & Yiap, B. C. (2009). DNA, RNA, and protein extraction: The past and the present. *Journal of Biomedicine and Biotechnology*, 2009. <https://doi.org/10.1155/2009/574398>
- Wang, M., Zhao, R., Gao, L., Gao, X., Wang, D., & Gallagher, T. (2020). *SARS-CoV-2 : Structure , Biology , and Structure-Based Therapeutics Development*. 10(November), 1–17. <https://doi.org/10.3389/fcimb.2020.587269>
- Widayat, W., Winarni Agustini, T., Suzery, M., Ni'matullah Al-Baarri, A., & Rahmi Putri, S. (2019). Real Time-Polymerase Chain Reaction (RT-PCR) sebagai Alat Deteksi DNA Babi dalam Beberapa Produk Non-Pangan. *Indonesia Journal of Halal*, 2(1), 26. <https://doi.org/10.14710/halal.v2i1.5361>
- World Health Organization (WHO). (2020a). Guidance for laboratories shipping specimens to WHO reference laboratories that provide confirmatory testing for COVID-19 virus: interim guidance. *Who, March*, 1–2.
- World Health Organization (WHO). (2020b). *Laboratory testing for coronavirus disease 2019 (COVID-19) in suspected human cases*. March, 1–7.