

DAFTAR PUSTAKA

- Abdo, J. M., Sopko, N. A., & Milner, S. M. (2020). The applied anatomy of human skin: A model for regeneration. *Wound Medicine*, 28(December 2019), 100179. <https://doi.org/10.1016/j.wndm.2020.100179>
- Abdulbaqi, M. R., Albadri, A. A., & Abdulelah, F. M. (2019). Journal of Global Pharma Technology. *Jurnal of Global Pharma Technology*, October.
- Afifah, S. N., Azhar, S., Ashari, S. E., & Salim, N. (2018). Development of a kojic monooleate-enriched oil-in-water nanoemulsion as a potential carrier for hyperpigmentation treatment. *International Journal of Nanomedicine*, 13, 6465–6479. <https://doi.org/10.2147/IJN.S171532>
- Afornali, A., Vecchi, R. de, Stuart, R. M., Dieamant, G., Oliveira, L. L. de, Brohem, C. A., Feferman, I. H. S., Fabrício, L. H. Z., & Lorencini, M. (2013). Triple nanoemulsion potentiates the effects of topical treatments with microencapsulated retinol and modulates biological processes related to skin aging. *Anais Brasileiros de Dermatologia*, 88(6), 930–936. <https://doi.org/10.1590/abd1806-4841.20132208>
- Alnahas, F., Yeboah, P., Fliedel, L., Abdin, A. Y., & Alhareth, K. (2020). Expired medication: Societal, regulatory and ethical aspects of a wasted opportunity. *International Journal of Environmental Research and Public Health*, 17(3). <https://doi.org/10.3390/ijerph17030787>
- Andermann, G., & Criares, A. E. J. (1991). *United States Patent [191 Patent Number : Date of Patent : 1–4.*
- Anuar, N., Sabri, A. H., Bustami Effendi, T. J., & Abdul Hamid, K. (2020). Development and characterisation of ibuprofen-loaded nanoemulsion with enhanced oral bioavailability. *Heliyon*, 6(7), e04570. <https://doi.org/10.1016/j.heliyon.2020.e04570>
- Aulton, M., & Taylor, K. (2018). *Pharmaceutics The Design and Manufacture of Medicines*. In *Elsevier Ltd*.
- Aulton, M., & Taylor, K. M. G. (2013). *Aulton ' s Pharmaceutics*.
- Azeem, A., Rizwan, M., Ahmad, F., Khar, R., Iqbal, Z., & Talegaonkar, S. (2009). Components Screening and Influence of Surfactant and Cosurfactant on Nanoemulsion Formation. *Current Nanoscience*, 5(2), 220–226. <https://doi.org/10.2174/157341309788185505>
- Baker, B. S., Ovigne, J. M., Powles, A. V., Corcoran, S., & Fry, L. (2003). Normal

keratinocytes express Toll-like receptors (TLRs) 1, 2 and 5: Modulation of TLR expression in chronic plaque psoriasis. *British Journal of Dermatology*, *148*(4), 670–679. <https://doi.org/10.1046/j.1365-2133.2003.05287.x>

Baspinar, Y., Keck, C. M., & Borchert, H. H. (2010). Development of a positively charged prednicarbate nanoemulsion. *International Journal of Pharmaceutics*, *383*(1–2), 201–208. <https://doi.org/10.1016/j.ijpharm.2009.09.002>

Birch, J., Barnes, P. J., & Passos, J. F. (2018). Mitochondria, telomeres and cell senescence: Implications for lung ageing and disease. *Pharmacology and Therapeutics*, *183*, 34–49. <https://doi.org/10.1016/j.pharmthera.2017.10.005>

Bosch, R., Philips, N., Suárez-Pérez, J. A., Juarranz, A., Devmurari, A., Chalensouk-Khaosaat, J., & González, S. (2015). Mechanisms of photoaging and cutaneous photocarcinogenesis, and photoprotective strategies with phytochemicals. *Antioxidants*, *4*(2), 248–268. <https://doi.org/10.3390/antiox4020248>

Boucetta, K. Q., Charrouf, Z., Aguenou, H., Derouiche, A., & Bensouda, Y. (2015). The effect of dietary and/or cosmetic argan oil on postmenopausal skin elasticity. *Clinical Interventions in Aging*, *10*, 339–349. <https://doi.org/10.2147/CIA.S71684>

Boucetta, K. Q., Charrouf, Z., Derouiche, A., Rahali, Y., & Bensouda, Y. (2014). Skin hydration in postmenopausal women: Argan oil benefit with oral and/or topical use. *Przegląd Menopauzalny*, *13*(5), 280–288. <https://doi.org/10.5114/pm.2014.46470>

Campa, M., & Baron, E. (2018). Anti-aging effects of select botanicals: Scientific evidence and current trends. *Cosmetics*, *5*(3), 1–15. <https://doi.org/10.3390/COSMETICS5030054>

Chambers, E. S., & Vukmanovic-Stejic, M. (2020). Skin barrier immunity and ageing. *Immunology*, *160*(2), 116–125. <https://doi.org/10.1111/imm.13152>

Choe, C. S., Schleusener, J., Lademann, J., & Darvin, M. E. (2018). Age related depth profiles of human Stratum Corneum barrier-related molecular parameters by confocal Raman microscopy in vivo. *Mechanisms of Ageing and Development*, *172*(August), 6–12. <https://doi.org/10.1016/j.mad.2017.08.011>

Contri, R. V., Kulkamp-Guerreiro, I. C., da Silva, S. J., Frank, L. A., Pohlmann, A. R., & Guterres, S. S. (2016). Nanoencapsulation of Rose-Hip Oil Prevents Oil Oxidation and Allows Obtainment of Gel and Film Topical Formulations. *AAPS PharmSciTech*, *17*(4), 863–871. <https://doi.org/10.1208/s12249-015-0379-9>

- Demaria, M., Desprez, P. Y., Campisi, J., & Velarde, M. C. (2015). Cell autonomous and non-autonomous effects of senescent cells in the skin. *Journal of Investigative Dermatology*, *135*(7), 1722–1726. <https://doi.org/10.1038/jid.2015.108>
- Denda, M. (2015). Epidermis as the “third Brain”? *Dermatologica Sinica*, *33*(2), 70–73. <https://doi.org/10.1016/j.dsi.2015.04.011>
- Fauzia, D. (2017). Aspek Farmakologi Retinoid pada Kosmeseutikal. *Jurnal Kesehatan Melayu*, *1*(1), 35. <https://doi.org/10.26891/jkm.v1i1.2017.35-40>
- Feng, J., Chen, Q., Wu, X., Jafari, S. M., & McClements, D. J. (2018). Formulation of oil-in-water emulsions for pesticide applications: impact of surfactant type and concentration on physical stability. *Environmental Science and Pollution Research*, *25*(22), 21742–21751. <https://doi.org/10.1007/s11356-018-2183-z>
- Ghosh, K., & Capell, B. C. (2016). The Senescence-Associated Secretory Phenotype: Critical Effector in Skin Cancer and Aging. *Journal of Investigative Dermatology*, *136*(11), 2133–2139. <https://doi.org/10.1016/j.jid.2016.06.621>
- Gref, R., Deloménie, C., Maksimenko, A., Gouadon, E., Percoco, G., Lati, E., Desmaële, D., Zouhiri, F., & Couvreur, P. (2020). Vitamin C–squalene bioconjugate promotes epidermal thickening and collagen production in human skin. *Scientific Reports*, *10*(1), 1–12. <https://doi.org/10.1038/s41598-020-72704-1>
- Gu, Y., Han, J., Jiang, C., & Zhang, Y. (2020). Biomarkers, oxidative stress and autophagy in skin aging. *Ageing Research Reviews*, *59*(December 2019), 101036. <https://doi.org/10.1016/j.arr.2020.101036>
- GÜNEY, M. (2020). Determination of fatty acid profile and antioxidant activity of Rosehip seeds from Turkey. *International Journal of Agriculture, Environment and Food Sciences*, *1*(January), 81–86. <https://doi.org/10.31015/jaefs.2020.1.13>
- Gurpreet, K., & Singh, S. K. (2018). Review of nanoemulsion formulation and characterization techniques. *Indian Journal of Pharmaceutical Sciences*, *80*(5), 781–789.
- Hameed, A., Fatima, G. R., Malik, K., & Muqadas, A. (2019). *Scope of Nanotechnology in Cosmetics: Dermatology and Skin Care Products*. *2019*(2), 9–16. <https://doi.org/10.26655/jmchemsci.2019.6.2>
- Hanifah, M., & Jufri, M. (2018). Formulation and stability testing of nanoemulsion lotion containing centella asiatica extract. *Journal of Young Pharmacists*, *10*(4), 404–408. <https://doi.org/10.5530/jyp.2018.10.89>

- Hidajat, M. J., Jo, W., Kim, H., & Noh, J. (2020). Article effective droplet size reduction and excellent stability of limonene nanoemulsion formed by high-pressure homogenizer. *Colloids and Interfaces*, 4(1). <https://doi.org/10.3390/colloids4010005>
- Hipkiss, A. R. (2006). Accumulation of altered proteins and ageing: Causes and effects. *Experimental Gerontology*, 41(5), 464–473. <https://doi.org/10.1016/j.exger.2006.03.004>
- Hoffman, J. I. E. (2011). Pulmonary vascular resistance and viscosity: The forgotten factor. *Pediatric Cardiology*, 32(5), 557–561. <https://doi.org/10.1007/s00246-011-9954-3>
- Hong, I. K., Kim, S. I., & Lee, S. B. (2018). Effects of HLB value on oil-in-water emulsions: Droplet size, rheological behavior, zeta-potential, and creaming index. *Journal of Industrial and Engineering Chemistry*, 67, 123–131. <https://doi.org/10.1016/j.jiec.2018.06.022>
- Hovav, A. H. (2018). Mucosal and Skin Langerhans Cells – Nurture Calls. *Trends in Immunology*, 39(10), 788–800. <https://doi.org/10.1016/j.it.2018.08.007>
- Huma, S., Khan, H. M. S., Sohail, M., Akhtar, N., Rasool, F., Majeed, F., & Daniyal, M. (2020). Development, in-vitro characterization and assessment of cosmetic potential of Beta vulgaris extract emulsion. *Journal of Herbal Medicine*, 23(July 2019), 100372. <https://doi.org/10.1016/j.hermed.2020.100372>
- Jaiswal, M., Dudhe, R., & Sharma, P. K. (2015). Nanoemulsion: an advanced mode of drug delivery system. *3 Biotech*, 5(2), 123–127. <https://doi.org/10.1007/s13205-014-0214-0>
- Jansen van Rensburg, S., Franken, A., & Du Plessis, J. L. (2019). Measurement of transepidermal water loss, stratum corneum hydration and skin surface pH in occupational settings: A review. *Skin Research and Technology*, 25(5), 595–605. <https://doi.org/10.1111/srt.12711>
- Kaur, G., Singh, P., & Sharma, S. (2021). Physical, morphological, and storage studies of cinnamon based nanoemulsions developed with Tween 80 and soy lecithin: a comparative study. *Journal of Food Measurement and Characterization*, 15(3), 2386–2398. <https://doi.org/10.1007/s11694-021-00817-w>
- Kemenkes. (2020). Farmakope Indonesia edisi IV. In *Kementerian Kesehatan Republik Indonesia*.
- Khan, N. U., Ali, A., Khan, H., Khan, Z. U., & Ahmed, Z. (2018). Stability studies and characterization of glutathione-loaded nanoemulsion. *Journal of Cosmetic*

Science, 69(4), 257–267.

- Kharbach, M., Yu, H., Kamal, R., Barra, I., Marmouzi, I., Cherrah, Y., Alaoui, K., Bouklouze, A., & Heyden, Y. Vander. (2021). New insights into the Argan oil categories characterization: Chemical descriptors, FTIR fingerprints, and chemometric approaches. *Talanta*, 225(October 2020), 122073. <https://doi.org/10.1016/j.talanta.2020.122073>
- Khavkin, J., & Ellis, D. A. F. (2011). Aging Skin: Histology, Physiology, and Pathology. *Facial Plastic Surgery Clinics of North America*, 19(2), 229–234. <https://doi.org/10.1016/j.fsc.2011.04.003>
- Koca, H. D., Doganay, S., Turgut, A., Tavman, I. H., Saidur, R., & Mahbul, I. M. (2018). Effect of particle size on the viscosity of nanofluids: A review. *Renewable and Sustainable Energy Reviews*, 82(April 2016), 1664–1674. <https://doi.org/10.1016/j.rser.2017.07.016>
- Kong, M., & Park, H. J. (2011). Stability investigation of hyaluronic acid based nanoemulsion and its potential as transdermal carrier. *Carbohydrate Polymers*, 83(3), 1303–1310. <https://doi.org/10.1016/j.carbpol.2010.09.041>
- Koohgoli, R., Hudson, L., Naidoo, K., Wilkinson, S., Chavan, B., & Birch-Machin, M. A. (2017). Bad air gets under your skin. *Experimental Dermatology*, 26(5), 384–387. <https://doi.org/10.1111/exd.13257>
- Krutmann, J., Bouloc, A., Sore, G., Bernard, B. A., & Passeron, T. (2017). The skin aging exposome. *Journal of Dermatological Science*, 85(3), 152–161. <https://doi.org/10.1016/j.jdermsci.2016.09.015>
- Kumar, N., & Mandal, A. (2018). Thermodynamic and physicochemical properties evaluation for formation and characterization of oil-in-water nanoemulsion. *Journal of Molecular Liquids*, 266, 147–159. <https://doi.org/10.1016/j.molliq.2018.06.069>
- Kupper, T. S., & Fuhlbrigge, R. C. (2004). Immune surveillance in the skin: Mechanisms and clinical consequences. *Nature Reviews Immunology*, 4(3), 211–222. <https://doi.org/10.1038/nri1310>
- Lee, E. S., Ahn, Y., Bae, I. H., Min, D., Park, N. H., Jung, W., Kim, S. H., Hong, Y. D., Park, W. S., & Lee, C. S. (2020). Synthetic retinoid seletinoid g improves skin barrier function through wound healing and collagen realignment in human skin equivalents. *International Journal of Molecular Sciences*, 21(9), 1–12. <https://doi.org/10.3390/ijms21093198>
- Lee, H., Hong, Y., & Kim, M. (2021). *Structural and Functional Changes and Possible Molecular Mechanisms in Aged Skin*.
- Lei, Z., Cao, Z., Yang, Z., Ao, M., Jin, W., & Yu, L. (2019). Rosehip Oil Promotes

Excisional Wound Healing by Accelerating the Phenotypic Transition of Macrophages. *Planta Medica*, 85(7), 563–569. <https://doi.org/10.1055/a-0725-8456>

Li, J., Guo, Y., & Zografí, G. (2002). Effects of a citrate buffer system on the solid-state chemical stability of lyophilized quinapril preparations. *Pharmaceutical Research*, 19(1), 20–26. <https://doi.org/10.1023/A:1013695030082>

Lin Ching-Erh, Chang, C. C., & Lin, W. C. (1997). Migration behavior and separation of sulfonamides in capillary zone electrophoresis III. Citrate buffer as a background electrolyte. *Journal of Chromatography A*, 768(1), 105–112. [https://doi.org/10.1016/S0021-9673\(97\)00010-1](https://doi.org/10.1016/S0021-9673(97)00010-1)

Lin, T. K., Zhong, L., & Santiago, J. L. (2018). Anti-inflammatory and skin barrier repair effects of topical application of some plant oils. *International Journal of Molecular Sciences*, 19(1). <https://doi.org/10.3390/ijms19010070>

Malik, A., & Hoenig, L. J. (2019). Can aging be slowed down? *Clinics in Dermatology*, 37(4), 306–311. <https://doi.org/10.1016/j.clindermatol.2019.04.003>

Marhamati, M., Ranjbar, G., & Rezaie, M. (2021). Effects of emulsifiers on the physicochemical stability of Oil-in-water Nanoemulsions : A critical review. *Journal of Molecular Liquids*, 340, 117218. <https://doi.org/10.1016/j.molliq.2021.117218>

McDaniel, D. H., Mazur, C., Wortzman, M. S., & Nelson, D. B. (2017). Efficacy and tolerability of a double-conjugated retinoid cream vs 1.0% retinol cream or 0.025% tretinoin cream in subjects with mild to severe photoaging. *Journal of Cosmetic Dermatology*, 16(4), 542–548. <https://doi.org/10.1111/jocd.12381>

Menon, G. K., Cleary, G. W., & Lane, M. E. (2012). The structure and function of the stratum corneum. *International Journal of Pharmaceutics*, 435(1), 3–9. <https://doi.org/10.1016/j.ijpharm.2012.06.005>

Miklavčič, M. B., Taous, F., Valenčič, V., Elghali, T., Podgornik, M., Strojnik, L., & Ogrinc, N. (2020). Fatty Acid Composition of Cosmetic Argan Oil: Provenience and Authenticity Criteria. *Molecules*, 25(18). <https://doi.org/10.3390/molecules25184080>

Milić, S. M., Kostić, M. D., Milić, P. S., Vučić, V. M., Arsić, A., Veljković, V. B., & Stamenković, O. S. (2020). Extraction of Oil from Rosehip Seed: Kinetics, Thermodynamics, and Optimization. *Chemical Engineering and Technology*, 43(12), 2373–2381. <https://doi.org/10.1002/ceat.201900689>

Naidoo, K., & Birch-Machin, M. A. (2017). Oxidative stress and ageing: The influence of environmental pollution, sunlight and diet on skin. *Cosmetics*,

4(1). <https://doi.org/10.3390/cosmetics4010004>

- Nasr, A., Gardouh, A., & Ghorab, M. (2016). Novel solid self-nanoemulsifying drug delivery system (S-SNEDDS) for oral delivery of olmesartan medoxomil: Design, formulation, pharmacokinetic and bioavailability evaluation. *Pharmaceutics*, 8(3). <https://doi.org/10.3390/pharmaceutics8030020>
- Nelson, A. R., Fingleton, B., Rothenberg, M. L., & Matrisian, L. M. (2017). BIOLOGY OF NEOPLASIA Matrix Metalloproteinases: Biologic Activity and Clinical Implications. *J Clin Oncol*, 18(5), 1135–1149.
- Nichols, J. A., & Katiyar, S. K. (2011). Polyphenols: skin photoprotection and inhibition of photocarcinogenesis. *Mini Reviews in Medicinal Chemistry*, 11(14), 1200–1215. <https://doi.org/10.1007/s00403-009-1001-3>.Skin
- Pagar, K. R., & Darekar, A. B. (2019). Nanoemulsion: A new concept of Delivery System. *Asian Journal of Research in Pharmaceutical Science*, 9(1), 39. <https://doi.org/10.5958/2231-5659.2019.00006.7>
- Park, H., Mun, S., & Kim, Y. R. (2019). UV and storage stability of retinol contained in oil-in-water nanoemulsions. *Food Chemistry*, 272(August 2018), 404–410. <https://doi.org/10.1016/j.foodchem.2018.08.076>
- Parveen, R., Baboota, S., Ali, J., Ahuja, A., & Ahmad, S. (2015). Stability studies of silymarin nanoemulsion containing Tween 80 as a surfactant. *Journal of Pharmacy and Bioallied Sciences*, 7(4), 321–324. <https://doi.org/10.4103/0975-7406.168037>
- Phetcharat, L., Wongsuphasawat, K., & Winther, K. (2015). The effectiveness of a standardized rose hip powder, containing seeds and shells of *Rosa canina*, on cell longevity, skin wrinkles, moisture, and elasticity. *Clinical Interventions in Aging*, 10, 1849–1856. <https://doi.org/10.2147/CIA.S90092>
- Qadir, A., Faiyazuddin, M. D., Talib Hussain, M. D., Alshammari, T. M., & Shakeel, F. (2016). Critical steps and energetics involved in a successful development of a stable nanoemulsion. *Journal of Molecular Liquids*, 214, 7–18. <https://doi.org/10.1016/j.molliq.2015.11.050>
- Quan, T., He, T., Voorhees, J. J., & Fisher, G. J. (2005). Ultraviolet irradiation induces Smad7 via induction of transcription factor AP-1 in human skin fibroblasts. *Journal of Biological Chemistry*, 280(9), 8079–8085. <https://doi.org/10.1074/jbc.M409647200>
- R. P. Singh, S. Parpani, R. Narke, R. C., & Sinhgad. (2014). EMULGEL: A RECENT APPROACH FOR TOPICAL DRUG DELIVERY SYSTEM. *Asian Journal of Pharmaceutical Research and Development*, 2(2), 112–123.
- Rinnerthaler, M., Bischof, J., Streubel, M. K., Trost, A., & Richter, K. (2015).

- Oxidative stress in aging human skin. *Biomolecules*, 5(2), 545–589. <https://doi.org/10.3390/biom5020545>
- Rittié, L., & Fisher, G. J. (2015). Natural and sun-induced aging of human skin. *Cold Spring Harbor Perspectives in Medicine*, 5(1), 1–14. <https://doi.org/10.1101/cshperspect.a015370>
- Romanovsky, A. A. (2014). Skin temperature: Its role in thermoregulation. *Acta Physiologica*, 210(3), 498–507. <https://doi.org/10.1111/apha.12231>
- Sadick, N. S., & Krueger, N. (2014). Cosmetic dermatology. In *Dermatologic Clinics* (Vol. 32, Issue 1). <https://doi.org/10.1016/j.det.2013.10.001>
- Saefuddin, S. F. (2020). *Pengembangan formula nanoemulsi asam kojat dipalmitat sebagai pencerah kulit.*
- Sajo, M. E. J., Kim, C. S., Kim, S. K., Shim, K. Y., Kang, T. Y., & Lee, K. J. (2017). Antioxidant and Anti-Inflammatory Effects of Shungite against Ultraviolet B Irradiation-Induced Skin Damage in Hairless Mice. *Oxidative Medicine and Cellular Longevity*, 2017. <https://doi.org/10.1155/2017/7340143>
- Salzer, M. C., Lafzi, A., Berenguer-Llargo, A., Youssif, C., Castellanos, A., Solanas, G., Peixoto, F. O., Stephan-Otto Attolini, C., Prats, N., Aguilera, M., Martín-Caballero, J., Heyn, H., & Benitah, S. A. (2018). Identity Noise and Adipogenic Traits Characterize Dermal Fibroblast Aging. *Cell*, 175(6), 1575–1590.e22. <https://doi.org/10.1016/j.cell.2018.10.012>
- Santos, J. S. dos, Vieira, A. B. D., & Kamada, I. (2009). A Rosa Mosqueta no tratamento de feridas abertas: uma revisão. *Revista Brasileira de Enfermagem*, 62(3), 457–462. <https://doi.org/10.1590/s0034-71672009000300020>
- Senapati, P. C., Sahoo, S. K., & Sahu, A. N. (2016). ScienceDirect Mixed surfactant based (SNEDDS) self-nanoemulsifying drug delivery system presenting efavirenz for enhancement of oral bioavailability. *Biomedicine et Pharmacotherapy*, 80, 42–51. <https://doi.org/10.1016/j.biopha.2016.02.039>
- Shafiq, S., Shakeel, F., Talegaonkar, S., Ahmad, F. J., Khar, R. K., & Ali, M. (2007). Development and bioavailability assessment of ramipril nanoemulsion formulation. *European Journal of Pharmaceutics and Biopharmaceutics*, 66(2), 227–243. <https://doi.org/10.1016/j.ejpb.2006.10.014>
- Sheskey, J. P., G. W., and Cable, G. . (2017). *Handbook of Pharmaceutical Excipients 8th by Sheskey, Paul J Cook, Walter G Cable, Colin G.*
- Shin, J. W., Kwon, S. H., Choi, J. Y., Na, J. I., Huh, C. H., Choi, H. R., & Park, K. C. (2019). Molecular mechanisms of dermal aging and antiaging approaches. *International Journal of Molecular Sciences*, 20(9). <https://doi.org/10.3390/ijms20092126>

- Simões, T., Ferreira, J., Lemos, M. F. L., Augusto, A., Félix, R., Silva, S. F. J., Ferreira-Dias, S., & Tecelão, C. (2021). Argan Oil as a Rich Source of Linoleic Fatty Acid for Dietetic Structured Lipids Production. *Life*, *11*(11), 1114. <https://doi.org/10.3390/life11111114>
- Stanley, J. R. (2012). Synergy of understanding dermatologic disease and epidermal biology. *Journal of Clinical Investigation*, *122*(2), 436–439. <https://doi.org/10.1172/JCI62237>
- Tichota, D. M., Silva, A. C., Sousa Lobo, J. M., & Amaral, M. H. (2014). Design, characterization, and clinical evaluation of argan oil nanostructured lipid carriers to improve skin hydration. *International Journal of Nanomedicine*, *9*(1), 3855–3864. <https://doi.org/10.2147/IJN.S64008>
- Turan, S., Solak, R., Kiralan, M., & Ramadan, M. F. (2018). Bioactive lipids, antiradical activity and stability of rosehip seed oil under thermal and photo-induced oxidation. *Grasas y Aceites*, *69*(2), 1–9. <https://doi.org/10.3989/gya.1114172>
- Turgut, A., Tavman, I., Chirtoc, M., Schuchmann, H. P., Sauter, C., & Tavman, S. (2009). Thermal conductivity and viscosity measurements of water-based TiO₂ nanofluids. *International Journal of Thermophysics*, *30*(4), 1213–1226. <https://doi.org/10.1007/s10765-009-0594-2>
- Valerón-Almazán, P., Gómez-Duaso, A. J., Santana-Molina, N., García-Bello, M. A., & Carretero, G. (2015). Evolution of Post-Surgical Scars Treated with Pure Rosehip Seed Oil. *Journal of Cosmetics, Dermatological Sciences and Applications*, *05*(02), 161–167. <https://doi.org/10.4236/jcdsa.2015.52019>
- Vaughn, A. R., Clark, A. K., Sivamani, R. K., & Shi, V. Y. (2018). Natural Oils for Skin-Barrier Repair: Ancient Compounds Now Backed by Modern Science. *American Journal of Clinical Dermatology*, *19*(1), 103–117. <https://doi.org/10.1007/s40257-017-0301-1>
- Villareal, M. O., Kume, S., Bourhim, T., Bakhtaoui, F. Z., Kashiwagi, K., Han, J., Gadhi, C., & Isoda, H. (2013). Activation of MITF by argan oil leads to the inhibition of the tyrosinase and dopachrome tautomerase expressions in B16 murine melanoma cells. *Evidence-Based Complementary and Alternative Medicine*, *2013*. <https://doi.org/10.1155/2013/340107>
- Widowati, W., Rani, A. P., Amir Hamzah, R., Arumwardana, S., Afifah, E., Kusuma, H. S. W., Rihibiha, D. D., Nufus, H., & Amalia, A. (2017). Antioxidant and antiaging assays of Hibiscus sabdariffa extract and its compounds. *Natural Product Sciences*, *23*(3), 192–200. <https://doi.org/10.20307/nps.2017.23.3.192>
- Yoon, J. E., Kim, Y., Kwon, S., Kim, M., Kim, Y. H., Kim, J. H., Park, T. J., &

Kang, H. Y. (2018). Senescent fibroblasts drive ageing pigmentation: A potential therapeutic target for senile lentigo. *Theranostics*, 8(17), 4620–4632. <https://doi.org/10.7150/thno.26975>

Zhao, L., Wei, Y., Huang, Y., He, B., Zhou, Y., & Fu, J. (2013). Nanoemulsion improves the oral bioavailability of baicalin in rats: In vitro and in vivo evaluation. *International Journal of Nanomedicine*, 8, 3769–3779. <https://doi.org/10.2147/IJN.S51578>

Zouboulis, C. C., Ganceviciene, R., Liakou, A. I., Theodoridis, A., Elewa, R., & Makrantonaki, E. (2019). Aesthetic aspects of skin aging, prevention, and local treatment. *Clinics in Dermatology*, 37(4), 365–372. <https://doi.org/10.1016/j.clindermatol.2019.04.002>