

## DAFTAR PUSTAKA

- Afifah, S. N., Azhar, S., Ashari, S. E., & Salim, N. (2018). Development of a kojic monooleate-enriched oil-in-water nanoemulsion as a potential carrier for hyperpigmentation treatment. *International Journal of Nanomedicine*, *13*, 6465–6479. <https://doi.org/10.2147/IJN.S171532>
- Afriyanti, R. N. (2015). Akne Vulgaris Pada Remaja. *Medical Faculty of Lampung University*, *4*(6), 102–109.
- Ahn, A. C., & Kaptchuk, T. J. (2011). Spatial anisotropy analyses of subcutaneous tissue layer: Potential insights into its biomechanical characteristics. *Journal of Anatomy*, *219*(4), 515–524. <https://doi.org/10.1111/j.1469-7580.2011.01407.x>
- Akers, M. J. (2010). *Sterile Drug Products: Formulation, Packaging, Manufacturing, and Quality* (J. Swarbrick (ed.)). Informa healthcare.
- Allen, L. V., & Ansel, H. C. (2014). *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems* (S. Howes (ed.); 10th ed.). Wolters Kluwer Health.
- Annisa, R., Mutiah, R., Hakim, A., & Rahmaniya, D. N. K. (2019). Formulation design and evaluation of hydrocortisone-loaded nanoemulsion and nanoemulsion gel for topical delivery. *AIP Conference Proceedings*, *2120*(July). <https://doi.org/10.1063/1.5115677>
- Arianto, A., & Cindy, C. (2019). Preparation and evaluation of sunflower oil nanoemulsion as a sunscreen. *Open Access Macedonian Journal of Medical Sciences*, *7*(22), 3757–3761. <https://doi.org/10.3889/oamjms.2019.497>
- Assumpção, C. F., Nunes, I. L., Mendonça, T. A., Bortolin, R. C., Jablonski, A., Flôres, S. H., & De Oliveira Rios, A. (2015). Bioactive Compounds and Stability of Organic and Conventional Vitis labrusca Grape Seed Oils. *JAACS, Journal of the American Oil Chemists' Society*, *93*(1), 115–124. <https://doi.org/10.1007/s11746-015-2742-0>
- Aulton, M., & Taylor, K. (2018). *Pharmaceutics The Design and Manufacture of Medicines*. In M. E. Aulton & K. M. G. Taylor (Eds.), *Elsevier Ltd.* (5th ed.). Elsevier.
- Azeem, A., Rizwan, M., Ahmad, F. J., Iqbal, Z., Khar, R. K., Aqil, M., & Talegaonkar, S. (2009). Nanoemulsion components screening and selection: A technical note. *AAPS PharmSciTech*, *10*(1), 69–76. <https://doi.org/10.1208/s12249-008-9178-x>
- Aziz, Z. A. A., Nasir, H. M., Ahmad, A., Setapar, S. H. M., Ahmad, H., Noor, M. H. M., Rafatullah, M., Khatoon, A., Kausar, M. A., Ahmad, I., Khan, S., Al-Shaeri, M., & Ashraf, G. M. (2019). Enrichment of Eucalyptus oil nanoemulsion by micellar nanotechnology: transdermal analgesic activity using hot plate test in rats' assay. *Scientific Reports*, *9*(1), 1–16. <https://doi.org/10.1038/s41598-019-50134-y>
- Baek, J. H., Ahn, S. M., Choi, K. M., Jung, M. K., Shin, M. K., & Koh, J. S. (2015). Analysis of comedone, sebum and porphyrin on the face and body for

- comedogenicity assay. *Skin Research and Technology*, 22(2), 164–169. <https://doi.org/10.1111/srt.12244>
- Baumann, L. (2008). Understanding and Treating Various Skin Types: The Baumann Skin Type Indicator. *Dermatologic Clinics*, 26(3), 359–373. <https://doi.org/10.1016/j.det.2008.03.007>
- Baumann, L. (2016). Cosmeceuticals in skin of color. *Seminars in Cutaneous Medicine and Surgery*, 35(4), 233–237. <https://doi.org/10.12788/j.sder.2016.056>
- Begam, S., Panda, N., Rana, S., Behera, L., & Dehuri, P. (2019). THE TARGETED DRUG DELIVERY SYSTEM: REVIEW LITERATURE ON NANOTECHNOLOGY, NANO PARTICLES. *World Journal of Pharmaceutical Research*, 8(9), 545–554. <https://doi.org/10.20959/wjpr20199-15484>
- Benelli, G., Canale, A., Flamini, G., Cioni, P. L., Demi, F., Ceccarini, L., Macchia, M., & Conti, B. (2013). Biototoxicity of *Melaleuca alternifolia* (Myrtaceae) essential oil against the Mediterranean fruit fly, *Ceratitis capitata* (Diptera: Tephritidae), and its parasitoid *Psytalia concolor* (Hymenoptera: Braconidae). *Industrial Crops and Products*, 50, 596–603. <https://doi.org/10.1016/j.indcrop.2013.08.006>
- Bernales Salinas, A. (2021). Acne vulgaris: role of the immune system. *International Journal of Dermatology*, 60(9), 1076–1081. <https://doi.org/10.1111/ijd.15415>
- Bernardi, D. S., Pereira, T. A., Maciel, N. R., Bortoloto, J., Viera, G. S., Oliveira, G. C., & Rocha-Filho, P. A. (2011). Formation and stability of oil-in-water nanoemulsions containing rice bran oil: In vitro and in vivo assessments. *Journal of Nanobiotechnology*, 9, 1–9. <https://doi.org/10.1186/1477-3155-9-44>
- Bhat, Y. J., Latief, I., & Hassan, I. (2017). Update on etiopathogenesis and treatment of Acne. *Indian Journal of Dermatology, Venereology and Leprology*, 83(3), 298–306. <https://doi.org/10.4103/0378-6323.199581>
- Bilbao-Sáinz, C., Avena-Bustillos, R. J., Wood, D. F., Williams, T. G., & McHugh, T. H. (2010). Nanoemulsions prepared by a low-energy emulsification method applied to edible films. *Journal of Agricultural and Food Chemistry*, 58(22), 11932–11938. <https://doi.org/10.1021/jf102341r>
- Burns, T., & Graham-Brown, R. A. (2005). *Lecture Notes on Dermatology* (8th ed.). Blackwell Publishing.
- Carson, C. F., Hammer, K. A., & Riley, T. V. (2006). *Melaleuca alternifolia* (tea tree) oil: A review of antimicrobial and other medicinal properties. *Clinical Microbiology Reviews*, 19(1), 50–62. <https://doi.org/10.1128/CMR.19.1.50-62.2006>
- Carson, Christine F., Mee, B. J., & Riley, T. V. (2002). Mechanism of action of *Melaleuca alternifolia* (tea tree) oil on *Staphylococcus aureus* determined by time-kill, lysis, leakage, and salt tolerance assays and electron microscopy. *Antimicrobial Agents and Chemotherapy*, 46(6), 1914–1920. <https://doi.org/10.1128/AAC.46.6.1914-1920.2002>

- Charde, Y., Sharma, P., Choudhary, N., & Avari, J. (2014). Development and Evaluation of Herbal Formulation for the Treatment of Acne. *International Journal of Pharmaceutical Sciences and Research*, 5(6), 2250–2260. [https://doi.org/10.13040/IJPSR.0975-8232.5\(6\).2250-60](https://doi.org/10.13040/IJPSR.0975-8232.5(6).2250-60)
- Chen, C. S., Liu, K. J., Lou, Y. H., & Shieh, C. J. (2002). Optimisation of kojic acid monolaurate synthesis with lipase PS from *Pseudomonas cepacia*. *Journal of the Science of Food and Agriculture*, 82(6), 601–605. <https://doi.org/10.1002/jsfa.1083>
- Chen, X. (2017). Current and future technological advances in transdermal gene delivery. *Advanced Drug Delivery Reviews*, 127, 85–105. <https://doi.org/10.1016/j.addr.2017.12.014>
- Chen, Z., Lv, Y., Qi, J., Zhu, Q., Lu, Y., & Wu, W. (2017). Overcoming or circumventing the stratum corneum barrier for efficient transcutaneous immunization. *Drug Discovery Today*, 23(1), 181–186. <https://doi.org/10.1016/j.drudis.2017.09.017>
- Chinyoka, T. (2021). Comparative Response of Newtonian and Non-Newtonian Fluids Subjected to Exothermic Reactions in Shear Flow. *International Journal of Applied and Computational Mathematics*, 7(3), 1–19. <https://doi.org/10.1007/s40819-021-01023-4>
- Clayton, R. W., Göbel, K., Niessen, C. M., Paus, R., van Steensel, M. A. M., & Lim, X. (2019). Homeostasis of the sebaceous gland and mechanisms of acne pathogenesis. *British Journal of Dermatology*, 181(4), 677–690. <https://doi.org/10.1111/bjd.17981>
- Cooper, A. J., & Harris, V. R. (2017). Modern management of acne. *Medical Journal of Australia*, 206(1), 41–45. <https://doi.org/10.5694/mja16.00516>
- Daud, F. S., Pande, G., Joshi, M., Pathak, R., & Wankhede, S. (2013). A study of antibacterial effect of some selected essential oils and medicinal herbs against acne causing bacteria. *International Journal of Pharmaceutical Science Invention*, 2(1), 27–34.
- Dawson, A. L., & Dellavalle, R. P. (2013). Acne vulgaris. *BMJ (Online)*, 346(7907), 1–7. <https://doi.org/10.1136/bmj.f2634>
- de Groot, A. C., & Schmidt, E. (2016). Tea tree oil: contact allergy and chemical composition. *Contact Dermatitis*, 75(3), 129–143. <https://doi.org/10.1111/cod.12591>
- Delmas, T., Piraux, H., Couffin, A. C., Texier, I., Vinet, F., Poulin, P., Cates, M. E., & Bibette, J. (2011). How to prepare and stabilize very small nanoemulsions. *Langmuir*, 27(5), 1683–1692. <https://doi.org/10.1021/la104221q>
- Destiyana, O. Y., Hajrah, & Rijai, L. (2018). Formulasi Nanoemulsi Kombinasi Ekstrak Bunga Mawar (*Rosa damascena* Mill.) dan Ekstrak Umbi Bengkuang (*Pachyrhizus erosus* L.) Menggunakan Minyak Pembawa Virgin Coconut Oil (VCO). *Proceeding of Mulawarman Pharmaceuticals Conferences*, 8(November

- 2018), 254–259. <https://doi.org/10.25026/mpc.v8i1.331>
- Ding, Z., Zhang, Y., Wen, N., Sun, Z., Li, C., & Zhang, B. (2015). W/O nanoemulsion-based intranasal drug delivery system of Panax notoginseng saponins for brain targeting. *Journal of Controlled Release*, 213(2015), e11. <https://doi.org/10.1016/j.jconrel.2015.05.014>
- Duba, K. S., & Fiori, L. (2015). Supercritical CO<sub>2</sub> extraction of grape seed oil: Effect of process parameters on the extraction kinetics. *The Journal of Supercritical Fluids*, 98, 33–43. <https://doi.org/10.1016/j.supflu.2014.12.021>
- Feingold, K. R., & Elias, P. M. (2014). Role of lipids in the formation and maintenance of the cutaneous permeability barrier. *Biochimica et Biophysica Acta - Molecular and Cell Biology of Lipids*, 1841(3), 280–294. <https://doi.org/10.1016/j.bbalip.2013.11.007>
- Fernandes, L., Casal, S., Cruz, R., Pereira, J. A., & Ramalhosa, E. (2013). Seed oils of ten traditional Portuguese grape varieties with interesting chemical and antioxidant properties. *Food Research International*, 50(1), 161–166. <https://doi.org/10.1016/j.foodres.2012.09.039>
- Ferrari, M. (2005). Cancer nanotechnology: Opportunities and challenges. *Nature Reviews Cancer*, 5(3), 161–171. <https://doi.org/10.1038/nrc1566>
- Floury, J., Bellettre, J., Legrand, J., & Desrumaux, A. (2004). Analysis of a new type of high pressure homogeniser. A study of the flow pattern. *Chemical Engineering Science*, 59(4), 843–853. <https://doi.org/10.1016/j.ces.2003.11.017>
- Fryd, M. M., & Mason, T. G. (2012). Advanced nanoemulsions. *Annual Review of Physical Chemistry*, 63, 493–518. <https://doi.org/10.1146/annurev-physchem-032210-103436>
- Gallarate, M., Chirio, D., Bussano, R., Peira, E., Battaglia, L., Baratta, F., & Trotta, M. (2013). Development of O/W nanoemulsions for ophthalmic administration of timolol. *International Journal of Pharmaceutics*, 440(2), 126–134. <https://doi.org/10.1016/j.ijpharm.2012.10.015>
- Garavaglia, J., Markoski, M. M., Oliveira, A., & Marcadenti, A. (2016). Grape seed oil compounds: Biological and chemical actions for health. *Nutrition and Metabolic Insights*, 9, 59–64. <https://doi.org/10.4137/NMI.S32910>
- Gebauer, K. (2017). Acne in adolescents. *Australian Family Physician*, 46(12), 892–895.
- Gold, M. H., Baldwin, H., & Lin, T. (2018). Management of comedonal acne vulgaris with fixed-combination topical therapy. *Journal of Cosmetic Dermatology*, 17(2), 227–231. <https://doi.org/10.1111/jocd.12497>
- Gollnick, H. (2003). Current concepts of the pathogenesis of acne: Implications for drug treatment. *Drugs*, 63(15), 1579–1596. <https://doi.org/10.2165/00003495-200363150-00005>
- Gollnick, H., Cunliffe, W., Berson, D., Dreno, B., Finlay, A., Leyden, J. J., Shalita, A.

- R., Thiboutot, D., & Schwarz, T. (2003). Management of acne: A report from a global alliance to improve outcomes in acne. *Journal of the American Academy of Dermatology*, 49(1 SUPPL.), 1–37. <https://doi.org/10.1067/mjd.2003.618>
- Gollnick, H. P. M., & Dreno, B. (2015). Pathophysiology and management of acne. *Journal of the European Academy of Dermatology and Venereology*, 29(S4), 1–2. <https://doi.org/10.1111/jdv.13182>
- Gómez-Rincón, C., Langa, E., Murillo, P., Valero, M. S., Berzosa, C., & López, V. (2014). Activity of tea tree (*Melaleuca alternifolia*) essential oil against L3 larvae of *Anisakis simplex*. *BioMed Research International*, 2014. <https://doi.org/10.1155/2014/549510>
- Gupta, A., Narsimhan, V., Hatton, T. A., & Doyle, P. S. (2016). Kinetics of the Change in Droplet Size during Nanoemulsion Formation. *Langmuir*, 32(44), 11551–11559. <https://doi.org/10.1021/acs.langmuir.6b01862>
- Gurpreet, K., & Singh, S. K. (2018). Review of nanoemulsion formulation and characterization techniques. *Indian Journal of Pharmaceutical Sciences*, 80(5), 781–789.
- Gutiérrez, J. M., González, C., Maestro, A., Solè, I., Pey, C. M., & Nolla, J. (2002). Nano-emulsions: New applications and optimization of their preparation. *Current Opinion in Colloid and Interface Science*, 13(4), 245–251. <https://doi.org/10.1016/j.cocis.2008.01.005>
- Halla, N., Fernandes, I. P., Heleno, S. A., Costa, P., Boucherit-Otmani, Z., Boucherit, K., Rodrigues, A. E., Ferreira, I. C. F. R., & Barreiro, M. F. (2018). Cosmetics preservation: A review on present strategies. *Molecules*, 23(7), 1–41. <https://doi.org/10.3390/molecules23071571>
- Halnor, V. ., Vishal, P., Borawake, D. D., & H.S, N. (2018). Nanoemulsion : A Novel Platform for Drug Delivery System. *Journal of Materials Science & Nanotechnology ISSN 2348-9812*, 6(1), 1–11.
- Hammer, K. A. (2014). Treatment of acne with tea tree oil (*melaleuca*) products: A review of efficacy, tolerability and potential modes of action. *International Journal of Antimicrobial Agents*, 45(2), 106–110. <https://doi.org/10.1016/j.ijantimicag.2014.10.011>
- Handayani, F. S., Nugroho, B. H., & Munawiroh, S. Z. (2018). Optimization of Low Energy Nanoemulsion of Grape Seed Oil Formulation Using D-Optimal Mixture Design (DMD). *Jurnal Ilmiah Farmasi*, 14(1), 17–34. <http://journal.uii.ac.id/index.php/JIF>
- Hanifah, M., & Jufri, M. (2018). Formulation and stability testing of nanoemulsion lotion containing centella asiatica extract. *Journal of Young Pharmacists*, 10(4), 404–408. <https://doi.org/10.5530/jyp.2018.10.89>
- Harper, J. C. (2020). Acne vulgaris: What's new in our 40th year. *Journal of the American Academy of Dermatology*, 82(2), 526–527. <https://doi.org/10.1016/j.jaad.2019.01.092>

- Hong, J. Y., Park, S. J., Seo, S. J., & Park, K. Y. (2020). Oily sensitive skin: A review of management options. *Journal of Cosmetic Dermatology*, *19*(5), 1016–1020. <https://doi.org/10.1111/jocd.13347>
- Horev, L., Isaksson, M., Engfeldt, M., Persson, L., Ingber, A., & Bruze, M. (2014). Preservatives in cosmetics in the Israeli market conform well to the EU legislation. *Journal of the European Academy of Dermatology and Venereology*, *29*(4), 761–766. <https://doi.org/10.1111/jdv.12676>
- Huma, S., Khan, H. M. S., Sohail, M., Akhtar, N., Rasool, F., Majeed, F., & Daniyal, M. (2020). Development, in-vitro characterization and assessment of cosmetic potential of Beta vulgaris extract emulsion. *Journal of Herbal Medicine*, *23*(May), 100372. <https://doi.org/10.1016/j.hermed.2020.100372>
- Ishida, T., Hirai, Y., & Kaneko, K. (2015). A learning system of Quadratic Functions based on scaffolding support. *2015 International Conference on Information Technology Based Higher Education and Training, ITHET 2015*, 0–5. <https://doi.org/10.1109/ITHET.2015.7217964>
- Jansen van Rensburg, S., Franken, A., & Du Plessis, J. L. (2019). Measurement of transepidermal water loss, stratum corneum hydration and skin surface pH in occupational settings: A review. *Skin Research and Technology*, *25*(5), 595–605. <https://doi.org/10.1111/srt.12711>
- Jepps, O. G., Dancik, Y., Anissimov, Y. G., & Roberts, M. S. (2013). Modeling the human skin barrier - Towards a better understanding of dermal absorption. *Advanced Drug Delivery Reviews*, *65*(2), 152–168. <https://doi.org/10.1016/j.addr.2012.04.003>
- Kakoty, M., & Gogoi, S. B. (2019). Evaluation of Surfactant Formulation for EOR in Some Depleted Oil Fields of Upper Assam. *Sustainable Civil Infrastructures*, *57*–75. [https://doi.org/10.1007/978-3-030-01929-7\\_5](https://doi.org/10.1007/978-3-030-01929-7_5)
- Kalangi, S. J. R. (2013). Histofisiologi Kulit. *Jurnal Biomedik (Jbm)*, *5*(3), 12–20. <https://doi.org/10.35790/jbm.5.3.2013.4344>
- Kementerian Kesehatan RI. (2020). Farmakope Indonesia edisi VI. In *Departemen Kesehatan Republik Indonesia (VI)*. Kementerian Kesehatan Republik Indonesia.
- Khan, N. U., Ali, A., Khan, H., Khan, Z. U., & Ahmed, Z. (2018). Stability Studies and Characterization of Glutathione-Loaded Nanoemulsion. *Journal of Cosmetic Science*, *69*(4), 257–267.
- Kim, Y. G., Lee, J. H., & Lee, J. (2021). Antibiofilm activities of fatty acids including myristoleic acid against *Cutibacterium acnes* via reduced cell hydrophobicity. *Phytomedicine*, *91*, 153710. <https://doi.org/10.1016/j.phymed.2021.153710>
- Kolarsick, P. A. J., Kolarsick, M. A., & Goodwin, C. (2011). Anatomy and physiology of the skin. *Journal of the Dermatology Nurses Association*, *3*(4), 15–26. [https://doi.org/10.1007/978-3-319-78310-9\\_2](https://doi.org/10.1007/978-3-319-78310-9_2)
- Komaiko, J. S., & McClements, D. J. (2016). Formation of Food-Grade Nanoemulsions Using Low-Energy Preparation Methods: A Review of Available Methods.

- Comprehensive Reviews in Food Science and Food Safety*, 15(2), 331–352.  
<https://doi.org/10.1111/1541-4337.12189>
- Kumar, N., Verma, A., & Mandal, A. (2021). Formation, characteristics and oil industry applications of nanoemulsions: A review. *Journal of Petroleum Science and Engineering*, 206(March). <https://doi.org/10.1016/j.petrol.2021.109042>
- Kurokawa, I., & Nakase, K. (2020). Recent advances in understanding and managing acne. *F1000Research*, 9. <https://doi.org/10.12688/f1000research.25588.1>
- Leung, A. K., Barankin, B., Lam, J. M., Leong, K. F., & Hon, K. L. (2021). Dermatology: how to manage acne vulgaris. *Drugs in Context*, 10, 1–18. <https://doi.org/10.7573/dic.2021-8-6>
- Leung, A.K.C. (2012). *Common Problems in Ambulatory Pediatrics: Specific Clinical Problem. 1.*
- Leung, Alexander K.C., & Robson, W. L. M. (2008). Premature Adrenarche. *Journal of Pediatric Health Care*, 22(4), 230–233. <https://doi.org/10.1016/j.pedhc.2007.07.002>
- Leung, Alexander K.C, & Robson, W. L. M. (1991). Acne. *J. Roy. Soc. Health*, 1, 105–112.
- Leyden, J. J., Del Rosso, J. Q., & Webster, G. F. (2009). Clinical Considerations in the Treatment of Acne Vulgaris and Other Inflammatory Skin Disorders: a Status Report. *Dermatologic Clinics*, 27(1), 1–15. <https://doi.org/10.1016/j.det.2008.07.008>
- Luk, N. M. T., Hui, M., Lee, H. C. S., Fu, L. H., Liu, Z. H., Lam, L. Y., Eastel, M., Chan, Y. K. A., Tang, L. S. N., Cheng, T. S., Siu, F. Y. C., Ng, S. C., Lai, Y. K. D., & Ho, K. M. (2011). Antibiotic-resistant Propionibacterium acnes among acne patients in a regional skin centre in Hong Kong. *Journal of the European Academy of Dermatology and Venereology*, 27(1), 31–36. <https://doi.org/10.1111/j.1468-3083.2011.04351.x>
- Lv, C., Hou, J., Xie, W., & Cheng, H. (2015). Investigation on formaldehyde release from preservatives in cosmetics. *International Journal of Cosmetic Science*, 37(5), 474–478. <https://doi.org/10.1111/ics.12212>
- Ma, X., Wang, H., Song, Y., & Pan, Y. (2020). Skin irritation potential of cosmetic preservatives: An exposure-relevant study. *Journal of Cosmetic Dermatology*, 20(1), 195–203. <https://doi.org/10.1111/jocd.13502>
- Maier, T., Schieber, A., Kammerer, D. R., & Carle, R. (2009). Residues of grape (*Vitis vinifera* L.) seed oil production as a valuable source of phenolic antioxidants. *Food Chemistry*, 112(3), 551–559. <https://doi.org/10.1016/j.foodchem.2008.06.005>
- Makrantonaki, E., Ganceviciene, R., & Zouboulis, C. (2011). An update on the role of the sebaceous gland in the pathogenesis of acne. *Dermato-Endocrinology*, 3(1), 41–49. <https://doi.org/10.4161/derm.3.1.13900>

- McClements, D. J. (2011). Edible nanoemulsions: Fabrication, properties, and functional performance. *Soft Matter*, 7(6), 2297–2316. <https://doi.org/10.1039/c0sm00549e>
- McClements, D. J., & Jafari, S. M. (2018). General Aspects of Nanoemulsions and Their Formulation. In *Nanoemulsions: Formulation, Applications, and Characterization*. <https://doi.org/10.1016/B978-0-12-811838-2.00001-1>
- Mescher, A. L. (2016). Junqueira's Basic Histology: Text dan Atlas. In *Junqueira's Basic Histology: Text and Atlas* (14th ed.). Mc Graw Hill Education. <https://doi.org/10.5005/jp/books/12791>
- Milam, E. C., & Rieder, E. A. (2016). An Approach to Cosmeceuticals. *Journal of Drugs in Dermatology : JDD*, 15(4), 452–456.
- Moradi Tuchayi, S., Makrantonaki, E., Ganceviciene, R., Dessinioti, C., Feldman, S. R., & Zouboulis, C. C. (2015). Acne vulgaris. *Nature Reviews. Disease Primers*, 1, 15029. <https://doi.org/10.1038/nrdp.2015.29>
- Morganti, P., Berardesca, E., Guarneri, B., Guarneri, F., Fabrizi, G., Palombo, P., & Palombo, M. (2011). Topical clindamycin 1% vs. linoleic acid-rich phosphatidylcholine and nicotinamide 4% in the treatment of acne: A multicentre-randomized trial. *International Journal of Cosmetic Science*, 33(5), 467–476. <https://doi.org/10.1111/j.1468-2494.2011.00658.x>
- Mumpuni, E., Purwanggana, A., Mulatsari, E., & Pratama, R. (2019). Formulasi dan Evaluasi Larutan Pencuci Mulut dengan Bahan Antimikroba Senyawa 1,5-Bis (3'-Etoksi-4'-Hidroksifenil)-1,4-Pentadien-3-on. *Jurnal Ilmu Kefarmasian Indonesia*, 17(1), 87. <https://doi.org/10.35814/jifi.v17i1.615>
- Najafi-Taher, R., Ghaemi, B., & Amani, A. (2018). Delivery of adapalene using a novel topical gel based on tea tree oil nano-emulsion: Permeation, antibacterial and safety assessments. *European Journal of Pharmaceutical Sciences*, 120(April), 142–151. <https://doi.org/10.1016/j.ejps.2018.04.029>
- Nasr, A., Gardouh, A., & Ghorab, M. (2016). Novel solid self-nanoemulsifying drug delivery system (S-SNEDDS) for oral delivery of olmesartan medoxomil: Design, formulation, pharmacokinetic and bioavailability evaluation. *Pharmaceutics*, 8(3). <https://doi.org/10.3390/pharmaceutics8030020>
- Navas, P. B. (2009). Chemical composition of the virgin oil obtained by mechanical pressing form several grape seed varieties (*Vitis vinifera* L.) with emphasis on minor constituents. *Archivos latinoamericanos de nutricion*, 59(2), 214–219.
- Nawarathne, N. W., Wijsekera, K., Wijayarathne, W. M. D. G. B., & Napagoda, M. (2019). Development of Novel Topical Cosmeceutical Formulations from *Nigella sativa* L. with Antimicrobial Activity against Acne-Causing Microorganisms. *Scientific World Journal*, 2019. <https://doi.org/10.1155/2019/5985207>
- Nguyen, H. L., & Yiannias, J. A. (2018). Contact Dermatitis to Medications and Skin Products. *Clinical Reviews in Allergy and Immunology*, 56(1), 41–59. <https://doi.org/10.1007/s12016-018-8705-0>

- Nomakhosi, M., & Heidi, A. (2018). Natural options for management of melasma, a review. *Journal of Cosmetic and Laser Therapy*, 20(7–8), 470–481. <https://doi.org/10.1080/14764172.2018.1427874>
- Pandey, A., Jatana, G. K., & Sonthalia, S. (2021). Cosmeceuticals. In *StatPearls*. StatPearls Publishing.
- Parry, J., Hao, Z., Luther, M., Su, L., Zhou, K., & Yu, L. (2006). Characterization of cold-pressed onion, parsley, cardamom, mullein, roasted pumpkin, and milk thistle seed oils. *JAOCS, Journal of the American Oil Chemists' Society*, 83(10), 847–854. <https://doi.org/10.1007/s11746-006-5036-8>
- Pazyar, N., Yaghoobi, R., Bagherani, N., & Kazerouni, A. (2013). A review of applications of tea tree oil in dermatology. *International Journal of Dermatology*, 52(7), 784–790. <https://doi.org/10.1111/j.1365-4632.2012.05654.x>
- Peng, F., Ke, Y., Lu, S., Zhao, Y., Hu, X., & Deng, Q. (2019). Anion amphiphilic random copolymers and their performance as stabilizers for O/W nanoemulsions. *RSC Advances*, 9(26), 14692–14700. <https://doi.org/10.1039/c9ra01383k>
- Perry, A., & Lambert, P. (2011). Propionibacterium acnes: Infection beyond the skin. *Expert Review of Anti-Infective Therapy*, 9(12), 1149–1156. <https://doi.org/10.1586/eri.11.137>
- Pokharana, M., Vaishnav, R., Goyal, A., & Shrivastava, A. (2018). Stability Testing Guidelines of Pharmaceutical Products. *Journal of Drug Delivery and Therapeutics*, 8(2), 169–175. <https://doi.org/http://dx.doi.org/10.22270/jddt.v8i2.1564>
- Proksch, E. (2018). Buffering Capacity. *Current Problems in Dermatology*, 54, 11–18. <https://doi.org/10.1159/000489513>
- Qadir, A., Faiyazuddin, M. D., Talib Hussain, M. D., Alshammari, T. M., & Shakeel, F. (2016). Critical steps and energetics involved in a successful development of a stable nanoemulsion. *Journal of Molecular Liquids*, 214, 7–18. <https://doi.org/10.1016/j.molliq.2015.11.050>
- Qidwai, A., Pandey, M., Pathak, S., Kumar, R., & Dikshit, A. (2017). The emerging principles for acne biogenesis: A dermatological problem of puberty. *Human Microbiome Journal*, 4, 7–13. <https://doi.org/10.1016/j.humic.2017.05.001>
- Rai, V. K., Mishra, N., Yadav, K. S., & Yadav, N. P. (2017). Nanoemulsion as pharmaceutical carrier for dermal and transdermal drug delivery: Formulation development, stability issues, basic considerations and applications. *Journal of Controlled Release*, 270, 203–225. <https://doi.org/10.1016/j.jconrel.2017.11.049>
- Rombaut, N., Savoie, R., Thomasset, B., Castello, J., Van Hecke, E., & Lanoisellé, J. L. (2014). Optimization of oil yield and oil total phenolic content during grape seed cold screw pressing. *Industrial Crops and Products*, 63, 26–33. <https://doi.org/10.1016/j.indcrop.2014.10.001>
- Ross, J. I., Snelling, A. M., Eady, E. A., Cove, J. H., Cunliffe, W. J., Leyden, J. J., Collignon, P., Dréno, B., Reynaud, A., Fluhr, J., & Oshima, S. (2001). Phenotypic

- and genotypic characterization of antibiotic-resistant *Propionibacterium acnes* isolated from acne patients attending dermatology clinics in Europe, the U.S.A., Japan and Australia. *British Journal of Dermatology*, 144(2), 339–346. <https://doi.org/10.1046/j.1365-2133.2001.03956.x>
- Sakuma, T. H., & Maibach, H. I. (2012). Oily skin: An overview. *Skin Pharmacology and Physiology*, 25(5), 227–235. <https://doi.org/10.1159/000338978>
- Sasmita, G. (2020). Sistem Pakar Diagnosa Jenis Kulit Wajah Menggunakan Metode Fordward Chaining (Studi Kasus : Ditujukan Pada Konsumen Wardah). *Jurnal Informatika Kaputama(JIK)*, 4(2), 141–148.
- Seweryn, A. (2018). Interactions between surfactants and the skin – Theory and practice. *Advances in Colloid and Interface Science*, 256(2017), 242–255. <https://doi.org/10.1016/j.cis.2018.04.002>
- Shakeel, F., Haq, N., Alanazi, F. K., & Alsarra, I. A. (2013). Impact of various nonionic surfactants on self-nanoemulsification efficiency of two grades of Capryol (Capryol-90 and Capryol-PGMC). *Journal of Molecular Liquids*, 182, 57–63. <https://doi.org/https://doi.org/10.1016/j.molliq.2013.03.011>
- Shakeel, F., Shafiq, S., Haq, N., Alanazi, F. K., & Alsarra, I. A. (2012). Nanoemulsions as potential vehicles for transdermal and dermal delivery of hydrophobic compounds: An overview. *Expert Opinion on Drug Delivery*, 9(8), 953–974. <https://doi.org/10.1517/17425247.2012.696605>
- Sheskey, P. J., Cook, W. G., & Cable, C. G. (2017). *Handbook of Pharmaceutical Excipients* (8th ed.). Pharmaceutical Press.
- Shinagawa, F. B., de Santana, F. C., Torres, L. R. O., & Mancini-Filho, J. (2015). Grape seed oil: A potential functional food? *Food Science and Technology*, 35(3), 399–406. <https://doi.org/10.1590/1678-457X.6826>
- Sigward, E., Mignet, N., Rat, P., Dutot, M., Muhamed, S., Guigner, J. M., Scherman, D., Brossard, D., & Crauste-Manciet, S. (2013). Formulation and cytotoxicity evaluation of new self-emulsifying multiple W/O/W nanoemulsions. *International Journal of Nanomedicine*, 8, 611–625. <https://doi.org/10.2147/IJN.S35661>
- Singh, Y., Meher, J. G., Raval, K., Khan, F. A., Chaurasia, M., Jain, N. K., & Chourasia, M. K. (2017). Nanoemulsion: Concepts, development and applications in drug delivery. *Journal of Controlled Release*, 252, 28–49. <https://doi.org/10.1016/j.jconrel.2017.03.008>
- Sinha, P., Srivastava, S., Mishra, N., Singh, D. K., Luqman, S., Chanda, D., & Yadav, N. P. (2016). Development, optimization, and characterization of a novel tea tree oil nanogel using response surface methodology. *Drug Development and Industrial Pharmacy*, 42(9), 1434–1445. <https://doi.org/10.3109/03639045.2016.1141931>
- Solans, C., Izquierdo, P., Nolla, J., Azemar, N., & Garcia-Celma, M. J. (2005). Nanoemulsions. *Current Opinion in Colloid and Interface Science*, 10(3–4), 102–110.

<https://doi.org/10.1016/j.cocis.2005.06.004>

- Sondari, D., & Tursiloadi, S. (2018). The effect of surfactan on formulation and stability of nanoemulsion using extract of *Centella Asiatica* and *Zingiber Officinale*. *AIP Conference Proceedings*, 2049(December). <https://doi.org/10.1063/1.5082515>
- Sosnowska, K., Szymańska, E., & Winnicka, K. (2017). Nanoemulsion with clotrimazole - Design and optimalization of mean droplet size using microfluidization technique. *Acta Poloniae Pharmaceutica - Drug Research*, 74(2), 519–526.
- Sotiropoulou, E. I., Varelas, V., Liouni, M., & Nerantzis, E. T. (2012). Grape Seed Oil: From A Winery Waste To A Value Added Cosmetic Product-A Review. *Edible Medicinal and Non-Medicinal Plants*, 2, 867–878. <http://www.springerlink.com/index/10.1007/978-94-007-1764-0>
- Tan, J. K. L., & Bhate, K. (2015). A global perspective on the epidemiology of acne. *British Journal of Dermatology*, 172(S1), 3–12. <https://doi.org/10.1111/bjd.13462>
- Thiboutot, D., Dréno, B., Sanders, V., Rueda, M. J., & Gollnick, H. (2020). Changes in the management of acne: 2009-2019. *Journal of the American Academy of Dermatology*, 82(5), 1268–1269. <https://doi.org/10.1016/j.jaad.2019.04.012>
- Tochio, T., Tanaka, H., Nakata, S., & Ikeno, H. (2009). Accumulation of lipid peroxide in the content of comedones may be involved in the progression of comedogenesis and inflammatory changes in comedones. *Journal of Cosmetic Dermatology*, 8(2), 152–158. <https://doi.org/10.1111/j.1473-2165.2009.00437.x>
- Toyoda, M., & Morohashi, M. (2003). New aspects in acne inflammation. *Dermatology*, 206(1), 17–23. <https://doi.org/10.1159/000067818>
- Tungadi, R., & Gorontalo, U. N. (2017). CHARACTERIZATION AND PHYSICAL STABILITY EVALUATION OF SNAKEHEAD FISH ( OPHIOCEPHALUS STRIATUS ) POWDER NANOEMULSION Department of Pharmacy , Faculty of Sport and Health , State University of Gorontalo , Gorontalo , INTRODUCTION: In Indonesia , one of fre. *International Journal of Pharmaceutical Sciences and Research*, 8(June), 2720–2724. [https://doi.org/10.13040/IJPSR.0975-8232.8\(6\).2720-24](https://doi.org/10.13040/IJPSR.0975-8232.8(6).2720-24)
- Vermaak, I., Kamatou, G. P. P., Komane-Mofokeng, B., Viljoen, A. M., & Beckett, K. (2011). African seed oils of commercial importance - Cosmetic applications. *South African Journal of Botany*, 77(4), 920–933. <https://doi.org/10.1016/j.sajb.2011.07.003>
- Vilar, G. N., Dos Santos, L. A., & Filho, J. F. S. (2015). Quality of life, self-esteem and psychosocial factors in adolescents with acne vulgaris. *Anais Brasileiros de Dermatologia*, 90(5), 622–629. <https://doi.org/10.1590/abd1806-4841.201533726>
- Vivancos, M., & Moreno, J. J. (2008). Effect of resveratrol, tyrosol and  $\beta$ -sitosterol on

- oxidised low-density lipoprotein-stimulated oxidative stress, arachidonic acid release and prostaglandin E2 synthesis by RAW 264.7 macrophages. *British Journal of Nutrition*, 99(6), 1199–1207. <https://doi.org/10.1017/S0007114507876203>
- Vos, T., Flaxman, A. D., Naghavi, M., Lozano, R., Michaud, C., Ezzati, M., Shibuya, K., Salomon, J. A., Abdalla, S., Aboyans, V., Abraham, J., Ackerman, I., Aggarwal, R., Ahn, S. Y., Ali, M. K., Almazroa, M. A., Alvarado, M., Anderson, H. R., Anderson, L. M., ... Murray, C. J. L. (2012). Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: A systematic analysis for the Global Burden of Disease Study 2010. *The Lancet*, 380(9859), 2163–2196. [https://doi.org/10.1016/S0140-6736\(12\)61729-2](https://doi.org/10.1016/S0140-6736(12)61729-2)
- Wang, Y., Wang, L., Wen, X., Hao, D., Zhang, N., He, G., & Jiang, X. (2019). NF- $\kappa$ B signaling in skin aging. *Mechanisms of Ageing and Development*, 184. <https://doi.org/10.1016/j.mad.2019.111160>
- Wasitaatmadja, S. M. (2012). *Dermatologi Kosmetik* (2nd ed.). Badan Penerbit Fakultas Kedokteran Universitas Indonesia.
- Williams, H. C., Dellavalle, R. P., & Garner, S. (2012). Acne vulgaris. *The Lancet*, 379(9813), 361–372. [https://doi.org/10.1016/S0140-6736\(11\)60321-8](https://doi.org/10.1016/S0140-6736(11)60321-8)
- Wong, R., Geyer, S., Weninger, W., Guimberteau, J. C., & Wong, J. K. (2015). The dynamic anatomy and patterning of skin. *Experimental Dermatology*, 25(2), 92–98. <https://doi.org/10.1111/exd.12832>
- Wulandari, S. A., Prasetyanto, W. A., & Kurniatie, M. D. (2019). Classification of Normal, Oily and Dry Skin Types Using a 4-Connectivity and 8-Connectivity Region Properties Based on Average Characteristics of Bound. *Jurnal Transformatika*, 17(01), 78–87.
- Youn, S. W., Na, J. I., Choi, S. Y., Huh, C. H., & Park, K. C. (2005). Regional and seasonal variations in facial sebum secretions: A proposal for the definition of combination skin type. *Skin Research and Technology*, 11(3), 189–195. <https://doi.org/10.1111/j.1600-0846.2005.00119.x>
- Yousefi, M., Nateghi, L., Gholamian, M., & Nateghi, L. (2013). Physicochemical properties of two type of shahrodi grape seed oil (Lal and Khalili). *European Journal of Experimental Biology*, 3(5), 115–118.
- Yuan, Y., Gao, Y., Zhao, J., & Mao, L. (2008). Characterization and stability evaluation of  $\beta$ -carotene nanoemulsions prepared by high pressure homogenization under various emulsifying conditions. *Food Research International*, 41(1), 61–68. <https://doi.org/10.1016/j.foodres.2007.09.006>
- Zaenglein, A. L., Graber, E. M., & Thiboutot, D. M. (2012). *Fitzpatrick's Dermatology in General Medicine* (L. A. Goldsmith, S. I. Katz, B. A. Gilchrest, A. S. Paller, D. J. Leffell, & K. Wolf (eds.); 8th ed.). Mc Graw Hill.
- Zaenglein, A. L., Graber, E. M., Thiboutot, D. M., & Strauss, J. S. (2008). *Fitzpatrick's Dermatology in General Medicine* (W. K. L. Goldsmith, S. Katz, G. BA, P. AS,

& L. DJ (eds.); 7th ed., p. 2588). McGraw Hill.

Zahrah, H., Mustika, A., & Debora, K. (2018). Aktivitas Antibakteri dan Perubahan Morfologi dari *Propionibacterium Acnes* Setelah Pemberian Ekstrak Curcuma Xanthorrhiza. *Jurnal Biosains Pascasarjana*, 20(3), 160. <https://doi.org/10.20473/jbp.v20i3.2018.160-169>

Zhao, L., Zhu, Z., & Li, Y. (2020). O/W Nanoemulsion as an Adjuvant for an Inactivated H3N2 Influenza Vaccine : Based on Particle Properties and Mode of Carrying. *International Journal of Nanomedicine*, 15, 2071–2083.

Zouboulis, C. C., Baron, J. M., Böhm, M., Kippenberger, S., Kurzen, H., Reichrath, J., & Thielitz, A. (2008). Frontiers in sebaceous gland biology and pathology. *Experimental Dermatology*, 17(6), 542–551. <https://doi.org/10.1111/j.1600-0625.2008.00725.x>