

DAFTAR PUSTAKA

- (2018, Juli 31). Retrieved Maret 20, 2020, from MSDS n-heksana: <https://www.carlroth.com/medias>
- (2019). Retrieved December 19, 2019, from Kruss Advancing Your Surface Science: <https://www.kruss-scientific.com/services/education-theory/glossary/surfactant/>
- Abdollahi, A., Saffar, H., & Saffar, H. (2014, Mei). Types and Frequency of Errors during Different Phases of Testing At a Clinical Medical Laboratory of a Teaching Hospital in Tehran, Iran. *North American Journal of Medical Sciences*(5), 224-228.
- Aksungar, F. B., Albayrak, N., Avci, E., Aykal, G., Coskun, C., Cinaroglu, I., et al. (2017). *Guidline For Centrifuge Use In Medical Laboratories*. Turkish: Turkish Biochemical Society.
- Andrade, N. N., Oliveira, M. V., & Souza, C. L. (2016, April). Procedures to minimize interference of hypertriglyceridemia in laboratory exams of lipemic samples in acute pancreatitis: a case report. *J Bras Patol Med Lab*, 52, 103-106.
- Biljali, S., Beadini, N., Beadini, S., Nuhii, N., & Beadini, A. (2015, July). Effect of Lipemia Interferences in Routine Clinical Biochemical Tests (Intralaboratory Study). *Standard Scientific Research and Essays*, 3(7), 187-191.
- Bornhorst, J. A., Robert, R. F., & Robert, W. L. (2004). Assay-Specific Differences in Lipemic Interference in Native and Intralipid-Supplemented Samples. *Clinical Chemistry*, 50, 2197-2201.
- Britannica, T. E. (2016, March 10). Retrieved December 19, 2019, from Encyclopaedia Britannica: <https://www.britannica.com/science/surfactant>
- Calmarza, P., & Cordero, J. (2011, March 7). Lipemia Interference in Routine Clinical Biochemical Test. *Biochemia Medica*, 2, 160-166.
- Castro, M. J., Estébanez, B. C., Salán, M. E., Calmarza, P., Velilla, T. A., Román, C. R., et al. (2018). Removing Lipemia in Serum/Plasma Samples. *Annals of Laboratory Medicine*, 518-523.

- Farrell, C. J., & Carter, A. C. (2016). Serum Indices: Managing Assay Interference. *Annals of Clinical Biochemistry*, 53(5), 527–538.
- Fauziah, P. F. (2017). *Optimalisasi Konsentrasi Polietilen Glikol dan Kecepatan Sentrifugasi Optimal untuk Preparasi Serum Lipemik pada Pemeriksaan Kadar Kreatinin*. Bandung: Politeknik Kesehatan Bandung.
- Fischbach, F. T. (2003). *A Manual of Laboratory and Diagnostic Tests* (7 ed.). (M. B. Dunning, Ed.) OkDoKey.
- GmbH, D. I. (2019). *Surfactants & critical micelle concentration (CMC)*. Retrieved December 19, 2019, from www.dataphysics-instruments.com: <https://www.dataphysics-instruments.com/knowledge/understanding-interfaces/surfactants-cmc/>
- Griffith, O. M. (2010). *Practical Techniques for Centrifugal Separations*. Thermo Scientific.
- Guo, X., Li, H., Xu, H., Woo, S., iDong, H., Lu, F., et al. (2013). Glycolysis in the control of blood glucose homeostasis. *Acta Pharmaceutica Sinica B*, 2(4), 358-367.
- Hadijah, S. (2018, Juni). Analisis Perbandingan Hasil Pemeriksaan Kreatinin Darah dengan Deproteinisasi dan NonDeproteinisasi Metode Jaffe Reaction. *Jurnal Media Analisis Kesehatan*, 1.
- Irawan, M. A. (2007). *Glukosa dan Metabolisme Energi* (Vol. 01). Polton Sports Science & Performance Lab.
- Izzati, A. (2017). *Variasi Konsentrasi Polietilen Glikol dan Waktu Sentrifugasi dalam Preparasi Serum Lipemik pada Pemeriksaan Glukosa Metode GOD-PAP*. Bandung: Politeknik Kesehatan Bandung.
- Izzati, A., & Riyani, A. (2018, Maret). Variasi Konsentrasi Alfa Siklodekstrin dan Waktu Sentrifugasi dalam Preparasi Serum Lipemik pada Pemeriksaan Glukosa Metode GOD-PAP. *Jurnal Teknologi Laboratorium*, 7(1), 31-37.
- Jagannatha, S. B., & Chandrakar, S. (2019, January-March). Study of Pre-Analytical Errors in a Clinical Biochemistry Laboratory: The Hidden Flaws in Total Testing. *Galore International Journal of Health Sciences and Research*, 4(1), 24-32.

- Kostadinova, A., & Keranov, I. (2019). *Modifications of the polymer surface aimed at improving cell adhesion and interaction*. MedDocs Publishers LLC.
- Kricka, L. J., & Park, J. Y. (2008). Analytical Techniques and Instrumentation. In C. A. Burtis, E. R. Ashwood, D. E. Bruns, & B. G. Sawyer (Ed.), *Tietz Fundamentals Of Clinical Chemistry* (6 ed., pp. 63-83). Saunders Elsevier.
- Kricka, L. J., & Park, J. Y. (2018). Optical Techniques. In N. Rifai, A. R. Horvath, & C. T. Wittwer, *Tietz Textbook of Clinical Chemistry and Molecular Diagnostic* (6 ed., pp. 200-223). Elsevier.
- Kricka, L., & Park, J. Y. (2008). Analytical Thechniques and Instrumentation. In C. A. Burris, E. R. Ashwood, & D. E. Bruns, *Tietz Fundamental Of Clinical Chemistry* (6 ed., pp. 81-101). Elsevier.
- Lamb, E. J., & Jones, R. D. (2018). Kidney Function Tests. In N. Rifai, A. R. Horvath, & C. T. Wittwer (Eds.), *Tietz Textbook Of Clinical Chemistry and Molecular Diagnostics* (6 ed., pp. 479-517). The American Association for Clinical Chemistry.
- Leuner, C., & Dressman, J. (2000). Improving drug solubility for oral delivery using solid dispersions. *European Journal of Pharmaceutics and Biopharmaceutics*, 50, 47-60.
- Limited, K. I. (2019). Retrieved December 20, 2019, from Kemet International Limited: <https://www.kemet.co.uk/blog/cleaning/ultrasonic-cleaning-the-complete-guide>
- Lothar Thomas. (2007). Serum Indices : Reduction of Clinical Errors in Laboratory Medicine. Germany: Roche Diagnostics GmbH.
- Mainali, S., Davis, S. R., & Krasowski, M. D. (2017). Frequency and causes of lipemia interference of clinical chemistry laboratory tests. *Elsevier*, 1-9.
- McKee, T., & McKee, J. R. (2013). Carbohydrate Metabolism. In T. McKee, & J. R. McKee, *Biochemistry The Molecular Basis of Life* (5 ed.). Oxford University Press.
- MSDS PEG 6000*. (n.d.).
- Mulay, P., Shrikhande, G., & Puskas, J. E. (2019). Synthesis of Mono- and Dithiols of Tetraethylene Glycol and Poly(ethylene glycol)s via Enzyme Catalysis. *Catalysts*.

- Munich, W. G., Berlin, F. W., Wuppertal, W., Darmstadt, Y., Gorlitz, G., Mannheim, H., et al. (2000, June). The Haemolytic, Icteric and Lipemic Sample Recommendations Regarding their Recognition and Prevention of Clinically Relevant Interferences. *J Lab Med*, 24(8), 357-364.
- Najat, D. (2017, January 20). Prevalence of Pre-Analytical Errors in Clinical Chemistry Diagnostic Labs in Sulaimani City of Iraqi Kurdistan. *Plos One*(12(1)).
- Naz, S., Mumtaz, A., & Sadaruddin, A. (2012, January-March). Preanalytical Errors and their Impact on Tests in Clinical Laboratory Practice. *Pakistan Journal of Medical Research*, 5(1).
- Nicolac, N. (2014). Lipemia: Causes, Interference Mechanisms, Detection and Management. *Biochemia Medica*, 24(1), 57–67.
- Niranata, R. F., Sistiyono, & Setiawan, B. (2017, November). Perbedaan Kadar Kalsium pada Serum Lipemik dengan dan Tanpa Penambahan Flokulan Gamma-Siklodekstrin Inkubasi 23 °C. *Jurnal Kesehatan*, 10(2).
- Pambudi, A. F., Widada, S. T., & Setia, B. (2017). Serum Lipemik dengan Flokulan Gamma-Siklodekstrin pada Pemeriksaan Glukosa. *Medical Laboratory Technology Journal*, 3 (2), 68-72.
- Reed, R. (2015). Introduction to Clinical Chemistry. In R. Reed, D. Armbruster, & K. Cooper (Eds.), *Clinical Chemistry Learning Guide series* (7 ed., pp. 6-17). Abbott Diagnostics.
- Reed, R. (2015). Sources of Error. In R. Reed, D. Armbruster, & K. Cooper (Eds.), *Clinical Chemistry Learning Guide series* (7 ed., pp. 55-65). Abbott Diagnostics.
- Reed, R. (2017). Principles of Measurement. In R. Reed, D. Armbruster, K. Cooper, & J. H. Nichols (Eds.), *Clinical Chemistry Learning Guide Series* (pp. 18-29). Abbott Laboratories.
- Riyani, A., Abdurrahman, D., & Rahmayani, D. (2020). *Penetapan Konsentrasi Alfa-Siklodekstrin dan Waktu Sentrifugasi dalam Preparasi Serum Lipemik pada Pemeriksaan Aktivitas Enzim Alkali Fosfatase*. Bandung.
- Sacks, D. B. (2018). Carbohydrates. In N. Rifai, A. R. Horvath, & C. T. Wittwer (Eds.), *Tietz Textbook Of Clinical Chemistry and Molecular Diagnostics* (6 ed., pp. 518-538). The American Association for Clinical Chemistry.

- Sari, W. M., Hardisari, N. R., & Sujono. (2017, Maret 1). Perbedaan Kadar Kreatinin pada Serum Lipemik yang diolah dengan Polyethylene Glycol 6000 8% dan High Speed Sentrifugasi. *Jurnal Teknologi Kesehatan*, 13, 45-49.
- Simundic, A. M., Nikolac, N., & Guder, W. G. (2018). Preanalytical Variation and Preexamination Processes. In N. Rifai, A. R. Horvath, & C. T. Wittwer (Eds.), *Tietz Textbook of Clinical Chemistry and Molecular Diagnostics* (6 ed., pp. 81-120). The America Association for Clinical Chemistry.
- Soewoto, H., Sadikin, M., Kurniati, M. V., Wanandi, S. I., G, D. R., S, P. A., et al. (2001). *Biokimia: Eksperimen Laboratorium* (1 ed.). Jakarta: Widya Medika.
- Soleimani, N., Mohammadzadeh, S., & Asadian, F. (2020). Lipemia Interferences in Biochemical Tests, Investigating the Efficacy of Different Removal Methods in comparison with Ultracentrifugation as The Gold Standard. *Journal of Analytical Methods in Chemistry*, 6.
- Susilawati, A. (2017). *Optimasi Konsentrasi dan Waktu Sentrifugasi Polietilen Glikol (PEG) pada Serum Lipemik terhadap Aktivitas Alanin Aminotransferase (ALT)*. Bandung: Politeknik Kesehatan Bandung.
- Wang, Y. F., & Jia, W. (2018). *Determination of Glucose and Continuous Glucose Monitoring*. Shanghai: Springer Nature Singapore Pte Ltd. and Shanghai Scientific and Technical Publishers.
- WHO. (2002). *Use of Anticoagulans In Diagnostics* (Rev 2 ed.). Geneva: World Health Organization.
- Zulkarnain, A. K., Kusumawida, A., & Kurniawati, T. (2008). Pengaruh penambahan tween 80 dan polietilen glikol 400 terhadap absorpsi piroksikam melalui lumen usus in situ. *Majalah Farmasi Indonesia*, 19(1), 25 – 31.