

## DAFTAR PUSTAKA

- Agoes, Goeswin. (2007). Teknologi Bahan Alam. Bandung: Penerbit ITB.
- Aguilera-Carbo, A., Augur, C., Prado-Barragan, L., Aguilar, C., & Favela-Torres, E. (2008). *Extraction and analysis of ellagic acid from novel complex sources. Chemical Papers*, 62(4)
- Ahmet & Erigin. (2019). Distillation Methods of Essential Oils. S.Ü. *Fen Fakültesi Fen Dergisi*, 45(1): 22-31.
- Altman, R., Bosch, B., Brune, K., Patrignani, P., & Young, C. (2015). Advances in NSAID Development: Evolution of Diclofenac Products Using Pharmaceutical Technology. *Drugs*, 75(8), 859–877.
- Amakura, Y., Yoshimura, M., Ouchi, K., Okuyama, S. (2013) Characterization of constituents in the peel of Citrus kawachiensis (Kawachibankan). *BiosciBiotechnol Biochem* 77: 1977–1980.
- Amin, B., & Rachida, A. (2015) Anti-inflammatory Activity Citrus Essence (*C. Sinensis* and *C. aurantium*) Local to Chlef Region (Algeria): In vivo study. *Journal Biomol Res & Ther*, 4(2): 126.
- Aminzadeh, M. A., Nicholas, S.B., Norris, K. C., & Vaziri, N. D. (2013). Role of impaired Nrf2 activation in the pathogenesis of oxidative stress and inflammation in chronic tubule-interstitial nephropathy. *Nephrol Dial transplantation*, 28(8): 2038–2045
- Anosike, C. A., Obidoa, O., & Ezeanyika, L, U, S. (2012). The antiinflammatory activity of garden egg (*Solanum aethiopicum*) on egg albumin induced oedema and granuloma tissue formation in rats. *Asian Pacific Journal of Tropical Medicine*, 5(1): 62–66.
- Antonisamy, P., Agastian, P., Kang, C.-W., Kim, N. S., & Kim, J.-H. (2017). Anti-inflammatory activity of rhein isolated from the flowers of Cassia fistula L. and possible underlying mechanisms. *Saudi Journal of Biological Sciences*.
- Ariyanti, Rina & Arifah, Sri. (2007). *Skripsi: Pengaruh Pemberian Infusa Daun Salam (Eugenia polyantha) Terhadap Penurunan Kadar Asam Urat dalam Darah Mencit Jantan yang Diinduksi Potassium Oksonat*. Fakultas Farmasi Universitas Muhammadiyah Surakarta.
- Arzi, A., Olapour, S., Yaghoobi, H., & Sistani Karampour, N. (2015). Effect of royal jelly on formalin induced-inflammation in rat hind paw. *Jundishapur journal of natural pharmaceutical products*, 10(1).
- Ballistreri, G., Fabroni, S., Romeo, F. V., Timpanaro, N., Amenta, M., & Rapisarda, P. (2019). Anthocyanins and Other Polyphenols in Citrus Genus: Biosynthesis, Chemical Profile, and Biological Activity. *Polyphenols in Plants*, 191–215.
- Barnes P.J. dan Adcock I.M.(2009). Glucocorticoid resistance in inflammatory diseases. *Lancet Journal*. 373 (9678), 1905-1917
- Barnes, P. J. (2009). How corticosteroids control inflammation: Quintiles Prize Lecture 2005. *British Journal of Pharmacology*, 148(3): 245–254.
- Ben, I.O., Etim, O.E., & Udo, N.M. (2016). Anti-inflammatory effects of Napoleona imperialis P. Beauv. (Lecythidaceae) on rat model of inflammation. *Indian J. Health Sci*, 9 .

- Bentli, R., Ciftci, O., Cetin, A., Unlu, M., Basak, N., & Cay, M. (2013). Oral administration of hesperidin, a citrus flavonone, in rats counteracts the oxidative stress, the inflammatory cytokine production, and the hepatotoxicity induced by the ingestion of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). *Europe Cytokine Netw* 24: 91-96
- Bitencourt, M. A. O., Dantas, G. R., Lira, D. P., Barbosa-Filho, J. M., Miranda, G. E. C. de, Santos, B. V. de O., & Souto, J. T. (2011). *Aqueous and Methanolic Extracts of Caulerpa mexicana Suppress Cell Migration and Ear Edema Induced by Inflammatory Agents*. *Marine Drugs*, 9(8), 1332–1345.
- Borazan, Nabeel H. dan Furst, Daniel E. (2015). Nonsteroidal Anti-Inflammatory Drugs, Disease-Modifying Antirheumatic Drugs, Nonopiod Analgesics, & Drugs Used In Gout. *Basic & Clinical Pharmacology 13th*. Longe.
- Brunton, L. L., Lazo, J. S., & Parker, K. L. (2006). Goodman & Gillman's the pharmacological basis of theapeutics. *New York: McGraw Hill*.
- Buyukkurt, O, K., Guclu, G., Kelebek, H., Selli, S. (2019). Characterization of phenolic compounds in sweet lime (*Citrus limetta*) peel and freshly squeezed juices by LC-DAD-ESI-MS/MS and their antioxidant activity. *Journal of Food Measurement and Characterization*.
- Çakaloğlu, B., Özyurt, V., & Ötles, S. (2018). A Riview: Cold press in oil extraction. *Food Technology*, 7(4): 640-654.
- Calder, P. C. (2009). Polyunsaturated fatty acids and inflammatory processes: New twists in an old tale. *Biochimie*, 91(6), 791-795.
- Castro, J., Rivera, D., & Franco, L. A. (2018). Topical anti-inflammatory activity in TPA-induced mouse ear edema model and in vitro antibacterial properties of *Cordia alba* flowers. *Journal of Pharmaceutical Investigation*.
- Chandran, R., Abrahamse, H., & Parimelazhagan, T. (2018). Cytotoxic, analgesic and anti-inflammatory properties of *Syzygium calophyllifolium* bark. *Biomedicine & Pharmacotherapy*, 103: 1079–1085.
- Chauhan, N., & Saxena, J. (2019). Phytochemical Screening Of Yellow & Green *Citrus limon* Peel Extracts In Different Solvents. *Int. Research Journal Pharm*, 10 (4): 121 – 125.
- Choi, I. Y., Kim, S. J., Jeong, H. J., Park, S. H., Song, Y. S., & Lee, J. H. (2007). Hesperidin inhibits expression of hypoxia inducible factor-1 alpha and inflammatory cytokine production from mast cells. *Molecular and Cellular Biochemistry*, 305: 153–161.
- Chung, H.-S., & Kim, H. S. (2011). Bee venom inhibits 12-O-tetradecanoyl-phorbol-13-acetate (TPA) induced mouse skin inflammation. *Oriental Pharmacy and Experimental Medicine*, 12(1), 75–79.
- Corwin, E.J. (2008). Handbook of Pathophysiology, Edisi ketiga. Diterjemahkan oleh: Subekti, N.B., Editor edisi Bahasa Indonesia: Yudha, E.K., Wahyuningsih, E., Yulianti, D., dan Karyuni, P.E. (2009). *Buku Saku Patofisiologi*, Edisi ketiga. Jakarta: Penerbit Buku Kedokteran EGC.

- Cristóbal-Luna, J. M., Álvarez-González, I., Madrigal-Bujaidar, E., & Chamorro-Cevallos, G. (2018). Grapefruit and its biomedical, antigenotoxic and chemopreventive properties. *Food and Chemical Toxicology*, 112, 224–234.
- Dara, H., Dinesh, D & Ravichander, T. (2017). Evaluation of Analgesic and Anti-Inflammatory Activity of Citrus Limon Peel in Albino Wistar Rats. *Int. Journal Chem Pharm, Sci*, 5(6): 172-176
- De Cássia da Silveira e Sá, R., Andrade, L., & de Sousa, D. (2013). A Review on Anti-Inflammatory Activity of Monoterpenes. *Molecules*, 18(1), 1227–1254.
- Departemen Kesehatan Republik Indonesia. (2008). Farmakope Herbal Indonesia. Jakarta: Departemen Kesehatan Republik Indonesia
- Departemen Kesehatan Republik Indonesia. (2018). Riset Kesehatan Dasar. Jakarta: Badan Penelitian dan pengembangan Kesehatan Kementerian Kesehatan RI.
- Dewi, L., Friatnasari, D., Herawati, W., Nurhadianty, W., & Cahyani, C. (2018). Studi Perbandingan Metode Isolasi Ekstraksi Pelarut dan Destilasi Uap Minyak Atsiri Kemangi terhadap Komposisi Senyawa Aktif. *Jurnal Rekayasa Bahan Alam dan Energi Berkelanjutan*, 2(1): 13-19.
- Družić, J., Jerković, I., Marijanović, Z., and Roje, M. (2016). Chemical biodiversity of the leaf and flower essential oils of Citrus aurantiumL. from Dubrovnik area(Croatia) in comparison with Citrus sinensisL. Osbeck cv. Washington navel,Citrus sinensisL. Osbeck cv. Tarocco and Citrus sinensisL. Osbeck cv. Doppio Sanguigno. *J. Essent. Oil Res.* 28, 283–291.
- Duarte, D.B., Vasko, M.R., dan Fehrenbacher, J.C.(2016). Models of inflammation: Carrageenan Air Pouch. *Current Protocols in Pharmacology*, 72, 5.6.1-5.6.9.
- Edori, O.S., Marcus. A.C., Maduagu, M.C. (2019). Phytochemical and Antimicrobial Screening of Phyllanthus fraternus and Taraxacum officinale Leaves. *Biochem Anal Biochem*, 8(376).
- Enejoh, O.S., Ogunyemi, I.O., Bala, M.S., & Oruene, I.S. (2015). Ethnomedical Importance of *Citrus aurantifolia* (Christm) Swingle. *The Pharma Innovation Journal*, 4(8): 01-06
- Erlina R., A. Indah, dan Yanwirasti.(2007). Efek Antiinflamasi Ekstrak Etanol Kunyit (Curcuma domestica Val.) pada Tikus Putih Jantan Galur Wistar. *Jurnal Sains dan Teknologi Farmasi*.12(2):112-115.
- Ezeabra, A. C., Okeke, C. U., Ilodibia, C., & Aziagba, B. (2014). Determination of Tannin Content in Various Parts of Six Citrus Species. *Journal of Scientific Research & Reports*, 3(10): 1384-1392.
- Faraz, Mojab., Kamalinejad, Mohammad.,Naysaneh, Ghaderi, & Vahidipour, Hamid. (2003). Phytochemical Screening of Some Species of Iranian Plants. *Iranian Journal of Pharmaceutical Research*, 2(2).
- Fathima, S.J., & Khanum, F. (2017). Blood Cells and Leukocyte Culture – A Short Review. *Juniper publisher*: 1(2).
- Ferhat, M. A., Meklati, B. Y., & Chemat, F. (2007). Comparison of different isolation methods of essential oil from Citrus fruits: cold pressing,

- hydrodistillation and microwave “dry” distillation. *Flavour and Fragrance Journal*, 22(6): 494–504.
- Ferrero-Miliani, L., Nielsen, O. H., Andersen, P. S & Girardin, S. E. (2007). Chronis inflammation: importance of NOD 2 and NALP3 Interkulin-1beta Generation. *Clin Exp Immunol*, 147: 227-235.
- Freitas, S. T., & Pareek, S. (2019). Postharvest physiological disorders in fruits and vegetables. CRC Press
- Funaguchi, N., Ohno, Y., Asai, T., Yuhgetsu, H., Sawada, M., Takemura, G., Minatoguchi, S., Fujiwara, T., & Fujiwara, H. (2007). Narirutin inhibits airway inflammation in an allergic mouse model. *Clin. Experi. Pharmacol. Physio*, 34: 766-770.
- Gamse, T. (1998). Extraction - High Pressure Extraction. *Department of Chemical Engineering and Environmental Technology*, 1–37.
- Gan, T. J. (2010). *Diclofenac: an update on its mechanism of action and safety profile*. *Current Medical Research and Opinion*, 26(7), 1715–1731.
- Gattuso, G., Barreca, D., Gargiulli, C., Leuzzi, U., & Caristi, C. (2007). Flavonoid Composition of Citrus Juices. *Molecules* 12: 1641–1673.
- Gepdiremen, A., Mshvildadze, V., Suleyman, H., & Elias, R. (2004). Acute and chronic antiinflammatory effects of Hedera colchica in rats. *J. Ethnopharmacol*, 94: 191–195.
- Ghorbani, A., Nazari, M., Jeddi-Tehrani, M., & Zand, H. (2012) The citrus flavonoid hesperidin induces p53 and inhibits NF- $\kappa$ B activation in order to trigger apoptosis in NALM-6 cells: involvement of PPAR $\gamma$ -dependent mechanism. *Eur J Nutr* 51: 39-46.
- Ghorbanzadeh, B., Mansouri, M., Hemmati, A., Naghizadeh, B., Mard, S., & Rezaie, A. (2015). A study of the mechanisms underlying the anti-inflammatory effect of ellagic acid in carrageenan-induced paw edema in rats. *Indian Journal of Pharmacology*, 47(3): 292.
- Giovanna, L., Rosario, S., & Franco, P. (2011). Genetic analysis of Citrus aurantium L. (Rutaceae) cultivars by ISSR molecular markers. *Plant Biosystems* 1(8): 146
- Goh, J., Tan., L, Goh., J, Chan., K, Pusparajah., P, Lee., L, & Goh., B. (2019). Nobiletin and Derivatives: Functional Compounds from Citrus Fruit Peel for Colon Cancer Chemoprevention. *J Cancers*, 11(6), 867.
- Gryglewski, R.J. (1977). Some Experimental Models for the study of Infammation and Anti-Inflammatory Drugs.in I. L. Bonta, J. Thomson, and K. Brune, Inflammation: Mechanism and Their Impact on Therapy. *Rotterdam: Birkhauser Verlag Basel*.
- Gupta, M., Mazumder, U., Gomathi, P., & Selvan, V. T. (2006). Antiinflammatory evaluation of leaves of Plumeria acuminata. *BMC Complementary and Alternative Medicine*, 6(36): 1-6.
- Gupta, M., Mazumder, U., Kumar, R.S., Gomathi, P., Rajeshwar, Y., Kakoti, B.B., & Selven, V.T. (2005). Anti-inflammatory, analgesic and antipyretic effects of methanol extract from Bauhinia racemosa stem bark in animal models. *J. Ethnopharmacol*, 98: 267–273.

- Ha, S.K., Park, H.Y., Eom, H., Kim, Y., & Choi, I. (2012). Narirutin fraction from citrus peels attenuates LPS-stimulated inflammatory response through inhibition of NF-κB and MAPKs activation. *Food Chem. Toxicol.*, 50: 3498–3504
- Hagenlocher, Y., Gommeringer, S., Held, A., Feilhauer, K., Koninger, J., Bischoff, S.C., & Lorentz, A. (2018). Nobletin acts anti-inflammatory on murine IL-10-/ colitis and human intestinal fibroblasts. *Europe. Journal Nutrient*, 1–11.
- Haiquing, J U; Robert, J; Robert; Chitang, H O. (2004). Anti-inflammatory activity of polymethoxy flavones in Sweet orange (citrus sinensis) peel and metabolites study of Nobletin. 337 – 344.
- Han, S., Kim, H. M., Lee, J. M., Mok, S.-Y., & Lee, S. (2010). Isolation and Identification of Polymethoxyflavones from the Hybrid Citrus, Hallabong. *Journal of Agricultural and Food Chemistry*, 58(17): 9488–9491.
- Herath, M., Bing, J., Cho, J., Kim, A., Kim, G.O., Lee, J. C., & Jee, Y. (2016). Citrus hallabong [(*Citrus unshiu* × *C. sinensis*) × *C. reticulata*] exerts potent anti-inflammatory properties in murine splenocytes and TPA-induced murine ear oedema model. *Pharmaceutical Biology*: 54(12), 2939–2950.
- Hesham, R., Abdurahman, Nour., & Rosli, Yunus. (2016). *A Riview: Techniques For Extraction of Essential Oils From Plants. Australian Journal Basic & Appl*, 10(16): 117-127.
- idayati. (2012). Distilasi Minyak Atsiri dari Kulit Jeruk Pontianak dan Pemanfaatannya Dalam Pembuatan Sabun Aromaterapi. *Biopropal Industri*, 3(2): 39-49.
- Hoshino, M., Suetsugu, T., Iwai, H., Takamizu, A., Tanaka, M., Quitain, A., Sasaki, M., & Goto, M. (2014). Extraction of citrus flavonoids from peel of *Citrus junos* using supercritical carbon dioxide with polar solvent. *The Materials Research Society of Japan*. 9(3).309-311.
- Hosseinzadeh, H., Haddadkhodaparast, M. H., & Arash, A. R. (2003). Antinociceptive, antiinflammatory and acute toxicity effects of *Salvia lerifolia* Benth. seed extract in mice and rats. *Phytotherapy Research*, 17(4): 422–425.
- Hussaana, A., dan Suparmi. (2012). Potensi Ekstrak Selaput Biji Kesumba ( *Bixa orellana* L .) sebagai Obat Antiinflamasi The Potency of *Bixa orellana* Seedcouts Extract ' s as Antiinflammation Drug. *Sains Medika*, 4(2): 134–141.
- Hussein, R., & El-Anssary, A. (2019). Plants Secondary Metabolites: The Key Drivers of the Pharmacological Actions of Medicinal Plants. *Herbal Medicine*.
- Ibrahim, M., Amin, M. N., Millat, S., Raju, J. A., Hussain, S., Sultana, F., Islam, M., & Hasan, M. M. (2018). Methanolic Extract of Peel of *Citrus maxima* Fruits Exhibit Analgesic, CNS Depressant and Anti-inflammatory Activities in Swiss Albino Mice. *BEMS Reports*, 4(1): 7-11.
- Ichsan, M.C. dan H. Prayuginingsih. 2015. Pengembangan model peningkatan daya saing jeruk lokal untuk memperkokoh ekonomi masyarakat pedesaan.

- Jurnal Ilmu Pertanian*, (6) 2: 1-9.
- Ines, E., Hajar, D., & Rachid, C. (2014). Aromatic Quality of Tunisian Sour Orange Essential Oils: Comparison Between Traditional and Industrial Extraction. *Nat. Volatiles & Essent. Oils*, 1(1): 66-72.
- Jeong, H.J., Park, M., Kim, D.W., Ryu, E. J., Yong, J. I., Cha, H. J., Kim, S.J., Yeo, H.J., Jeong, J.J.H., & Kim, D. S. (2014). Down-regulation of MAPK/NF- $\kappa$ B signaling underlies anti-inflammatory response induced by transduced PEP-1-Prx2 proteins in LPS-induced Raw 264.7 and TPA induced mouse ear edema model. *Int Immunopharmacol*, 23: 426–433.
- Johnston, S. A., McLaughlin, R. M., dan Budsberg, S. C. (2008). Nonsurgical Management of Osteoarthritis in Dogs. *Veterinary Clinics of North America - Small Animal Practice*, 38(6), 1449–1470.
- Juma, K.M., Ahmed, Z.A., Numan, I.T., & Hussain, S.A.R. (2009). Dose-dependent anti-inflammatory effect of silymarin in experimental animal model of chronic inflammation. *Afr. J. Pharm. Pharmacol*, 3: 242–247.
- Kanno, S., Shouji, A., Tomizawa, A., Hiura, T., Osanai, Y., Ujibe, M. (2006). Inhibitory effect of naringin on lipopolysaccharide (LPS)-induced endotoxinshock in mice and nitric oxide production in RAW 264.7 macrophages. *LifeSciences*, 78: 673–681.
- Karthikeyan & Karthikeyan. (2014). Citrus aurantium (Bitter Orange): A Review of its Traditional Uses, Phytochemistry and Pharmacology. *Int. Journal of Drug Discovery & Herbal Research*, 4(4): 766-772
- Katzung B.G., Susan B.M., dan Anthony J. T. (2012). Betram G Katzung Basic A & Clinical Pharmacology (Ricky Soeharsono dkk., penerjemah). (12<sup>th</sup> ed.). Penerbit Buku Kedokteran EGC: Jakarta. .
- Kawai, S., Tomono, Y., Katase, E., Ogawa, K., & Yano, M.(1999). Effect of citrus flavonoids on HL-60 cell differentiation. *Anticancer Res*, 19: 1261-1269.
- Khan, S., Shehzad, O., Cheng, M.-S., Li, R.-J., & Kim, Y. S. (2015). Pharmacological mechanism underlying anti-inflammatory properties of two structurally divergent coumarins through the inhibition of pro-inflammatory enzymes and cytokines. *Journal of Inflammation*, 12(1).
- Khodabakhsh, P., Shafaroodi, H., Asgarpana, J. (2015). Analgesic and anti-inflammatory activities of Citrus aurantium L. blossoms essential oil (neroli): involvement of the nitric oxide/cyclic-guanosine monophosphate pathway. *Journal of Natural Medicines*, 69(3), 324–331.
- Kidd, B. L., & Urban, L. A. (2001). Mechanisms of inflammatory pain. *British Journal of Anaesthesia*, 87(1), 3–11.
- Kim, E., & Moudgil, K. (2008). Regulation of autoimmune inflammation by pro-inflammatory cytokines. *Immunology Letters*, 120(1-2), 1–5.
- Koirewoa, Y. A., Fatimawali, dan Wiyono, W. I. (2012). Isolasi dan Identifikasi Senyawa Flavonoid Dalam Daun Beluntas (*Pluchea indica* L.). *Pharmacon*, 1(1), 47–52.
- Kristanti, Alfinda Novi. 2008. Buku Ajar Fitokimia. Surabaya: Universitas Airlangga Press.
- Kumar, R., Gupta, Y. K., & Singh, S. (2016). Anti-inflammatory and anti-granuloma activity of *Berberis aristata* DC. in experimental models of

- inflammation. *Indian journal of pharmacology*, 48(2), 155–161.
- Kummer, R., Fachini-Queiroz, F. C., Estevão-Silva, C. F., Grespan, R., Silva, E. L., Bersani-Amado, C. A., & Cuman, R. K. N. (2013). Evaluation of Anti-Inflammatory Activity of *Citrus latifolia* Tanaka Essential Oil and Limonene in Experimental Mouse Models. *Evidence-Based Complementary and Alternative Medicine*, 2013, 1–8.
- Kundusen, S., Gupta, M., Mazumder, U., Haldar, P., Saha, P., Naskar, S., & Panda, S. (2011). Exploration of Anti-Inflammatory of *Citrus limetta* Risso dan *Citrus Maxima*. *Pharmacologyonline* 1: 702-709.
- Kurniawan, A., Kurniawan, C., Indraswati, N., & Mudjijati. (2008). Ekstraksi Minyak Kulit Jeruk Dengan Metode Distilasi, Pengepresan dan Leaching. *Widya Teknik*, 7(1): 15-24.
- Ladaniya, M. S. (2008). Commercial Fresh Citrus Cultivars And Producing Countries. *Citrus Fruit: Biology, Technology and Evaluation*, 13-65.
- Langgut, D. (2017). The Citrus Route Revealed: From Southeast Asia into the Mediterranean. *HortScience*, 52(6), 814–822.
- Leelaprakash, G dan Mohan Dass, S. (2011). Invitro Anti-Inflammatory Activity of Methanol Extract of Enicostemma Axillare. *International Journal of Drug Development and Research*, 3(3), 189-196.
- Lin, S., Hirai, S., Goto, T., Sakamoto, T., Takahashi, N. (2013) Auraptene suppresses inflammatory responses in activated RAW264 macro-phages by inhibiting p38 mitogen-activated protein kinaseactivation. *Mol Nutr Food Res* 57:1135–1144.
- Lin, T.-h.; Tamaki, Y.; Pajarinen, J.; Waters, H. A.; Woo, D. K.; Yao, Z.; Goodman, S. B. Chronic inflammation in biomaterialinduced periprosthetic osteolysis: NF- $\kappa$ B as a therapeutic target. *Acta Biomater*. 2014, 10, 1–10.
- Loizzo, M. R., Tundis, R., Bonesi, M., Menichini, F., De Luca, D., Colica, C., & Menichini, F. (2012). Evaluation of *Citrus aurantifolia* peel and leaves extracts for their chemical composition, antioxidant and anti-cholinesterase activities. *Journal of the Science of Food and Agriculture*, 92(15)
- Lou, H., Jing, X., Wei, X., Shi, H., Ren, D., & Zhang, X. (2014). Naringenin protects against 6-OHDA-induced neurotoxicity via activation of the Nrf2/ARE signaling pathway. *Neuropharmacology*, 79: 380-388.
- Lovell, A. R., dan Ernst, M. E. (2017). Drug-Induced Hypertension: Focus on Mechanisms and Management. *Current Hypertension Reports*, 19(5).
- Lv, X., Zhao, S., Ning, Z., Zeng, H., Shu, Y., Tao, O., Liu, Y. (2015). Citrus fruits as a treasure trove of active natural metabolites that potentially provide benefits for human health. *Chemistry Central Journal*, 9(1).
- Maifitrianti, M., Sjahid, L., Nuroh, N., Acepa, R., & Murti, W. (2019). Aktifitas Antiinflamasi Fraksi-Fraksi Ekstrak Etanol 95% dari Daun Kersen (*Muntingia Calabura* L.) pada Tikus Putih Jantan. *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 16(1): 1-16.
- Malleshappa P, Kumaran RC, Venkatarangaiah K, Parveen S.(2018). Peels of Citrus Fruits: A Potential Source of Anti-inflammatory and Antinociceptive Agents. *Pharmacognosy Journal*, 10(6s): s172-s178.

- Mihra, Jura, M., & Ningsih, P. (2018). Analisis Kadar Tanin dalam Ekstrak Daun Mimba (*Azadirachta indica* a. Juss) dengan Pelarut Air dan Etanol. *Jurnal Akademika Kimia*, 7(4): 179–184.
- Mikasari, W., Hidayat, T., & Ivanti. L. (2015). Mutu Organoleptik dan Nilai Tambah Sari Buah Jeruk Rimau Gerga Lebong (*Citrus nobilis* Sp.) Berbulir dengan Ekstraksi dan Penambahan Pewarna. *Jurnal Agroindustri*, vol 5(2): 75 – 84
- Mitropoulou, G.; Fitsiou, E.; Spyridopoulou, K.; Tiptiri-Kourpeti, A.; Bardouki, H.; Vamvakias, M.; Panas, P.; Chlichlia, K.; Pappa, A.; Kourkoutas, Y. (2017). Citrus medica essential oil exhibits significant antimicrobial and antiproliferative activity. *LWT Food Sci. Technol*, 84, 344–352.
- Motai, T., Daikonya, A., & Kitanaka, S. (2013). Sesquiterpene Coumarins from Ferula fukanensis and Their Pro-inflammatory Cytokine Gene Expression Inhibitory Effects. *Chemical and Pharmaceutical Bulletin*, 61(6), 618–623.
- Motoyama, Y. Tanida, K. Hata, T. Hayashi, I.I.A. Hashim, T. Higashi, Y. Ishitsuka, Y. Kondo, T. Irie, S. Kaneko, H. & Arima. (2016), *Biological and Pharmaceutical Bulletin*, 39: 1172-1178.
- Mukhriani. (2014). Esktraksi Pemisahan Senyawa dan Identifikasi Senyawa Aktif. *Journal Kesehatan*, 7(2), 361-367.
- Mulia, Meliandra. (2017). Isolasi Kumarin dari Kulit Buah Limau Sundai (*C. nobilis* Lour). *Ekstrakta*, 18(2).
- Murakami, A., Nakamura, Y., Torikai, K., Tanaka, T., Koshiba, T., Koshimizu, K. (2000). Inhibitory effect of citrus nobilin on phorbol ester-induced skininflammation, oxidative stress, and tumor promotion in mice. *Cancer Research*, 60, 5059–5066.
- Muthiah, P.L.M., Umamaheswari., K, & Asokkumar. (2012). *In Vitro Antioxidant Activities Of Leaves, Fruits And Peel Extracts Of Citrus*. *International Journal of Phytopharmacy*, 2(1).
- Nafriadi, Gunawan, dan Gan Sulistia. (2012). Farmakologi Dan Terapi. Departemen Farmakologi Dan Terapeutik FKUI. Jakarta: Balai Penerbit FKUI.
- Nogata, Y., Sakamoto, K., Shiratsuchi, H., Ishii, T., Yano, M., & Ohta, H. (2006). Flavonoid Composition of Fruit Tissues of Citrus Species. *Bioscience, Biotechnology, and Biochemistry*, 70(1): 178–192.
- Oikeh, E. I., Omoregie, E. S., Oviasogie, F. E., & Oriakhi, K. (2015). Phytochemical, antimicrobial, and antioxidant activities of different citrus juice concentrates. *Food Science & Nutrition*, 4(1): 103–109.
- Okokon, J. E., & Nwafor, P. (2010). Antiinflammatory, Analgesic and Antipyretic Activities Of Ethanolic Root Extract Of *Croton zambesicus*. *Journal Pharmcology Sci*, 23(4): 385-39.
- Okokon, J. E., Udoh, A. E., Frank, S. G., & Amazu, L. U. (2012). Anti-inflamatory and analgesic activities of *Melanthera scandens*. *Asian Pacific Journal of Tropical Biomedicine*, 2(2), 144–148.
- Olson, James. (2003). Belajar Mudah Farmakologi. Jakarta : Penerbit Buku EGC.
- Omodamiro, O. D., dan Umekwe, C. J. (2013). Evaluation of anti-inflammatory,

- antibacterial and antioxidant properties of ethanolic extracts of *Citrus sinensis* peel and leaves. *Journal of Chemical and Pharmaceutical Research*, 5(5), 56–66.
- Padilla de la Rosa, J., Ruiz-Palomino, P., Arriola-Guevara, E., García-Fajardo, J., Sandoval, G., & Guatemala-Morales, G. (2018). A Green Process for the Extraction and Purification of Hesperidin from Mexican Lime Peel (*Citrus aurantifolia* Swingle) that is Extendible to the Citrus Genus. *Processes*, 6(12): 266.
- Pan, M.-H. (2002). Tangeretin induces cell-cycle G1 arrest through inhibiting cyclin-dependent kinases 2 and 4 activities as well as elevating Cdk inhibitors p21 and p27 in human colorectal carcinoma cells. *Carcinogenesis*, 23(10), 1677–1684.
- Papich, M. G. (2016). Dexamethasone. *Saunders Handbook of Veterinary Drugs*, 217–219.
- Papich, M. G. (2016). Indomethacin. *Saunders Handbook of Veterinary Drugs*, 396–397.
- Park, M., Cho, H., Jung, H., Lee, H., & Hwang, K. T. (2013). Antioxidant and Anti-Inflammatory Activities of Tannin Fraction of the Extract from Black Raspberry Seeds Compared to Grape Seeds. *Journal of Food Biochemistry*, 38(3), 259–270.
- Patel, M., Murugananthan, G., & Gowda, K. (2012). In vivo animal models in preclinical evaluation of anti-inflammatory activity—A review. *Int. J. Pharm. Res. Allied Sci*, 1: 1–5.
- Penjor, T., Mimura, T., Matsumoto, R., Yamamoto, M., & Nagano, Y. (2014). Characterization of limes (*Citrus aurantifolia*) grown in Bhutan and Indonesia using high-throughput sequencing. *Scientific Reports*, 4(1).
- Price dan Wilson . (2005). Patofisiologi: Konsep Klinis Proses-proses Penyakit. (Ed 6<sup>th</sup> Vol.2) diterjemahkan oleh Pendit, B. U., Hartanto, H., Wulansari, p., Mahanani, D. A. Jakarta : Penerbit Buku Kedokteran EGC.
- Priyambodo S. 2003. Pengendalian HamaTikus Terpadu.Ed ke-3. Jakarta: Penebar Swadaya.
- Qandil, A. M. (2012). Prodrugs of nonsteroidal anti-inflammatory drugs (NSAIDs), more than meets the eye: A critical review. *International Journal of Molecular Sciences*, 13(12), 17244–17274.
- Rahmatia, T.U. (2017). Metode SPE (Solid Phase Extraction) Sebagai Alternatif Terbaru dalam Analisis dan Pemurnian Senyawa Obat. *Farmaka*: 14(2)
- Rajalakshmi P, Vadivel V, Brindha P. (2017). Investigation of in vitro Antioxidant and Antiinflammatory Activities of Selected Siddha Polyherbal Formulations. *Indian J of Pharmaceutical Education and Research*, 51(4S), S747-S53.
- Ramadhani, N & Sumiwi, S. (2016). Riview Jurnal: Aktivitas Antiinflamasi Berbagai Tanaman Diduga Berasal Dari Flavonoid. *Farmaka*, 14(2): 111-123.
- Ramdani, D., Marjuki., & Chuzaemi, S. (2017). Pengaruh perbedaan jenis pelarut dalam proses ekstraksi buah mengkudu (*Morinda citrifolia* L.) pada pakan terhadap viabilitas protozoa dan produksi gas in-vitro. *Jurnal Ilmu-Ilmu*

- Peternakan*, 27(2): 54 – 62.
- Raynie, D. (2006). Modern extraction techniques. *Analitical Chemistry*, 78 (12): 3997–4004.
- Ridjal ,J.A. (2008). Analisis Faktor Determinan Keikutsertaan Petani Berkelompok, Pendapatan dan Pemasaran Jeruk Siam di Kabupaten Jernber. *Jurnal Sep*, 2 (1): 1-9
- Rivot, J. P., Montagne-Clavel, J., & Besson, J.M. (2002). Subcutaneous formalin and intraplantar carrageenan increase nitric oxide release as measured by in vivo voltammetry in the spinal cord. *European Journal of Pain*, 6(1): 25–34.
- Robbins. (2004). Buku Ajar Patologi Robbins. (Ed 7<sup>th</sup> Vol 1). Jakarta : Penerbit Buku Kedokteran EGC.
- Romadanu., Rachmawati, S., & Lestari, S. (2017). Pengujian Aktivitas Antioksidan Ekstrak Bunga Lotus (*Nelumbo nucifera*). *Fishtech*: 3(1).
- Roussos, P. A. (2016). Orange ( *Citrus sinensis* (L.) Osbeck). *Nutritional Composition of Fruit Cultivars*, 469–496.
- Ruiz, S., Pergola, P. E., Zager, R. A., & Vaziri, N. D. (2013).Targeting the transcription factor Nrf2 to ameliorate oxidative stressand inflammation in chronic kidney disease. *Kidney Int*, 83(6): 1029-1041
- Sanmuga Priya, E., Senthamil , P., & Ajay, B. (2017). Tannin rich fraction from Terminalia chebula fruits as Anti-inflammatory agent. *Journal of Herbs, Spices & Medicinal Plants*, 24(1): 74–86.
- Sapna, D., Ankita, D., Kanzaria., Priyanka, M., Dhananjay, M. (2017). In Vitro Evaluation of Anti-Inflammatory and Antiarthritic Activity of Citrus Limetta Peel. *J Pharmacy and Health Research*, 5(9).
- Sarkhel, S. (2015). Evaluation of the anti-inflammatory activities of Quillaja saponaria Mol. saponin extract in mice. *Toxicol. Re*, 3: 1–3
- Seidel, V. (2006). Initial and Bulk Extraction. In: Sarker, S. D., dan Latif, Z.,(eds) Natural Product Isolation. *Methods in Molecular Biology*, 864, 27-41.
- Sergerie, Y., Rivest, S., & Boivin, G. (2007). Tumor necrosis factor-alpha and interleukin-1 beta play a critical role in the resistance against lethal herpes simplex virus encephalitis. *Journal Infect Dis*, 196(6): 853-60.
- Shubhra, K, D., Arpona, H., Sariful, I, H., Arif, A., & Hemayet, H. (2013). Anti-inflammatory and antioxidant activities of ethanolic extract of aerial parts of *Vernonia patula* (Dryand.) Merr. *Asian Pacific Journal of Tropical Biomedicine*; 3(10): 798-805.
- Sidana, J., Saini, V., Dahiya, S., Nain, P., dan Bala, S. (2013). A review on citrus - “the boon of nature.” *International Journal of Pharmaceutical Sciences Review and Research*, 18(2), 20–27.
- Sihombing, M., & Tuminah, S. (2011). Perubahan Nilai Hematologi, Biokimia Darah, Bobot Organ Dan Bobot Badan Tikus Putih Pada Umur Berbeda (The Changes On Hematological, Blood Biochemical Values, Organ And Body Weight Of Rat At Different Ages). *Jurnal Veteriner*, 12(1): 58-64
- Sir Elkhatim, K. A., Elagib, R. A. A., & Hassan, A. B. (2018). Content of phenolic compounds and vitamin C and antioxidant activity in wasted parts of Sudanese citrus fruits. *Food Science & Nutrition*, 6(5), 1214-1219.

- Soleh dan Meganara, S. (2019). Karakteristik Morfologi Tanaman Kencur (*Kaempferia galanga* L.) dan Aktivitas Farmakologi. *Jurnal Farmaka*, 17(2), 256-262.
- Standart Umum Ekstrak Tumbuhan Obat. Cetakan Pertama. Jakarta: Departeman Kesehatan RI. Halaman 10-12.
- Stankov, S. V., (2012). Definition of Inflammation, Causes of Inflammation and Possible Anti-inflammatory Strategies. *The Open Inflammation Journal*, 5(1), 1–9.
- Su, Y.S., Sun, W.H., & Chen, C. C. (2014). Molecular mechanism of inflammatory pain. *World J Anesthesiol*, 3(1): 71-81
- Sumiwi, S., Sihombing, O., Subarnas, A., Abdassah, M., & Levita, J. (2015). Analysis of chemical composition and its analgesic and anti-inflammatory activity of essential oil of sintoc bark (*Cinnamomum sintoc* Bl.) using in vivo methods. *Journal Appl Pharm Sci*, 5:58-65.
- Suralkar, A. A., Rodge, K. N., Kamble, R. D., dan Maske, K. S. (2012). Evaluation of Anti-inflammatory and Analgesic Activities of *Tamarindus indica* Seeds. *International Journal of Pharmaceutical Sciences and Drug Research*, 4(3), 213-217.
- Sutomo., Arnida., Rizki, I., Triyasmoro, L., & Nugroho, A. (2019). Skrining Fitokimia dan Uji Kualitatif Aktivitas Antioksidan Tumbuhan Asal Daerah Rantau Kabupaten Tapin Kalimantan Selatan. *Jurnal Pharmascience*, Vol 3 ( 1): 66 - 74
- Tambayong, Jan.(2000). Patofisiologi Untuk Keperawatan. Jakarta : EGC.
- Thirumurugan, D., Cholarajan, A., Raja, S. S. S., & Vijayakumar, R. (2018). An Introductory Chapter: Secondary Metabolites. *Secondary Metabolites - Sources and Applications*: 4-21.
- Tjay, Tan Hoan dan Kirana Rahardja. (2007). Obat-Obat Penting Khasiat Penggunaan dan Efek-Efek Sampingnya. Edisi Keenam. PT. Elex Media Komputindo: Jakarta
- Torres-Rêgo, M., Furtado, A. A., Bitencourt, M. A. O., Lima, M. C. J. de S., Andrade, R. C. L. C. de, Azevedo, E. P., & Fernandes-Pedrosa, M. de F. (2016). Anti-inflammatory activity of aqueous extract and bioactive compounds identified from the fruits of *Hancornia speciosa* Gomes (Apocynaceae). *BMC Complementary and Alternative Medicine*, 16(1).
- Triesty, I dan Mahfud. (2017). Ekstraksi Minyak Atsiri dari Gaharu (*Aquilaria malaccensis*) dengan Menggunakan Metode Microwave Hydrodistillation dan Soxhlet Extraction. *Jurnal Teknik ITS*, 6(2).Institut Teknologi Sepuluh Nopember (ITS).
- Ukhyt, N. (2011).Kandungan Senyawa Fitokimia Total Fenol dan Aktivitas Antioksidan Lamun (*Syringodium isoetifolium*). Skripsi (Tidak dipublikasikan). *Departemen Teknologi Hasil Perairan Fakultas Perikanan Dan Ilmu Kelautan Institut Pertanian Bogor*.
- Vabeiryureilai, M., & Lalrinzuali, K. (2015). *Determination of Anti-Inflammatory and Analgesic Activities of a Citrus Bioflavanoid, Hesperidin in Mice. Immunochemistry & Immunopathology*, 01(02).
- Vane, J. ., & Botting, R. . (2003). The mechanism of action of aspirin. *Thrombosis*

- Research*, 110: 5-6.
- Vijayalakhsimi, P., & Radha, R. (2015). An overview: *Citrus maxima*. *JPHYTO*, 4(5): 263-267
- Vogel,H.G. (2002). Drug Discovery and Evaluation Pharmacological Assays,. Springer-Verley: New York.
- Wibawa, I. P. H. (2018). Konservasi Citrus spp. di Kebun Raya Bali serta Potensi Pemanfaatannya. *Jurnal Agroekoteknologi Tropika (Journal of Tropical Agroecotechnology)*, Vol 7 (3): 326-334.
- Widyawati, P.S., Dwi, T., Budianta, W., Kusuma, F.A., Wijaya, E.L., 2014. Difference of Solvent Polarity To Phytochemical Content and Antioxidant Activity of Pluchea indica Less Leaves Extracts. *Int. J. Pharmacogn. Phytochem. Res.* 6, 850–855.
- Wilmania, P.F., dan Gan, S. (2007). Analgesik-Antipiretik Analgesik AntiInflamasi Nonsteroid dan Obat Gangguan Sendi Lainnya. Dalam: Gan, S., Setiabudy, R., dan Elysbeth, eds. Farmakologi dan Terapi. Edisi 5. Jakarta: Departemen Farmakologi dan Terapeutik FK UI.
- Wu, S. Antony, J. L. Meitzler, and J. H. Doroshow. (2014). Molecular mechanisms underlying chronic inflammation-associatedcancers. *Cancer Letters*, vol. 345(2): 164–173
- Wu, X., Song, M., Qiu, P., Rakariyatham, K., Li, F., Gao, Z., Cai, X., Wang, M., Xu, F., Zheng, J., and Xiao, H. (2017). Synergistic chemopreventive effects of nobiletin and atorvastatin on colon carcinogenesis. *Carcinogenesis*. 38(4): 455–464
- Wu, X., Song, M., Rakariyatham, K., Zheng, J., Wang, M., Xu, F., Gao, Z & Xiao, H. (2015). Inhibitory Effects of 4'-Demethylnobiletin, a Metabolite of Nobiletin, on 12-O-Tetradecanoylphorbol-13-acetate n(TPA)-Induced Inflammation in Mouse Ears. *Journal of Agricultural and Food Chemistry*, 63(51), 10921–10927.
- Xue, N., Wu, X., Wu, L., Li, L., & Wang, F. (2018). Antinociceptive and anti-inflammatory effect of Naringenin in different nociceptive and inflammatory mice models. *Life Sciences*, 217: 148- 154.
- Yankanchi, S, R., & Koli, S, A. (2010). Anti-inflammatory and analgesic activity of mature leaves of methanol extract of Clerodendrum inerme L. (Gaertn). *J Pharm Sci Res*, 11(2): 782-785.
- Yasir, M dan Sonthalia, S. (2019). Corticosteroid Adverse Effects. Lahore: Allama Iqbal Medical College/JHL
- Yoshino, K., dan Higashi, N. (2005). Anti-Inflammatory and Antioxidant Activities. *Group*, 2(2), 70–85.
- Yu, L., Yan, J., & Sun, Z. (2017). D-limonene exhibits anti-inflammatory and antioxidant properties in an ulcerative colitis rat model via regulation of iNOS, COX-2, PGE2 and ERK signaling pathways. *Molecular Medicine Reports*, 15(4), 2339–2346.
- Zargar, S., Al-Majed, A.-R. A., & Wani, T. A. (2018). Potentiating and synergistic effect of grapefruit juice on the antioxidant and anti-inflammatory activity of aripiprazole against hydrogen peroxide induced oxidative stress in mice. *BMC Complementary and Alternative Medicine*, 18(1).

- Zhang, Q., Lin, L., G., & Ye, W., C. (2018). Techniques for extraction and isolation of natural products: a comprehensive review. *Chinese Medicine*, 13(1).
- Zhao, Y.-L., Yang, X.-W., Wu, B.-F., Shang, J.-H., Liu, Y.-P., Zhi, D., & Luo, X.-D. (2019). Anti-inflammatory effect of Pomelo peel and its bioactive coumarins. *Journal of Agricultural and Food Chemistry*, 67: 8810-8818.