

## DAFTAR PUSTAKA

- Abdullah, F.C., Rahimi, L., Zakaria, Z.A. (2014). Hepatoprotective, Antiulcerogenic, Cytotoxic and Antioxidant Activities of *Musa acuminata* Peel and Pulp. *Novel Plant Bioresources: Applications in Food, Medicine and Cosmetics*. 21: 371-382.
- Agarwal PK, Singh A, Gaurav K, Goel S, Khanna HD, Goel RK. (2009). Evaluation of wound healing activity of extracts of plantain banana (*Musa sapientum* var. *paradisica*) in rats. *Indian J Exp Biol*. 47(1): 32-40.
- Ahmad, R., Munim., A., dan Elya, B. (2012). Study of antioxidant activity with reduction of free radical DPPH and xanthine oxidase inhibitor of the extract *Ruellia tuberosa* Linn Leaf. *International Research Journal of Pharmacy*. 3(11).
- Albaayit SF, Abba Y, Rasedee A, Abdullah N. (2015). Effect of *Clausena excavata* Burm. f. (*Rutaceae*) leaf extract on wound healing and antioxidant activity in rats. *Drug Des Devel Ther*. 9: 3507–3518.
- Anhwange, A., Ugye, J., Nyiaatagher, D. (2009). *Electronic Journal of Environment, Agricultural and Food Chemistry*, 8(6), 437-442.
- Astuti, Y.N. (2009). Uji aktivitas penangkap radikal DPPH oleh analog kurkumin monoketon dan n-heteroalifatik monoketon. [skripsi]. Universitas Muhammadiyah Surakarta.
- Atzingen DA, Gragnani A, Veiga DF, Abla LE, Cardoso LL, Ricardo.T, Mendonça AR, Ferreira LM (2013) Unripe *Musa sapientum* peel in the healing of surgical wounds in rats. *Acta Cir Bras*. 28(1): 33-38.
- Badan Pusat Statistik Republik Indonesia. (2012). *Statistik Tanaman Buah-Buahan dan Sayuran Tahunan*. BPS RI.
- Balamurugan M, Parthasarathi K, Ranganathan LS, Cooper EL. (2008). Hypothetical mode of action of earthworm extract with hepatoprotective and antioxidant properties. *J Zhejiang Univ Sci B*. 9: 141-147.
- Baradero dan Siswandi. (2010). *Klien Gangguan Endokrin*. Jakarta: EGC.
- Basiglio CL, Sanchez Pozzi EJ, Mottino AD, dan Roma MG. (2009). Differential effects of silymarin and its active component silibinin on plasma membrane stability and hepatocellular lysis. *Chem Biol Interact*. 179(2-3):297-303.

- Bastiansyah, Eko. (2012). *Panduan Lengkap Membaca Hasil Tes Kesehatan*. Jakarta: Penebar Plus.
- Berkowitz, Aaron. (2013). *Lecture Notes Patofisiologi Klinik Disertai Contoh Kasus Klinik*. Tangerang Selatan: Binarupa.
- Britton, G. dan Liaaen-Jensen, S. (2004). *Handbook of Carotenoids*. Switzerland: Birkhauser AG.
- Bruha, R. Karel D., dan Jaromir P. (2012). Alcoholic Liver Disease. *World Journal of Hepatology*. 89-90.
- Cahyono, B. (2009). *Pisang*. Yogyakarta: Penerbit Kanisius.
- Camberos, E.P., Jose, M.F., Alejandro, A.C., Carla, P.B., Yanet, G.M., Eugenia, L.C. (2016). Wound healing and antioxidant capacity of *Musa paradisiaca* Linn. Peel extracts. *Journal of Pharmacy & Pharmacognosy Research*. 4 (5), 165-173.
- Carlos, L. dan Carneiro, J. (2007). *Histologi Dasar*. Edisi ke-10. Jakarta: EGC.
- Chatterjea, M.M. and Shinde, R. (2005) *Textbook of Medical Biochemistry*, 6th ed. New Delhi: Jaypee Brothers Medical Publishers.
- Chauhan, A., Anshita N., Kumud, B., dan Yash, S. (2016). Comparative study of Different Part of Fruits of *Musa sp.* on the Basis of their Antioxidant Activity. *Scholars Research Library*. 8(15):88-100.
- Chen, J. dan Raymond, K. (2006). Roles of Rifampicin in drugs interaction: underlying molecular mechanism involving nuclear pregnane X receptor. *Annals of Clinical Microbiology and Antimicrobials*. Vol. 5 No. 23.
- Cheung BM, Ong KL dan Wong LY. (2009). Elevated serum alkaline phosphatase and peripheral arterial disease in the United States National Health and Nutrition Examination Survey 1999-2004. *Int J Cardiol*. 135, 156-161.
- Chu, Y.H., Chang, C.L., Hsu, H.F. (2000). Flavonoid content of several vegetables and their antioxidant activity. *Journal of the Science of Food Agriculture*. 80: 561-566.
- Cotran, R.S. dan Robbins, S.L. (2009). *Dasar Patologis Penyakit*. Edisi ke-7. Jakarta: EGC.
- Cotran, R.S. dan Robbins, S.L. (2011). *Buku Saku Dasar Patologis Penyakit*. Edisi ke-7. Jakarta: EGC.

- Dalimartha S. (2005). *Ramuan Tradisional untuk Pengobatan Hepatitis*. Jakarta: Penebar Swadaya.
- Dalimartha, S. (2003). *Atlas Tumbuhan Obat Indonesia*. Jilid 3. Jakarta: Puspa Swara.
- Daniells, J., Christophe, J., Deborah, K., dan Kodjo, T. (2001). *Musalogue: A Catalogue of Musa Germplasm, Diversity in the Genus Musa*. France: INIBAP.
- Dawn, B., Marks, Allan, D., dan Collen, M. (2000). *Biokimia Kedokteran Dasar*. Jakarta: EGC.
- Depkes RI. (2006). *Monografi Ekstrak Tumbuhan Obat Indonesia*. Jakarta: Departemen Kesehatan RI.
- Depkes RI. (2007). *Pharmaceutical Care untuk Penyakit Hati*. Jakarta: Departemen Kesehatan RI.
- Dickens H, Ullrich A, Runge D, Mueller B, Olszewski U and Hamilton G. (2008). Anticancer drug cis-4-hydroxy-L-proline: Correlation of preclinical toxicology with clinical parameters of liver function. *Mol Med Rep*. 1: 459-464.
- Du, G., Li, M., Ma, F., Liang, D. (2009). Antioxidant capacity and the relationship with polyphenol and vitamin C in Actinidia fruits. *Food Chemistry*. 113, 557–562.
- Dufour DR. (2006). *Liver disease*. Clinical chemistry and molecular diagnostics. Edisi ke empat. Missouri: Elsevier saunders.
- Edenta, C., Okoduwa, S., dan Okpe, O. (2017). Effects of Aqueous Extract of Three Cultivars of Banana (*Musa acuminata*) Fruit Peel on Kidney and Liver Function Indices in Wistar Rats. *Medicines*. 4(77):1-7.
- Esti, S. (2002). *Buku Ajar Patologi I (umum)*. Jakarta: Sagung Seto.
- Fahmi M, Yudha F, Dwinna A. (2015). Gambaran histopatologis hati tikus (*Rattus norvegicus*) yang diinfeksi Trypanosoma evansi setelah pemberian ekstrak kulit batang jaloh (*Salix tetrasperma Roxb*). *J Medika Veterinaria*. 9(2):141–5.
- Firmansyah M. (2006). Khasiat hepatoproteksi ekstrak daun sangitan (*Sumbucus javanica*) pada tikus putih galur Sprague Dawley yang diberi parasetamol. [Skripsi]. Bogor: Program Studi Biokimia FMIPA IPB.

- Francisco J.S, Waldo L, Garcia J, Isadora L, Karin S. (2018). Histopathological and immunohistochemical characterisation of hepatic granulomas in *Leishmania donovani* infected BALB/c mice: a time-course study. *Parasites Vector J.* 11(73):1–9.
- Gartner, L.P., Hiatt, J.L. (2001). *Colort Textbook of Histology*. Edisi ke-2. Philadelphia: W.W. Saunders Company.
- Giasson, B.J., Ischiropoulos, H., Lee, V.M.Y., Trojanowski, J.Q. (2002). The relationship between oxidative/nitrosative stress and pathological inclusion in Alzheimer's and Parkinson's diseases. *Free Radical Biology and Medicine.* 32, 1264–1275.
- Gordon, M.H. (2001). *Antioxidant in Food Practical Application*. London: Woodhead Publishing Ltd.
- Green RM and Flamm S. (2002). AGA technical review on the evaluation of liver chemistry test. *Gastroenterology.*123, 1367-1387.
- Grodowska, K. dan Andrzej, P. (2010). analytical methods for residual solvents determination in pharmaceutical products. *Acta Poloniae Pharmaceutica-Drug Research.* 67(1):13-26.
- Gupta, A.K., Ganguly, P., Majumder, U.K., Ghosal, S. (2009). Hepatoprotective and antioxidant effect and stereoidal saponins of *Solanum xanthocarpum* and *Solanum nigrum* in paracetamol induce hepatotoxicity in rats. *Pharmacologyonline.* 757-768.
- Guyton, A.C., dan Hall, J.E. (2014). *Buku Ajar Fisiologi Kedokteran*. Edisi ke-12. Jakarta: EGC.
- Hall, P., dan Johnny, C. (2012). What is the real function of the liver ‘function’ test. *Ulster Med J.* 81:30-36.
- Hartati S, Slamet R, Irkham W. (2017). Studi gambaran histopatologis hepar, pulmo, lien dan otak serta uji serologis pada tikus (*Rattus norvegicus*) yang diinfeksi *Toxoplasma gondii*. *J Sain Veteriner.* 35(1):9–15.
- Hemat, R.A.S. (2004). *Orthomolecularism: Principles and Practice*. Bloomington: Hiruma-Lima.
- Heng, Z., Sheng, O., Shijuan, Y., Hongxian, L., Levgen, M., Huijun, G., Chunyu, L., Qiaosong, Y., Chunhua, H., Ruibin, K., Fangcheng, B., Tongxin, D., Shenxi, X., Guiming, D., dan Ganjun, Y. (2017). Carotenoid profiling in the peel and pulp of 36 selected *Musa* varieties. *Food Science and Technology Research.* 23(4): 603-611.

- Hewawasam, R. P., Jayatilaka, K. A., Pathirana, C. and Mudduwa, L. K. (2003) 'Protective Effect of *Asteracantha longifolia* Extracts in Mouse Liver Injury Induced by CCl<sub>4</sub> and Paracetamol', *J. Pharm. Pharmacol*, 55(10), pp. 1413–1418.
- Hodge, A.; Sterner, B. (2005). *Toxicity Classes*. Canadian Centre for Occupational Health Safety: Hamilton.
- Honnayakanahalli M.G.M. and Sharanaiah Umeasha. (2015). Assessment of membrane stabilizing activity from honey. An invitro approach. *Acta. Sci. Pol. Technol. Aliment.*, 14(1): 85-90.
- Huang YS, Chern HD, Su WJ, Wu JC, Chang SC, Chiang CH. (2003). Cytochrome P450 2E1 genotype and the susceptibility to antituberculosis drug-induced hepatitis. *Hepatology*. 37:924-30.
- Huang, B., Ban, X., He, J., Tong, J., Tian, J., Wang, Y. (2011). Hepatoprotective and Antioxidant activity of ethanolic extract of edible lotus (*Nelumbo nucifera* G.) leaves. *Food Chem*. 120: 873-878.
- Husni, I. (2009). *Prespektif Industri Pisang Terpadu (Guna Peningkatan Nilai Tambah Komoditas)*. Direktorat budidaya Tanaman Buah Direktorat Jenderal Hortikultura Departemen Pertanian.
- Imam, M.Z. dan Saleha A. (2011). *Musa paradisiaca* L. and *Musa sapientum* L.: A Phytochemical and Pharmacological Review. *J. Appl. Pharmaceut. Sci*. 01 (05):14-20.
- Ittiyavirah Sibi dan Anurenj. (2014). Adaptogenic studies of acetone extract of *Musa paradisiaca* L. fruit peels in albino wistar rats. *International journal of Nutrition, Pharmacology, Neurological Disease*. 04(02):88-94.
- Iweala, E.E.J., Obichi, I.C., Omotosho, O.E. (2011). Biochemical and Histological Responses of Hepatotoxic Rats Fed *Musa paradisiaca* L. Supplemented Diet. *International Journal of Pharmacology*. 7(4): 471-477.
- Jawi, I.M., Yasa, S., dan Saputra, H. (2007). Gambaran Histologis Hepar serta Kadar SGOT dan SGPT Darah Mencit yang diberikan Alkohol Secara Akut dan Kronis. *Jurnal Kedokteran dan Farmasi*. No. 1, vol. 20.
- Joyeta, Das. (2011). Liver disease pathophysiology. *Clinical pharmacist*. 3: 140-144. Weber, L.W., Boll, Meinrad, B., Stampfl, A. (2003). Hepatotoxicity and Mechanism of Action of Haloalkanes: Carbon Tetrachloride as a Toxicological Model. *Critical Reviews in Toxicology*. 33(2): 105-136.

- Kanazawa, K., & Sakakibara, H. (2000). High content of dopamine, a strong antioxidant, in Cavendish banana. *Journal of Agricultural and Food Chemistry*, 48(3), 844–848.
- Kanta, P., Tunkham, J., Ramaraj, R., Unpaprom, Y. (2017). Bioactive Extraction from Banana Peel (*Musa sapientum* Linn.) for Antioxidant Agent. *International Joint Seminar and Symposium*. 01: 85–88.
- Kapadia, S.P., Pudakalkatti, P.S., dan Shivanaikar, S. (2015). Detection of Antimicrobial Activity of Banana Peel (*Musa paradisiaca* L.) on *Porphyromonas gingivalis* and *Aggregatibacter antinomycetemcomitans*: An In Vitro Study. *Contemporary Clinical Dentistry*. 6:496-9.
- Karimi G, Vahabzadeh M, Lari P, Rashedinia, dan Moshiri M. (2011). “Silymarin”, a promising pharmacological agent for treatment of diseases. *Iran J Basic Med. Sci.* 14: 308-317.
- Kasutjianingati, R., Poerwanto, N., Khumaida, dan Efendi. (2010). Kemampuan pecah tunas dan berbiak *Mother Plant* Pisang Raja Bulu (AAB) dan Pisang Tanduk dalam medium inisiasi *in vitro*. *Jurnal Agriplus*. 20:09-16.
- Katzung, B.G., Masters, S.B., dan Trevor, A.J. (2012). *Basic and Clinical Pharmacology*. 12<sup>th</sup> ed. New York: McGraw-Hill Medical.
- Kaur, C. dan Kapoor, H.C. (2001). Antioxidant in fruits and vegetables. *Int. J. Food Sci. Technol.* 703-725.
- Khan A, Rahman M, Islam MS. (2008). Antibacterial, antifungal and cytotoxic activities of amblyone isolated from *Amorphophallus campanulatus*. *Indian J Pharmacol.* 40(1):41–4.
- Kitchenham, B. (2004). *Procedures for Performing Systematic Reviews*. Eversleigh: Keele University.
- Kim YS, Cho IH, Jeong MJ, Jeong SJ, Nah SY, Cho YS, Kim SH, Go A, Kim SE, Kang SS, Moon CJ, Kim JC, Kim SH, Bae CS. (2011) Therapeutic effect of total ginseng saponin on skin wound healing. *J Ginseng Res.* 35(3): 360–367.
- Krishna, K.L., Mruthunjaya, K. and Patel, J.A. (2009) Antioxidant and hepatoprotective activity of leaf extract of *Justicia gendarussa* burm. *International Journal of Biological Chemistry*, 3 (3), 99–110.

- Kumar, P.S., dan Ramesh, P. (2014). Evaluation of Hepato Protective Activity of Methanolic Stem Bark Extract of *Mangifera indica* in Rats. *International Journal for Advanced Review and Research in Pharmacy*. p129-143.
- LabChem Inc. (2019). Acetone safety data sheet. Tersedia: <https://www.labchem.com>. Diakses April 2020.
- Lafka, T. I., Sinanoglou, V., & Lazos, E. S. (2007). On the extraction and antioxidant activity of phenolic compounds from winery wastes. *Food Chemistry*, 104(3), 1206–1214.
- Lakshmi, V., Agarwal, S.K., Jamal, A.A., Abbas, A.M., Arvind, K.S. (2014). Antidiabetic potential of *Musa paradisiaca* in Streptozotocin-induced diabetic rats. *The Journal of Phytopharmacology*. 3(2): 77-81.
- Landrum, J.T. (2010). *Carotenoids: Physical, Chemical, and Biological Function and Properties*. New York: CRC Press.
- Liang, M.K., Andersson, R.E., Jaffe, B.M., dan Berger, D.H. (2015). *The Appendix in Schwartz's Principles of Surgery*. Edisi 10. New York: Mc Graw Hill Education.
- Liu D, He H, Yin D, Que A, Tang L, Liao Z, Huang Q. (2013). Mechanism of chronic dietary iron overload-induced liver damage in mice. *Mol Med Rep*. 7: 1173-1179.
- Liu H, Qi X, Cao S and Li, p. (2014). Protective effect of flavonoid extract from Chinese bayberry (*Myrica rubra* Sieb. et Zucc.) fruit on alcoholic liver oxidative injury in mice. *J Nat Med* 68: 521-529.
- Maiti K, Mukherjee K, Murugan V, Saha BP, Mukherjee PK. (2010). Enhancing bioavailability and hepatoprotective activity of mandrographolide from *Andrographis paniculata*, a well known medicinal food, through its herbosome. *J Sci Food Agric*. 90: 43-51.
- Malar, H.L.V. and Bai, S.M.M. (2009) Hepatoprotective activity of *Phyllanthus emblica* against paracetamol induced hepatic damage in Wister Albino rats. *African Journal of Basic and Applied Science*. 1 (2): 21–25.
- Marks, D.B., Marks, A.D., Smith, C.S. (2000). *Biokimia Kedokteran Dasar: Sebuah Pendekatan Klinis*. Jakarta: Penerbit Buku Kedokteran EGC.
- Megha, G.C., Bhoomi, B.J. and Kinnari, N.M. (2013). Invitro anti-diabetic and anti-inflammatory activity of stem bark of *bauhinia purpurea*. *Bull. Pharm. Med. Sci.*, (2): 139-150.

- Mokdad, A. a, Lopez, A. D., Shahraz, S., Lozano, R., Stanaway, J., Murray, C. J. L. and Naghavi, M. (2014) 'Liver Cirrhosis Mortality in 187 Countries between 1980 and 2010: A Systematic Analysis.', *BMC medicine*, 12(1), p. 145.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicryl-hydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin Journal of Science Technology*. 26(2): 211-216.
- Montelongo, R.G., Gloria, L, Monica, D. (2009). Antioxidant activity in banana peel extracts: Testing extraction conditions and related bioactive compounds. *Food Chemistry*. 119: 1030–1039.
- Muhtaseb MS, Eltalwar D, Duncan A, St J, O'reilly D, Mckee R.F. (2008). Free radical activity and lipid soluble anti-oxidant vitamin status in patients with long-term ileal pouch-anal anastomosis. *Colorectal Dis*. 11:67–72.
- Murthy, S.N. dan Felicia, C. (2015). Antidiabetic Activity of *Musa Sapientum* Fruit Peel Extract on Streptozotocin Induced Diabetic Rats. *International Journal of Pharma dan Bio Science*. 6(1): 537-543.
- Murthy, S.N., Jebakani, C.F., Pandian, S.S., dan Ponmozhi, S. (2015). hepatoprotective activity of *Musa sapientum* fruit peel (mspe) against streptozotocin – induced toxicity in rats. *International Journal of Pharmacy*. 5(1):165-169.
- Murugesk KS, Yeligar VC, Maiti BC, Maiti TK. (2005). Hepatoprotective and antioxidant role of *Berberis tinctoria* Lesch leaves on paracetamol induces hepatic damage in rats. *IJPT*. 41: 64-69.
- Nguyen, T. B. T., Ketsa, S., & van Doorn, W. G. (2003). Relationship between browning and the activities of polyphenol oxidase and phenylalanine ammonia lyase in banana peel during low temperature storage. *Postharvest Biology and Technology*, 30(2), 187–193.
- Nirmala, M., Girija, K., Lakshman, K., Divya, T. (2012). Hepatoprotective activity of *Musa paradisiaca* on experimental animal models. *Asian Pacific Journal of Tropical Biomedicine*. 2(1): 11-15.
- Parasuraman P. (2011). Toxicological sreening. *J. Pharmacol Pharmacother*. 2(2):74-79.
- Paul SB, Gulati MS dan Sreenivas V. (2007). Evaluating patients with cirrhosis for hepatocellular carcinoma: value of clinical symptomatology, imaging and alpha-fetoprotein. *Oncology*. 72,117-23.



- Peng C, Chunying L, Wenqiang P, Yue Z, Wei D, Shiming W. (2009). The protective role of *Per2* against carbon tetrachloride induced hepatotoxicity. *Am J Pathol.* 174: 63-70.
- Pereira A, Maraschin M. (2015) Banana (*Musa sp.*) from peel to pulp: Ethnopharmacology source of bioactive compounds and its relevance for human health. *J Ethnopharmacol* 160: 149–163.
- Phongpaichit, S., Nikom, J., Rungjindamai, N., Sakayaroj, J., dan Hutadilok, T.N. (2007). Biological activities of extract from endophytic fungi isolated from garcinia plant. *FEMS Immunology & Medical Microbiology.* 51(3): 517-525.
- Pooja, C. O. and Priscilla, D. M. (2009) 'Antioxidant and Hyperlipidemic Activity of *Hibiscus sabdariffa* Leaves and Calyces Extracts in Rats'. *Indian J. of Exp. Biol.* 47(3), p. 276–282.
- Prabakaran, M., Chandrakala, N. and Panneer Selvam, A. (2011). Antimicrobial activity of *Indigofera glandulosa* (wild). *Asian. J. Plant. Sci. Res.*, 1(2): 18-25.
- Prabawati, S., Suyanti., dan Setyabudi, D.A. (2008). *Teknologi Pascapanen dan Teknik Pengolahan Pisang*. Badan Penelitian dan Pengembangan Pertanian. Departemen Pertanian.
- Rahman, A.U. (2008). *Studies in Natural Products Chemistry*. Oxford: Elsevier.
- Ramya, S., Saraswathi, U., dan Malathi, M. (2017). In vitro anti-inflammatory activity of different varieties of *Musa sapientum* (peel) extract. *International journal of current research.* 9(03): p47300-47302.
- Raza, Mazahir. (2015). Free Radical Scavenging Activity in Methanolic Extract of *Musa paradisiaca* Peel. *International journal of Research and Engineering.* (2):17-19.
- Robert KM, Victor WR, David B, Kathleen MB, Anthony PW, Peter JK. (2011). *Harpers Illustrated Biochemistry (Lange Medical Book)*, Edisi ke-28. New York: McGraw-Hill.
- Robert, K.M. (2003). *Biokimia Harper*. Jakarta: EGC.
- Rosida, Azma. (2016). Pemeriksaan Laboratorium Penyakit Hati. *Jurnal Kedokteran dan Kesehatan.* 12(1): 123-131.

- Ross, C.F., Clifford, H.J., Virginia, C.F. (2011). Influence of Heating on the Polyphenolic Content and Antioxidant Activity of Grape Seed Flour. *Journal of Food Science*. 76(6): C884-C890.
- Ruangnoo, S. dan Itharat, A. (2012). Antiinflammatory and Antioxidant Activities of Extracts from *Musa sapientum* Peel. *J Med Assoc Thai*. 95(1): 142-146.
- Russmann S, Kullak-Ublick GA, Grattagliano I. (2009). Current Concepts of Mechanisms in Drug-Induced Hepatotoxicity. *Current Medicinal Chemistry*. (16)23: 3041-3053.
- Sachana, M. dan Hargreaves, A.J. (2012). *Toxicological testing: in vivo and in vitro models*. In *Veterinary Toxicology, Basic and Clinical Principles*. Edisi ke-2. Amsterdam: Elsevier.
- Sacher dan Mc Person. (2011). *Tinjauan Klinis Hasil Pemeriksaan Laboratorium*. Edisi ke-11. Jakarta: EGC.
- Sakat, S., Juvekar, A.R. and Gambhire, M.N. (2010). In vitro antioxidant and anti-inflammatory activity of methanol extract of *Oxalis corniculata* Linn. *Int. J. Pharm. Pharm. Sci*. 2(1): 146-155.
- Saladin, K.S. (2005). *Human Anatomy*. New York: McGraw-Hill.
- Sankar, M., Rajkumar, J., Sridhar, D. (2015). Hepatoprotective Activity of Heptoplus on Isoniazid and Rifampicin Induced Liver Damage in Rats. *Indian Journal of Pharmaceutical Sciences*. 77(5):556-562.
- Satuhu, S. dan Supriyadi, A. (2008). *Pisang: Budidaya, Pengolahan dan Prospek Pasar*. Jakarta: Penebar Swadaya.
- Sen, S., Chakraborty, R., Sridharl, C., Reddy, Y.S.R., De, B. (2010). Free radicals, antioxidants, diseases, and phytomedicines: current status and future prospect. *International Journal of Pharmaceutical Science Review and Research*. 3(1): 91-100.
- Senthil P, Kumar AA, Manasa M, Kumar KA, Sravanthi K, Deepa D (2011) Wound healing activity of alcoholic extract of *Guazuma ulmifolia* leaves on albino Wistar rats. *Int J Pharm Bio Sci*. 2: 36-37.
- Setshedi, Wands, dan Monte. (2010). Acetaldehyde Adducts in Alcoholic Liver Disease. *Oxydative Medicine and Cellular Longevity*. 3(3): 178-185.
- Sharma, P., Jha, A. B., Dubey, R. S. and Pessaraki, M. (2012). Reactive Oxygen Species, Oxidative Damage, and Antioxidative Defense Mechanism in Plants under Stressful Conditions. *Journal of Botany*. p1–26.

- Sherlock S dan Dooley J. (2002). *Diseases of the liver and biliary system*. USA: Blackwell publishing.
- Singh, Kuldip. (2013). Evaluation and interpretation of biomarkers of liver diseases. *International Journal of Research in Health Sciences*. 1(3): 213-223.
- Singh, P. dan Prakash, P. (2015). Evaluation of Antioxidant Activity of Banana Peels (*Musa acuminata*) Extracts Using Different Extraction Methods. *Chem Sci Trans*. 4(1), 158-160.
- Sivakrishnan, S. (2018). Liver disease-an overview. *World Journal and Pharmaceutical Sciences*. 8(1) 1385-1395.
- Sloane, Ethel. (2004). *Anatomi dan Fisiologi untuk Pemula*. Jakarta: EGC.
- Snell, Richard S. (2006). *Neuroanatomi Klinik*. Jakarta: EGC.
- Someya, S., Yumiko Y., dan Kazuyoshi O. (2002). Antioxidant compounds from bananas (*Musa Cavendish*). *Food Chemistry*. 79, 351–354.
- Soni M, Mohanty PK, Jaliwala YA. (2011). Hepatoprotective activity of fruits of *Prunus domestica*. *Int J Pharm Biosci*. 2(2): 439-453.
- Spinas G.A. (1999). The dual role of nitric oxide in islet s-cells. *News in Physiological Sciences*. 14: 49-54.
- Stockham, S.L. dan Scott, M.A. (2008). *Fundamentals of Clinical Veterinary Pathology*. Iowa: Iowa State University Pr.
- Sulaiman, S.F., Nor, A.M., Yusoff, Ibrahim, M.E., Azliana A.B., Kheng L.O. (2010). Correlation between total phenolic and mineral contents with antioxidant activity of eight Malaysian bananas (*Musa sp.*). *Journal of Food Composition and Analysis*: (24):1–10
- Sunarjono, H.H. (2004). *Bertanam 30 Jenis Sayur*. Jakarta: Penebar Swadaya.
- Sutanto dan Edison. (2001). *Pedoman Karakterisasi, Evaluasi Kultivar Pisang*. Solo: Balai Penelitian Tanaman Buah.
- Sutowijoyo, Danang. (2013). Kriteria Kematangan Pascapanen Pisang Raja Bulu dan Pisang Kepok. [*Skripsi*]. Bogor: Institut Pertanian Bogor.
- Tjitrosoepomo, G. (2000). *Morfologi Tumbuhan*. Yogyakarta: Gajah Mada University Press.

- Tomizawa M, Kawanabe Y, Shinozaki F, Sato S, Motoyoshi Y, Sugiyama T, Yamamoto S and Sueishi M. (2014). Elevated levels of alanine transaminase and triglycerides within normal limits are associated with fatty liver. *Exp Ther Med.* 8: 759-762.
- Tostmann A, Boeree MJ, Peters WH, Roelofs HM, Aarnoutse RE, van der Ven AJ. (2008). Isoniazid and its toxic metabolite hydrazine induce in vitro pyrazinamide toxicity. *Int J Antimicrob Agents.* 31:577-80.
- Trappoliere M, Caligiuri A, Schmid M, Bertolani C, Failli P, Vizzutti F. (2009). Silybin, a component of sylimarin, exerts anti-inflammatory and antifibrogenic effects on human hepatic stellate cells. *J Hepatol.* 50(6): 02–11.
- Troy, D.B. (2005). *Remington, The Science and Practice of Pharmacy.* Edisi 12. USA: Lippicott.
- Tsamo, C.V.P., Marie, F.H., Kodjo, T., Thomas, H.E., Joelle, Q.L., Herve, R., Yvan, L., dan Christelle, A. (2015). Phenolic profiling in the pulp and peel of nine plantain cultivars (*Musa sp.*). *Food Chemistry* 167: 197–204.
- Ukieyanna, Elsha. (2012). Aktivitas antioksidan, kadar fenolik, dan flavonoid total tumbuhan *Peperomia pellucida* L. [Skripsi]. Fakultas Matematika dan Ilmu Pengetahuan Alam Institut Pertanian Bogor.
- U.S. Pharmacopeia. (2007). *The National Formulary.* Edisi ke-30. Rockvill: U.S. Pharmacopeial Convention.
- Valmayor R.V., Jamaluddin S.H., Silayoi B., Kusumo S., Danh, Pascua O.C., dan Espino R.R.C. (2000). *Banana cultivar names and synonyms in Southeast Asia.* Los Banos. France: INIBAP.
- Vasudevan DM, Sreekumari S and Vaidyanathan K (2013). *Text book of biochemistry.* Edisi ke-7. New Delhi: Jaypee Brothers Medical Publishers.
- Velumani, S. (2016). Phytochemical screening and antioxidant activity of banana peel. *International Journal of Advance Research and Innovative Ideas in Education.* 2(1). 91-102.
- Verma, P., Paswan, S.K., Verma, S., Singh, S.P., Rao, C.V., Shrivastva, S., dan Gupta, R.K. (2017). assessment of hepatoprotective activity of *Musa paradisiaca* linn. whole plant extract against carbon tetrachloride induced hepatotoxicity in wistar rats. *International Journal of Pharmaceutical Sciences and Research.* 8(1): 126-131.

- Vijender kumar, Zulfiqar Ali Bhat, Dinesh Kumar, Khan, N.A. and Chashoo, I.A. (2012). Evaluation of anti-inflammatory potential of leaf extracts of *Skimmia anquetilia*. *Asian. Pac.J. Trop. Biomed.* 2(8): 627-630.
- Wang, R., Xia, F., Kai, Z., Xin X.Z., dan Huayi, S. (2016). Preventive activity of banana peel polyphenols on CCl<sub>4</sub>-induced experimental hepatic injury in Kunming mice. *experimental and therapeutic medicine.* 11: 1947-1954.
- Wazir, D., Syahida, A., Radzali, M., Maziah, M. (2011). Antioxidant activity of different parts of *Gnetum gnemon* L. *Journal of Plant Biochemistry and Biotechnology.* 20(2): 234-240.
- Weber, L., Boll, M.B., dan Stampfl, A. (2003). Hepatotoxicity and Mechanism of Action of Haloalkanes: Carbon Tetrachloride as a Toxicological Model. *Critical Reviews in Toxicology.* P105-136.
- Wen Wu J, Lin L, dan Tsai T. (2009). Drug–drug interactions of silymarin on the perspective of pharmacokinetics. *J Ethnopharmacol.* 121:185-193.
- Wilmana, P.F., dan Gan, S. (2008). Analgesik-Antipiretik Analgesik-Antiinflamasi Nonsteroid dan Obat Gangguan Sendi Lainnya. di dalam *Farmakologi dan Terapi.* Edisi 5. Jakarta: FK UI.
- Xu, G. H., Chen, J. C., Liu, D. H., Zhang, Y. H., Jiang, P., & Ye, X. Q. (2008). Minerals, phenolic compounds, and antioxidant capacity of citrus peel extract by hot water. *Journal of Food Science,* 73(1), C11–C18.
- Zakhari, S. (2006). Overview: How is Alcohol Metabolized by Body. *Journal of the National Institute on Alcohol Abuse and Alcoholism.* 29 (4). 245-254.
- Zeinab YA. (2012). Biochemical evaluation of some natural products against toxicity induced by antitubercular in rats. *N Y Sci J.* 5:69-80.