

DAFTAR PUSTAKA

- Adamsons, A. W. (1982). *Physical Chemistry of Surface*. United State of America: A wiley-Interscience Publication.
- Akmalia, U. (2018). *Perbandingan Deparafinisasi Menggunakan Xylol dan Detergen Cair Sunlight Terhadap Kualitas Pewarnaan HE Sediaan Jaringan Hati*. Bandung: Politeknik Kesehatan Kemenkes Bandung jurusan Analis Kesehatan.
- Alwahaibi, N. Y., & Aldughaishi, S. H. (2019). A Substitute to Xylene in Deparaffinization and Clearing Prior to Coverslipping in Histopatologi. *Journal of Laboratory Physicians*, 11:118-22.
- Ananthaneni, A., Namala, S., Guduru, V. S., Ramprasad, V., Ramisetty, S. D., Udayashankar, U., & Naik, K. K. (2014). Efficacy of 1.5% Dish Washing Solution and 95% Lemon Water in Substituting Perilous Xylene as a Deparaffinizing Agent for Routine H and E Staining Procedure. *Hindawi Research Article*.
- Ankle, M. R., & Joshi, P. S. (2016). A study to evaluate the efficacy of xylene-free hematoxylin and eosin staining procedure as compared to the conventional hematoxylin and eosin staining: An experimental study. *Journal of Oral and Maxillofacial Pathology* , Vol. 15/issue 2.
- Aparna.B, Manjunath. AB, A. M., & A. K. (2018). Comparing The Efficacy Of Dishwash Solution, Diluted Lemon Water, Coconut Oil And Xylene As Deparaffinizing Agents For Hematoxylin ANd Eosin Staining Procedure . *International Journal Of Anatomy and Research*, Vol 6 (2.1): 5176-80.
- Bancroft, J., & Gamble, M. (2008). *Theory and Practice of Histological Techniques*. 6th edition. Churchill Livingstone, Cina: Elsevier.
- Barel, A., Paye, M., & Maibach, H. (2009). *Handbook of Cosmetic Science and Technology, 3rd Edition*. New York: Informa Healthcare USA, Inc.
- Bondi, C. A., Marks , J. L., Wroblewski , L. B., & Raatikainen, H. S. (2015). Human and Environmental Toxicity of Sodium Lauryl Sulfate (SLS): Evidence for Safe Use in Household Cleaning Products. *Environmental Health Insights* , 9 :27–32.
- Britton, L. (1998). Surfactants and the Environment. *Journal of Surfactants and Detergents*, 1 (1), 109–117.
- Brown, S., & Lurie, R. H. (2012). *The Science and Application of Hematoxylin and Eosin Staining*. Evanston: Northwestern University.

- Buesa, R. J., & Peshkov, M. V. (2009). Histology without xylene. *Annals of Diagnostic Pathology*, 13:246-56.
- Burnham, P. M. (n.d.). *The industrial degreasing agent found in orange peel*. U.K.
- Calvero. (2006). Chemical Structure of Methylene Blue.
- Chaturvedi, D., & Nidhi, S. R. (2016). Basketful Benefit of Citrus Limon. *International Research Journal of Pharmacy*, 7 (6).
- Chen, C., & al, e. (2010). A Novel Xylene Substitute for Histotechnology and Histochemistry, Biotechnic & Histochemistry. *PubMed.gov*, 85(4), 231-240.
- CIR, C. (1983). Final Report on the safety assessment of sodium lauryl sulfate and ammonium lauryl sulfate. *Int J Toxicol*, 2(7); 127-81.
- CIR, C. (2005). Final Report on the safety assessment of sodium lauryl sulfate and ammonium lauryl sulfate. *Int J Toxicol*, 24(1):1-102.
- Durachim, A., & Mahmud, D. (2017). *Sitohistoteknologi*. Jurusan Analisis Kesehatan Poltekkes Bandung.
- Falkeholm, L., Grant, C. A., & Möller, E. (2001). Xylene-Free Method for Histological Preparation: A Multicentre Evaluation. *Laboratory Investigation*, Vol.81, no.9.
- Farn, R. (2006). *Chemistry and Technology of Surfactants*. New Delhi : Blackwall Publishing.
- Fessenden, J. R., & Fessenden, S. J. (1992). *Kimia Organik*. Erlangga.
- Fieldman, A. T., & Delia, W. (2014). *Tissue Processing and Hematoxylin and Eosin Staining*. Springer Science. 1180: 31-42.
- Furi, T. A., & Coniwant, P. (2012). Pengaruh Perbedaan Ukuran Partikel Dari Ampas Tebu Dan Konsentrasi Natrium Bisulfit (NaHSO₃) Pada Proses Pembuatan Surfaktan. *Jurnal Teknik Kimia* , No. 4, Vol. 18, Desember.
- Ganesan, G., Ananth, S., & Boopathy, T. (2016). Substitutes for xylene in histopathology and the role of temperature. *Tropical Journal of Pathology & Microbiology* , Vol 2/Issue 2.
- Ganjali, H. (2012). Tissue processing : An overview. *Annals of Biological Research*, 3(11):5374–5378.
- Georgiou et al. (1992). *Metil Ester Sulfonat*. United States Patent.
- Geronimos, G. L., & Greenfield, P. F. (1978). Viscosity Increase in Concentrated Sugar Solutions And Molasses Due To Dextran. *Forty-Fifth Conference*, 119-126.

- Ghaim, J., & Volz, E. D. (1995). *Skin cleansing bar. Dalam: A. O Barel, M. Paye, and H.L. Maibach (Editor). Handbook of Cosmetic Science and Technology*. New York.: Marcel Dekker Inc.
- Graziano , G. (1999). Hydrophobicity of Benzene. *Biophysical Chemistry*, 82: (1)69–79.
- Hazardous Substances Data Bank. (2007).
- Hendayana, S. (1994). *Kimia Analitik Instrumen. Edisi kesatu*. Semarang: IKIP Semarang Pres.
- Jacobson, G., & McLean, S. (2003). Biological Monitoring of low level occupational xylene exposure and the role of recent exposure . *Annals of Occupational Hygiene* , vol.47,no.4, pp. 331-336.
- Johnson, K. (1994). *Histologi dan Biologi Sel*. Jakarta: Binarupa Aksara.
- Junqueira, L. C., & Carneiro, J. (1991). *Histologi dasar = Basic Histology*. Jakarta: EGC.
- Jusuf, A. (2009). *Histoteknik Dasar*. Jakarta: Tesis. Fakultas Kedokteran Universitas Indonesia.
- Kandyala, SC, R., & Rajasekharan ST. (2010). Xylene: An overview Xylene: An overview of its health hazards and preventive measures. *Journal Oral Maxillofac Pathology*, 14:1-5.
- Khikmah, N. (2015). Pengaruh Konsentrasi NaOH dan Laju Alir pada Penentuan Kreatinin Dalam Urin Secara Sequential Injection Analysis. *Kimia Student Journal.*, Vol.1 (1) : 613-615.
- Leo F.W,dkk. (2017). Toluidine blue-sodium lauryl ether sulfate complexes :Influence of ethylene oxide length. *Dyes and Pigments 141* , 420-427.
- Mescher, A. L. (2016). *Basic Histology Indiana University Bloomington*. Indiana.
- Miranti, I. P. (2010). Pengolahan Jaringan untuk Penelitian Hewan Coba. *Media Medika Muda (M3) (4)*, 1-4 ISSN 1858-3318.
- Myers, & Richard, L. (2007). *The 100 Most Important Chemical Compounds: A Reference Guide*. Westport, Conn: Greenwood Press.
- Myers, D. (1987). *Surfactant Science Technology (3rd ed)*. United States of America: Wiley Interscience A JohnWiley & Sons,Inc.Publication.
- Pandey, P., Dixit, A., Tanwar, A., Sharma, A., & Mittal, S. (2014). A comparative study to evaluate liquid dish washing soap as an alternative to xylene and alcohol in deparaffinization and hematoxylin and eosin staining. *Journal of Laboratory Physicians* , Vol.6/Issue 2.

- Paye, A. M., Barel, & Maibach, H. (2006). *Handbook of Cosmetic Science and Technology, 2nd Edition*. New York: CRC Press.
- Peckham, M. (2014). *At a Glance: Histologi*. Jakarta: Penerbit Erlangga.
- (P&G), P. &. (n.d.). Safety Data Sheets.
- Raj, S., Divya, & Kumar, H. (2018). Xylene/Chloroform Free Microwave Tissue Processing and Staining a Non-hazardous and Time Effective Alternative. *Journal of Clinical & Experimental pathology*, 8:2.
- Ramaswamy, A. S., & Dayasagar, P. (2017). A Study of Xylene Free Hematoxylin and Eosin Staining Procedure. *Annals of Advanced Medical Sciences*, Vol.1/Issue 1 .
- Reena, K., Raghavendra, S. P., & Rajasekharan, S. T. (2010). Xylene: An Overview of Its Health Hazards and Preventive Measures. *Journal Of Oral And Maxillofacial Pathology*, Vol.14, 1-5.
- Salager, J. (2002). Surfactants types and uses. Los Andes: Laboratory of Formulation, Interfaces Rheology and Processes. *J. Am Oil Chem Soc*, Vol. 65(6):1000-1006.
- Santi, S. S. (2009). Penurunan Konsentrasi Surfactan pada Limbah Detergen dengan Proses Fotokatalitik Sinar UV. *Jurnal Teknik Kimia*, 4(1):260-264.
- Setiawan, B. (2016). *Optimalisasi Metode Automatic Slide Stainer untuk Pewarnaan Jaringan Menggunakan Haemotoksilin-Eosin*. Jember: Skripsi. Fakultas Kedokteran Gigi Universitas Jember.
- Sheats, W., & Foster, N. C. (1997). *Concentrated Products from Methyl Ester Sulfonates* .
- Shipp, J. (1996). *Chemistry and Technology of the Cosmetics and Toiletries Industry Second Edition* . London: Blackie Academic and Profesional.
- Spiess, E. (1996). *Raw Materials, Dalam Chemistry and Technology of the Cosmetics and Toiletries Industry Second edition*. London: Blackie Academic & Profesional.
- Srinivasan, M., Sedmak, D., & Jewell, S. (2002). Effect of fixatives and tissue processing on the content and integrity of nucleic acids. *American Journal of Pathology*, 161(6):1961–1971.
- Subowo. (2009). *Histologi Umum*. Jakarta: Sagung Seto.
- Suvarna, S., Layton, C., & Bancroft, J. D. (2013). *Bancroft's Theory and Practice of Histological Techniques*. China: Churchill Livingstone Elsevier.
- T.Rajan, S., & N.Malathi. (2014). Health Hazards of Xylene: A Literature Review. *Journal of Clinical and Diagnostic Research*, v.8(2).

- Taufik, I. (2006). Pencemaran Deterjen Dalam Perairan dan Dampaknya terhadap Organisme Air. *Media Akuakultur* , 1:1.
- Teglia A, S. (1994). New Protein ingredients for skin detergency: native wheat protein surfactant complexes. *Int J Cosmet Sci*.
- U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry. (2007). *Toxicological profile for xylene*. Atlanta: public health service, Agency for Toxic Substances and Disease Registry.
- USDA, A. (2017). Sodium Dodecylbenzene Sulfonate (SDBS) : Handling. *Technical Evaluation Report*, 1-21.
- Warren S, P. (1998). *Surfactants A Primer*.
- Wibisono, I. C. (2018). Penetapan Kadar Surfaktan Anionik Pada Deterjen Cuci Cair Secara Metode Titrimetri. *Alkimia: Jurnal Ilmu Kimia dan Terapan*, Vol. 2 No. 2.
- Wilson, T. (2008). How Play-doh modeling compound works.
- Wolf, W. d., & Feijtel, T. (1998). "Terrestrial Risk Assessment for Linear Alkyl Benzene Sulfonate (LAS) in sludge-amended soils,". *Chemosphere*, 36, 6, 1319–1343.
- Yuliza, Y. (2005). *"Diktat Kuliah Kimia Permukaan"* . Depok: Departemen Kimia FMIPA UI.
- Zhou Y, Wu, J., & Lemmon, E. (2012). Thermodynamic Properties of o-Xylene, m-Xylene, p-Xylene, and Ethylbenzene. *Journal Phys.Chem*, 41(2),3.
- Zmarowski A, M, B., Lensen, & Emmen. (2012). Differential performance of Wistar Han and Sprague Dawley rats in behavioral tests: differences in baseline behavior and reactivity to positive control agents. *WIL Research, 's-Hertogenbosch*, 34(2):192-203.

