

DAFTAR PUSTAKA

- Agoes. (2008). *Sistem Penghantaran Obat Pelepasan Terkendali*. Bandung: ITB.
- Abdullah, G.Z., Abdulkarim, M.F., Mallikarjun, C., Mahdi, E.S., Basri, M., Sattar, M.A., dan Noor, A.M. (2013). Carbopol 934, 940, and Ultrez 10 as Viscosity Modifiers of Palm Olein Esters Based Nano-Scaled Emulsion Containing Ibuprofen. *Journal Pharmacy Sciences*, 26(1), 75-83.
- Agustin, Rini, Yulida Oktadefitri, dan Henny Lucida. (2013). Formulasi Krim Tabir Surya dari Kombinasi Etil p–Metoksisinamat dengan Katekin. Dalam *Prosiding Seminar Nasional Perkembangan Terkini Sains Farmasi dan Klinik III 201*.
- Ajazuddin., Alexander, A., Khichariya, A., Gupta, S., Patel, R. J., Giri, T. K., dan Tripathi, D. K. (2013). Recent Expansions in an Emergent Novel Drug Delivery Technology: Emulgel. *Journal of Controlled Release*, 171(2), 122-132.
- Aiyalu, R., Govindarjan, A., dan Ramasamy, A. (2016). Formulation and Evaluation of Topical Herbal Gel for The Treatment of Arthritis in Animal Model. *Brazilian Journal of Pharmaceutical Sciences*, 52(3), 493-507.
- Ajazuddin dan Saraf, S. (2010). Applications of Novel Drug Delivery System for Herbal Formulations. *Fitoterapia*, 81(7), 680–689
- Allen, L. V. dan Ansel, H. C. (2014). *Ansel's Pharmaceutical Dosage Forms and Drug Delivery System*. Edisi X. Philadelphia: Lippincott Williams and Wilkins.
- Alexeyev, O.A., Dekio, I., Layton, A.M., Li, H., Hughes, H., Morris, T., Zouboulis, C.C., dan dPatrick, S. (2018). Why We Continue to Use the Name *Propionibacterium acnes*. *British Journal of Dermatology*, 179(5), 1227.
- Alkilani, A.Z., McCrudden, M.T., dan Donnelly, R.F. (2015). Transdermal Drug Delivery: Innovative Pharmaceutical Developments Based on Disruption of the Barrier Properties of the stratum corneum. *Pharmaceutics*, 7(4), 438-470
- Amit, P., Tanwar, Y.S., Rakesh, S., dan Poojan, P. (2013). Phytosome: Phytolipid Drug Delivery System for Improving Bioavailability of Herbal Drug. *Journal of Pharmaceutical Science and Bioscientific Research*, 3(2), 51–57.
- Amini-Nik, S., Yousuf, Y., dan Jeschke, M. G. (2018). Scar Management in Burn Injuries Using Drug Delivery and Molecular Signaling: Current Treatments and Future Directions. *Advanced Drug Delivery Reviews*, 123: 135-154.

- Ammar, H. O., Ghorab, M., El-Nahas, S. A., dan Kamel, R. (2006). Design of a Transdermal Delivery System for Aspirin as an Antithrombotic Drug. *International Journal of Pharmaceutics*, 327(1-2), 81–88.
- Ansel, H.C. (2008). *Pengantar Bentuk Sediaan Farmasi*. Edisi IV. Alih bahasa Ibrahim, F. Jakarta: UI Press.
- Ary, W.B dan Fajar Waskito. (2006). Berbagai Pengawet Kosmetik Sebagai Penyebab Dermatitis Kontak Alergi. *Jurnal Kedokteran dan Farmasi Dexa Media*, 19(2): 105-109.
- Asit, R.S. dan Sunil, B.B. (2015). Formulation and Evaluation of Phytosome Drug Delivery System of Boswellia Serrata Extract. *International Journal of Research Medicine*, 4(2), 94-99.
- Astuti, K.W., Sumirtapura, Y.C., dan Wiwik, N.N.S. (2012). Difusi Natrium Diklofenak dalam Gel Methocel 400 pada Berbagai pH. *Jurnal Kimia*, 6(1): 17-22.
- Aytekin, M., Gursoy, R.N, Ide S, Soyulu, E.H, dan Hekimoglu S. (2012). Formulation and Characterization of Liquid Crystal Systems Containing Azelaic Acid for Topical Delivery. *Drug Development and Industrial Pharmacy*, 39(2), 228- 39.
- Ayuhastuti, A., Agustin, A. N., dan Fauziyyah, S. R. (2017). Development of Phytosome- Black Tea Extract Complex by Different Methods and Study of Cholesterol's Effect on Entrapment Efficiency. *Research Journal of Pharmaceutical, Biological, and Chemical Sciences*, 8(1), 995-1004.
- Baibhav, J., Singh, G., Rana, A.C., Saini, S., dan Singla, V. (2012). Emulgel: A Comprehensive Review on The Recent Advance in Topical Drug Delivery. *International Journal of Pharmacy Research*, 2(11), 66-70.
- Baroni, A., Buommino E., De Gregorio., Ruocco, E., Roucco, V., dan Wolf R. (2012). Structure and Function of The Epidermis Related to Barrier Properties. *Clinical in Dermatology*, 30(3), 257-262.
- Bartosova, L. dan J. Bajgar. (2012). Transdermal Drug Delivery In Vitro Using Diffusion Cells. Dalam *Current Medical Chemistry*, 19: 4671-4677.
- Baumann, L. dan Keri, J. (2009). Acne (Type 1 Sensitive Skin). In: *Cosmetic Dermatology Principles and Practice*. Edisi II. New York: McGraw Hill Companies.
- Bavaskar, K., Jain, M., Patil, M., dan Kalamkar, R. (2015). The Impact of Penetration Enhancers on Transdermal Drug Delivery System: Physical and Chemical Approach. *International Journal of Pharma Research and Review*, 4(7), 14-24.

- Bhinge, S.D., Bhutkar, M.A., Randive, D.S., Wadkar, G.H., Todkar, S. S., Kakade, P.M., dan Kadam, P.M. (2017). Formulation Development and Evaluation of Antimicrobial Polyherbal Gel. *Annales Pharmaceutiques Françaises*, 75(5), 349-358.
- Brady, J., Durig, T., Lee, P.I., dan Li, J.X. (2017). Polymer Properties and Characterization. *Developing Solid Oral Dosage Forms*, 181-223.
- Brat, P., F. Tourniaire, dan M.J.A. Carlin. (2008). Stability and Analysis of Phenolic Pigments. Dalam *Food Colorants*. C. Socaciu (ed.). CRC Press, Boca Raton.
- Brunton, L., Keith P., dan Donald, B.B. (2012). *Goodman & Gilman's The Pharmacological Basic of Therapeutics*. Editor: Joel G. Hardman. Goodman & Gilman Dasar Farmakologi Terapi. Jakarta: EGC.
- Byrd, A. L., Belkaid, Y., dan Segre, J. A. (2018). The Human Skin Microbiome. *Nature Reviews Microbiology*, 16(3), 143-155.
- Chen, Yan., Wu, Qingqing., Zhang, Zhenghai., Yuan, Ling., Liu, Xuan., dan Zhou, Lei. (2012). Preparation of Curcumin-Loaded Liposomes and Evaluation of Their Skin Permeation and Pharmacodynamics. *Molecules*, 17(5), 5972-5987.
- Chin, G. S., Todo, H., Kadhum, W. R., Hamid, M. A., & Sugibayashi, K. (2016). In vitro permeation and skin retention of α -mangostin proniosome. *Chemical and Pharmaceutical Bulletin*, 64(12), 1666–1673
- Chivte, P., Pardhi, V., Joshi, V., dan Ajhita, R.R. (2017). A Review on Therapeutic Applications of Phytosomes. *Journal of Drug Delivery and Therapeutics*, 7(5), 17-21.
- Das, M.K., dan Kalita, B. (2013). Phytosome: An Overview. *Journal of Pharmaceutical and Scientific Innovation*, 2(3), 7-11.
- Dash, S., Murthy, P. N., Nath, L., dan Chowdhury, P. (2010). Kinetic Modeling on Drug Release from Controlled Drug Delivery Systems. *Acta Poloniae Pharmaceutics-Drug Research*, 67(3), 217-223.
- Dantas, M. G. B., Reis, S. A. G. B., Damasceno, C. M. D., Rolim, L. A., Rolim-Neto, P. J., Carvalho, F.O., dan Almeida, J. R. G. da S. (2016). Development and Evaluation of Stability of a Gel Formulation Containing the Monoterpene Borneol. *The Scientific World Journal*, 2016, 1-4.
- Ee, G.C.L., Daud, S., Izzaddin, S.A., dan Rahmare, M. (2008). *Garcinia mangostana*: A Source of Potential Anticancer Lead Compounds Against CEM-SS Cell Line. *Journal of Asian Natural Products Research*, 10(5), 475–479.

- Elnaggar, Y., Freag, dan Abdallah. (2013). Lyophilized Phytosomal Nanocarriers as Platforms for Enhanced Diosmin Delivery: Optimization and Ex Vivo Permeation. *International Journal of Nanomedicine*, 8, 2385-2397.
- Fox, L., Csongradi, C., Aucamp, M., Du Plessis, J., dan Gerber, M. (2016). Treatment Modalities for Acne. *Molecules*, 21(8), 1063.
- Garg, A., Aggarwal, D., Garg, S. dan Sigla, A. K. (2002). Spreading of Semisolid Formulation: An Update. *Pharmaceutical Technology*.
- Ghaffarian, R, dan Muro, S. (2013). Models and Methods to Evaluate Transport of Drug Delivery Systems Across Cellular Barriers. *Journal of Visualized Experiments*, (80), e50638.
- Ghazali, S.A.I.S.M., Lian, G.E.C., dan Ghani, K.D.A. (2010). Chemical Constituent from Roots of *Garcinia Mangostana* (Linn.). *International Journal Chemistry*, 2(1), 134-141.
- Goyal, A., Kumar, S., Nagpal, M., Singh, I., dan Arora, S. (2011). Potential of Novel Drug Delivery Systems for Herbal Drugs. *Ind J Pharm Edu Res*, 45(3), 225-235.
- Hayashi, N., Miyachi, Y., dan Kawashima, M. (2011). A Randomized Multicentered study to Prove the Effectiveness and Appropriate Term of Combination Therapy with Topical Clindamycin and Adapalene for Acne Vulgaris. *Japan Journal of Clin Dermatology*, 65: 181–189.
- Hayashi, N., dan Kawashima, M. (2011). Efficacy of Oral Antibiotics on Acne Vulgaris and Their Effects on Quality of Life: A Multicenter Randomized Controlled Trial Using Minocycline, Roxithromycin and Faropenem. *Japan Journal of Clin Dermatology*, 138: 111–119.
- Huichao, W., Shouying, D., Yang, L., Ying, L., dan Di, W. (2014). The Application of Biomedical Polymer Material Hydroxy Propyl Methyl Cellulose (HPMC) in Pharmaceutical Preparations. *Journal of Chemical and Pharmaceutical Research*, 6(5), 155-160.
- Humphrey, S. (2012). Antibiotic Resistance in Acne Treatment. *Skin Therapy Letter*, 17(9), 1–3.
- Ismail, IMulyaniyany. (2013). *Formulasi Kosmetik Produk Perawatan Kulit dan Rambut*. Makassar: Alauddin University Press.
- Itoh, T., Xia, J., Magavi, R., Nishihata, T., dan Ritting, J. H. (1990). Use of Shed Snake Skin as a Model Membrane for in Vitro Percutaneous Penetration Studies; Comparison with Human Skin. *Pharmaceutical Research*, 7, 1042-1047.

- Jackson, Shelley N., Hay-Yan J. Wang, dan Amina S. Woods. (2005). In Situ Structural Characterization of Phosphatidylcholine in Brain Tissue Using MALDI-MS/MS. *Elsevier Inc*, 16:2052-2056.
- Jadhav, S.M., Morey P., Karpe M.M., dan Kadam V. (2012). Novel Vesicular System: An Overview. *Journal Application Pharmaceutical Sci*, 2(1), 193–202.
- Jhawat, V.C., Saini, V., Kamboj S., dan Maggon N. (2013). Transdermal Drug Delivery System: Approaches and Advancements in Drug Absorbtion Through Skin. *International Journal of Pharmaceutical Sciences Review and Research*, 20(1), 47-56.
- Jin, L., Xulin, W., Ting, Z., Chunling, W., Zhenjun, H., dan Xiang, L. (2014). A Review on Phospholipids and Their Main Applications in Drug Delivery Systems. *Asian Journal of Pharmaceutical Sciences*, 10(2), 81–98.
- Kajita, N. (2004). Chemical Peeling with 20% Salicylic Acid. *Aesthet Dermatology*, 14: 55–58.
- Kalepu, S., Sunilkumar, K. T., Betha, S., dan Arma, M., M. (2013). Liposomal Drug Delivery System- a Comprehensive Review. *International Journal Drug Delivery & Research*, 5(4), 62-75
- Kaur, L.P, dan Guleri, T.K. (2013). Topical Gel: A Recent Approach for Novel Drug Delivery. *Asian Journal of Biomedical & Pharmaceutical Sciences*, 3(17): 1-5.
- Karimi, N., Babak, G., Hamed, H., Fatemeh, K., Akram, P., dan Gholian, M.M. (2015). Phytosome and Liposome: The Beneficial Encapsulation System in Drug Delivery and Food Aplication. *Applied Food Biotechnology*, 2(3), 17-27.
- Kassab, H. J., Thomas, L. M., dan Jabir, S. A. (2017). Development and Physical Characterization of a Periodontal Bioadhesive Gel of Gatifloxacin. *International Journal of Applied Pharmaceutics*, 9(3),31-36.
- Khan, J., Alexander, A., Ajazuddin, Saraf, S., dan Saraf, S. (2013). Recent Advances and Future Prospects of Phyto-Phospholipid Complexation Technique for Improving Pharmacokinetic Profile of Plant Actives. *Journal of Controlled Release*, 168(1), 50–60.
- Kementrian Kesehatan Republik Indonesia. (2014). *Farmakope Indonesia*. Edisi V, Jakarta: Departemen Kesehatan.
- Kokandi, A.A. (2013). Acne Flares Among University Females Students: The Role of Perceived Factors. *Journal Cosmetics, Dermatological, Sciences and Applications*, 3(3B), 26-29.

- Kolarsick, Paul A.J. (2011). Anatomy and Physiology of The Skin. *Journal of the Dermatology Nurses' Association*, 3(4), 203-213.
- Keerthi, B., Prasuna, S. P., dan Prathina, S. (2014). Formulation and Evaluation of Capsules of Ashwagandha Phytosomes. *International Journal of Pharmaceutical Sciences Review and Research*, 29(2):138-142.
- Kosmadaki, M. dan Katsambas, A. (2017). Topical Treatments for Acne. *Japan Journal of Clinical Dermatology*, 35(2), 173-178.
- Krutmann, J., Dominique, M., Wei L., Sanjiv, K., Geun-Soo L., Nopakun N., Leihong F. X., dan Sophie S. (2017). Pollution and Acne. *Clinical, Cosmetic, and Investigational Dermatology*, 10: 199-204.
- Kubaisy, W.A, Abdullah N.N, Kahn, S.M, dan Zia, M. (2014). Pollution and Acne. *Clinical, Cosmetic, and Investigational Dermatology*, 10, 199-204.
- Kucharska, A, Szmurło, A, dan Sińska, B. (2016). Significance of Diet in Treated and Untreated Acne Vulgaris. *Advances in Dermatology and Allergology*, 33(2), 81-86.
- Labarre, D. J. P., Ponchel, G., dan Vauthier, C. (2011). *Biomedical and Pharmaceutical Polymers*. London: Pharmaceutical Press.
- Lachman, L., Lieberman, H.A. dan Kanig, Joseph L., (2008). *Teori dan Praktek Farmasi Industri*. Jakarta: UI Press.
- Larson, R.T., Jeffrey, M.L., Julia, W.P., James, J.B., Gary, G.C., dan Que, Lan. (2010). The Biological Activity of α -Mangostin, a Larvicidal Botanic Mosquito Sterol Carrier Protein-2 Inhibitor. *Journal Medical Entomology*, 47(2), 249-257.
- Lee, H.N, dan Jang, H. Y. (2016). Antitumor and Apoptosis-Inducing Effects of α -Mangostin Extracted from The Pericarp of The Mangosteen Fruit (*Garcinia mangostana* L.) in YD-15 Tongue Mucoepidermoid Carcinoma Cells. *Int J Mol Med*, 37(4), 939–948.
- Maheswaran, A., Brindha, P., Mullaucharam, A. R., dan Masilamani, K. (2013). Design, Development and Evaluation of Curcumin Liposomes. *World Journal of Pharmacy and Pharmaceutical Science*, 3(1), 480-492.
- Maria, L.A.D dan Gunawan, Indrayanto. (2014). *Profiles of Drug Substances Excipients and Related Methodology*. Volume 3. Burlington: Academi Press.
- Maryana, W., Rahma, A., Mudhakhir, D., dan Rachmawaati, H. (2015). Phytosome Containing Silymarin Using Thin Layer-Hidration Technique Aimed for Oral Delivery. *Maerials today: Proceedings*, 3(3), 855-866.

- Mazumder, A., Dwivedi, A., Du Preez, J.L., dan Du Plessis, J. (2016). In Vitro Wound Healing and Cytotoxic Effects of Sinigrinphytosome Complex. *Int. J. Pharm.* 498(1-2), 283–293.
- McLafferty, E., Hendry, C., dan Farley, A. (2012). The Integumentary System: Anatomy, Physiology, and Function of Skin. *Nursing Standard.* 27(3), 35-42.
- Mehanny, M.R.M., Hathout, A.S. Geneidi, S., dan Mansour. (2016). Exploring the Use of Nanocarrier Systems to Deliver the Magical Molecule; Curcumin and its Derivatives. *Journal of Control Release*, 225: 1-30.
- Michalun, M.V. dan Dinardo, J.C. (2014). *Skin Care and Cosmetic Ingredients Dictionary*. Edisi IV. USA: Cengage Learning.
- Mirzaei, H., Gholamreza N., Ramin R., Mohsen M., Zarrin B., Hamid R.M., Hossein S., Mosstafa P., John M.P., dan Amirhossein S. (2016). Curcumin: A New Candidate for Melanoma Therapy. *International Journal of Cancer*, 139(8), 1683-1695.
- Mitsui, T. (1993). *New Cosmetic Science*. Amsterdam: Elsevier Science.
- Mohanty, C., dan Sahoo, S. K. (2017). Curcumin and Its Topical Formulation of Wound Healing Applications. *Drug Discovery Today*, 22(10), 1582-1592.
- More, M.S., Shende, M.A., dan Kolhe, D.B. (2013). Herbosomes: Herbophospholipid Complex an Approach for Absorption Enhancement. *Int. J. Biol. Pharm. Res.* 4(9), 634–639.
- Motosko, C.C., Zakhem, G.A., Pomeranz, M.K., dan Hazen, A. (2019). Acne: A Side-Effect of Masculinizing Hormonal Therapy in Transgender Patients. *British Journal of Dermatology*, 180(1), 26-30.
- Mouzam, I., Dehghan, M. H. G., Asif, S., Sahuji, T., dan Chudiwal, P. (2011). Development of a Novel Floating Ring Capsule-Type Dosage Form for Stomach Specific Delivery. *Saudi Pharmaceutical Journal*, 19, 85-93.
- Mukherjee, Pulok K. (2015). *Evidence-Based Validation of Herbal Medicine*. United Kingdom: British Library.
- Mulyani, Sri. (2019). *Pengaruh Tipe Polimer terhadap Persen Kumulatif Difusi Liposom Kurkumin dalam Sediaan Masker Gel Peel-Off*. Bandung.
- Ngawhirunpat, T., Panomsuk, S., Opanasopit, P., Rojanarata, T., dan Hatanaka, T. (2004). Comparison of the Percutaneous Absorption of Hydrophilic and Lipophilic Compounds in Shed Snake Skin and Human Skin. *Pharmazie*, 61(4), 5-331.
- Nishikawa, D. O., Zague, V., Pinto, C. A. S. O., Vieira R. P., Kaneko, T. M., Velasco, M. V. R., & Baby, A. R. (2007). Avaliacao da Estabilidade de Mascaras Faciais Peel-off Contend Rutina. *Rev. Cienc. Farm. Basica Apl.*

28(2), 227-232.

- Niyaz, B., Kalyani, P., dan Divakar, G., (2011). Formulation and Evaluation of Gel Containing Fluconazole-Antifungal Agent, *International Journal of Drug Development and Research*, 3(4), 109-128.
- Nugroho, A.E. (2011). *Manggis (Garcinia mangostana L.) Dari Kulit Buah Terbuang Hingga Menjadi Kandidat Suatu Obat*. Yogyakarta: Fakultas Farmasi UGM.
- Oliveira, R.V.M., Ohara, M.T., Vila, M.M.D.C., dan Marcos, M.G. (2010). In Vitro Evaluation of Copaiba Oil as a Kojic Acid Skin Enhancer. *Brazilian Journal of Pharmaceutical Sciences*, 46(2): 363-370.
- Orozco, G. F., dan Failla, M. (2013). Biological Activities and Bioavailability of Mangosteen Xanthenes: A Critical Review of the Current Evidence. *Nutrients*, 5(8), 3163-3183.
- Ozolins, M., Eady, E.A., Avery, A.J., Cunliffe, W.J., Po, A.L., O'Neill, C., Simpson, N.B., Walters, C.E., Carnegie, E., Lewis, J.B., Dada, J., Haynes, M., Williams, K., dan Williams, H.C. (2004). Comparison of Five Antimicrobial Regimens for Treatment of Mild to Moderate Inflammatory Facial Acne Vulgaris in The Community: Randomized Controlled Trial, *Lancet* 364(9542), 2188–2195.
- Palmer, B., dan DeLouise, L. (2016). Nanoparticle-Enabled Transdermal Drug Delivery Systems for Enhanced Dose Control and Tissue Targeting. *Molecules*, 21(12), 1719.
- Pan-In, P., Atthakorn, W., Chayada, K., Nuntaree, C., dan Supason, W. (2015). Depositing α -Mangostin Nanoparticles to Sebaceous Gland Area for Acne Treatment. *Journal of Pharmacological Sciences*, 129: 226-232.
- Parimita, S.P., Ramshankar, Y.V., Suresh, S., dan Rowa, T.N.G. (2007). Redetermination of Curcumin: (1E,4Z,6E)- 5-hydroxy-1,7-bis (4-hydroxy-3-methoxy- phenyl) hepta-1,4,6-trien-3-one. *Acta Cryst*, 63(2). 860–862.
- Parnami, N., Garg, T., Rath, G., Goyal, A.K. (2013). Development and Characterization of Nanocarriers for Topical Treatment of Psoriasis by Using Combination Therapy. *Artif Cells Nanomed Biotechnol*, 42(6), 406-412.
- Patel, R.P dan Baria, A.H. (2011). Formulation and Evaluation Considerations of Transdermal Drug Delivery System. *International Journal of Pharmacy Research*, 3(1), 1–9.
- Patel, J., Rakesh, P., Kapil, K., dan Nirav, P. (2009). An Overview of Phytosomes As an Advanced Herbal Drug Delivery System. *Journal of Pharmaceutical sciences*, 4(6):363-371.

- Pawar, H.A. dan Bhangale, B.D. (2015). Phytosome as a Novel Biomedicine: A Microencapsulated Drug Delivery System. *Journal of Bioanalysis & Biomedicine*, 7(1), 6-12.
- Pena, L.E. (1989). *Gel Dosage Forms Theory, Formulation, and Processing*. Michigan: The Upjohn Company.
- Plewig, G., Holland, K.T., dan Nenoff, P. (2006). Clinical and Bacteriological Evaluation of Nadifloxacin 1% Cream in Patients with Acne Vulgaris: A double blind, Phase III Study Comparison Study Versus Erythromycin 2% Cream. *Europe Journal of Dermatology*, 16(1), 48–55.
- Pothitirat, W., Mullika, T.C., Roongtawan, S., dan Wandee, G. (2009). Comparison of Bioactive Compounds Content, Free Radical Scavenging and Antiacne Inducing Bacteria Activities of Extracts from The Mangosteen Fruit Rind at Two Stages of Maturity. *Fitoterapia*, 80(7), 442–447.
- Prasad, S., Gupta, S. C., Tyagi, A. K., dan Aggarwal, B. B. (2014). Curcumin, A Component of Golden Spice: From Bedside to Bench and Back. *Biotechnology Advances*, 32(6), 1053-1064.
- Priprem, A., Khamlert, C., Pongjanyakul, T., Radapong, S., Rittirod, T., dan Chitropras, P. (2008). Comparative Permeation Studies between Scale Region of Shed Snake Skin and Human Skin *In Vitro*. *American Journal of Agricultural Biology Science*, 3(2), 444-450.
- Priya C., Rajkumari, dan Ankita, K. (2013). Polymer a Boon to Controlled Drug Delivery System. *International Res J Pharm*, 4(4), 28-34.
- Priyadarsini, K.I. (2013). Chemical and Structural Features influencing The Biological Activity of Curcumin. *Current Pharmaceutical Design*, 19: 2093–2100.
- Rachmawati, H., Citra, A.E., dan Rachmat, M. (2013). Molecular Inclusion Complex of Curcumin-B-Cyclodextrin Nanoparticle to Enhance Curcumin Skin Permeability from Hydrophilic Matrix Gel. *AAPS PharmSciTech*, 14(3),1-9
- Rachmawati, H., Bidiputra, D. K., dan Rachmat, M. (2014). Curcumin Nanoemulsion for Transdermal Application: Formulation and Evaluation. *Drug Development and Industrial Pharmacy*, 1-7.
- Ramadhani, U. K. S., Djajadisastra, J., dan Iskandarsyah. (2017). Pengaruh Polimer dan Peningkat Penetrasi Terhadap Karakter Penetrasi Matriks Sediaan Patch Transdermal Karvedilol. *Jurnal Ilmu Kefarmasian Indonesia*, 15(2), 120-127.

- Ramakrishna, S., Mihira, V., Vyshnavi, K. R., dan Ranjith, V. (2012). Design and Evaluation of Drug Release Kinetics of Meloxicam Sustained Release Matrix Tablet. *International Journal Current Pharmaceutical Research*, 4(1), 90-99.
- Ray, C., Trivedi, P., dan Sharma. (2013). Acne and Its Treatment Lines. *International Journal of Research in Pharmaceutical and Biosciences*, 3(1), 1-16.
- Rivire, J.E., Menteiro-Reviere, N.A. (2006). *Dermal Absorbtion Models in Toxycology and Pharmacology*. Amerika: Taylor & Francis Group.
- Rossana, B. F., Birthe, K., Karine, C., Herman, L. O., Ruy, C. R. B., dan Maike, W. (2015). Skin Penetration Behavior of Lipid-Core Nanocapsules for Simultaneous Delivery of Resveratrol and Curcumin. *Erupoean Journal of Pharmaceutical Sciences*, 78, 204-213.
- Rowe, R.C, Sheskey, P.J., dan Quinn, M.E. (2009). *Handbook of Pharmaceutical Excipient Sixth Edition*. Chicago, London: Pharmaceutical Press.
- Samala, M. I. dan Sridevi, G. (2016). Role of Polymers as Gelling Agent in the Formulation of Emulgels. *Polymer Sciences*, 2(1), 1-6.
- See, Jo-Ann., Chee L. G., Nobukazu H., Dae H.S., dan Flordeliz A.C. (2018). Optimizing the Use of Topical Retinoids in Asian Acne Patients. *The Journal of Dermatology*, 45(5), 522-528.
- Shai, A. H. I. dan Baran, R. (2009). *Handbook of Cosmetics Skin Care*. Edisi II. USA: Informa Healthcare.
- Shaikh, H.K., Kshirsagar, R. V. dan Patil, S. G. (2015). Mathematical Model for Drug Release Characterization: A Review. *World Journal of Pharmaceutical Research*, 4(4),324-328.
- Sharma, N, Agarwal, G, Rana, A, Zulfiqar, A.B., dan Dinesh, K. (2011). A review: Transdermal Drug Delivery System: A Tool for Novel Drug Delivery System. *International Journal of Drug Development and Research*, 3, 70–84.
- Singh, H., Sharma, R., Joshi, M., Garg, T., Goyal, A.K., dan Rath, G. (2014). Transmucosal Delivery of Docetaxel by Mucoadhesive Polymeric Nanofibers. *Articel Cells Nanomedician Biotechnology*, 43(4), 263-269.
- Sinko, P. J. (2011). *Martin Farmasi Fisika dan Ilmu Farmasetika*. Edisi V. diterjemahkan oleh Tim Alih Bahasa Sekolah Farmasi ITB. Jakarta: EGC.
- Sodalee, K., Sapsuphan, P., Wongsirikul, R., dan Puttipipatkachorn, S. (2016). Preparation and Evaluation of Alpha-Mangostin Solid Self-Emulsifying Drug Delivery System. *Asian Journal of Pharmaceutical Sciences*, 11(1), 225-226.
- Sun, R., Celli A., Crumrine, D., Hupe, M., Adame, L.C., Pennypacker, S.D., Park K., Uchida, Y., Feingold, K.R., Elias, P.M., Ilic, D., dan Mauro, T.M. (2014).

Functional Epidermal Permeability Barrier in Human Epidermal Equivalents. *Tissue Eng Part C Methods*, 21(1), 15-22.

- Sungkro, S., Rajatasereekul, N., dan Cheewasrirungrueng, N. (2009). In Vitro Studies of Mucoadhesiveness and Release of Nicotinamide Oral Gels Prepared from Bioadhesive Polymers. *International Journal of Pharmacological and Pharmaceutical Sciences*, 3(7), 109-118.
- Surini, S., Mubarak, H., dan Ramadon, H. (2018). Cosmetic Serum Containing Grape (*Vitis vinifera* L.) Seed Extract Phytosome: Formulation and In Vitro Penetration Study. *Journal of Young Pharmacists*, 10(2), 51-55
- Suva, M.A., Patel, A.M., Sharma, N., Bhattacharya, C, dan Mangi, R.K. (2014). A Brief Review on Acne Vulgaris: Pathogenesis, Diagnosis and Treatment. *Research & Reviews: Journal of Pharmacology*, 4(3), 1-12.
- Syaifuddin. (2011). *Anatomi Fisiologi Untuk Mahasiswa Keperawatan*. Edisi IV. Jakarta: Buku Kedokteran EGC.
- Tan, J. K. L., dan Bhate, K. (2015). A Global Perspective on The Epidemiology of Acne. *British Journal of Dermatology*, 172(S1), 3–12.
- Takaoka, A., Cao, K., Oste, E. M., Nagasaki, T., dan Paik, D. C. (2019). Topical Therapeutic Corneal and Scleral Tissue Cross-Linking Solutions: In Vitro Formaldehyde Release Studies Using Cosmetic Preservatives. *Bioscience Reports*, BSR20182392.
- Taş, Ç., Ozkan, Y., Savaşer, A., dan Baykara, T. (2004). In Vitro and Ex Vivo Permeation Studies of Chlorpheniramine Maleate Gels Prepared by Carbomer Derivatives. *Drug Development and Industrial Pharmacy*, 30(6), 637-647.
- Teng, Z., Yuan, C., Zhang, F., Huan, M., Cao, W., Li, K., Yang, J., Cao, D., Zhou, S., dan Mei, Q. (2012). *Intestinal Absorption and First-Pass Metabolism of Polyphenol Compounds in Rat and Their Transport Dynamics in Caco-2 Cells*. *PLoS ONE*, 7(1),1-9.
- Ternullo, S., Eivind G., Kjersti, J., Mona, J., Purusotam, B., Željka, V., dan Nataša, Š.B. (2019). Liposomes Augment Biological Benefits of Curcumin for Multitargeted Skin Therapy. *European Journal of Pharmaceutics and Biopharmaceutics*, 144, 154-164.
- Traidej, M. C., Suvimol, S., Veena, S. N., dan Wandee, G. (2005). Antimicrobial Effects of Thai Medicinal Plants Against Acne-Inducing Bacteria. *Journal of Ethnopharmacology*, 101, 330-333.
- Tranggono, R. dan Fatma, L. (2007). *Buku Pegangan Ilmu Pengetahuan Kosmetik*. Jakarta: PT Gramedia Pustaka Utama.

- Tripathy, S., Patel, D. K., Barob, L., dan Naira, S.K. (2013). a Review on Phytosomes, Their Characterization, Advancement & Potential for Transdermal Application. *Journal of Drug Delivery and Therapeutics*, 3(3), 147–152.
- Ventola, C. L. (2015). The Antibiotic Resistance Crisis: Part 1: Causes and Threats. *Pharmacy and Therapeutics*, 40(4), 277–283.
- Verma, P. R. P. dan Chandak, A. R. (2009). Development of Matrix Controlled Transdermal Delivery Systems of Pentazocine: In Vitro/In Vivo Performance. *Acta Pharmaceutica*, 59, 171-186.
- Vieira, I. L, de Souzam D.C., da Silva, C.L., Cehn, L.C., dan Guillo, L.A. (2013). In Vitro Mutagenicity and Blood Compatibility of Paclitaxel and Curcumin in Poly (dl-lactide-co-glicolide) Film. *Toxicology in Vitro*, 27(1), 198-203.
- Vikas, S., Seema S., Baibhav, J., dan Rana, A.C. (2012). Emulgel: A New Platform for Topical Drug Deliver. *International Journal of Pharma and Bio Sciences*, 3(1), 485-498.
- Walters, K.A., dan Brain, K.R. (2009). Topical and Transdermal Delivery. in Gibson, M. *Pharmaceutical Preformulation and Formulation*. Edisi II. New York: Informa Healthcare.
- Wasitaatmadja, S.M. (2011). *Dermatologi Kosmetik Medik Penuntun Ilmu Kosmetik Medik*, edisi kedua. Jakarta: Universitas Indonesia Press.
- Wolff, Klaus. dan Johnson, R. A. (2009). *Fitzpatrick's: Color Atlas & Synopsis of Clinical Dermatology*. 6th edition. New York: McGraw-Hill Company.
- Yadav, S, Mishra M, Tiwari A, dan Shukla A. (2017). Emulgel: A Novel Approach for Enhanced Topical Drug Delivery. *International Journal of Curr Pharm Res*, 9(1), 15-9.
- Yadav, V., Bhai, M.S.A., Y, Mamatha., dan V.V, Prasanth. (2011). Transdermal Drug Delivery: A Technical Writeup. *Journal of Pharmaceutical and Scientific Innovation*, 1(1), 5-12.
- Yang, Darren, Dissaya P., Teruaki N., Michael C., Dennis C., dan Liangfang Z. (2009). The Antimicrobial Activity of Liposomal Lauric Acids Againsts *Propionibacterium acnes*. *International Journal of Biomaterials*, 30: 6035-6040.
- Yen, F.-L., Wu, T.-H., Tzeng, C.-W., Lin, L.-T., & Lin, C.-C. (2010). Curcumin Nanoparticles Improve the Physicochemical Properties of Curcumin and Effectively Enhance its Antioxidant and Antihepatoma Activities. *Journal of Agricultural and Food Chemistry*, 58(12), 7376-7382.