

DAFTAR PUSTAKA

- Adiga, U., 2019. Serum Indices A tool to Measure Interfering Substance in Blood Samples. *Pharmaceutical and Phytopharmacological Research*, April, 9(2), pp. 43-46.
- Amiri, S dan Sanam, A., 2017. *Cyclodextrins: Peoperties and Indystrial Aplications*. 1 ed. Tehran Iran: John Wiley & Sons Ltd.
- Anderson,N.,et al., 2005. Lipemia: An Overrated Interference. *Reprinted from the British Journal of Biomedical Science 2003*.
- Bahera, S., Ghanty, S., Ahmad, F., Santra, S., Banerjee, S., 2012. UV- Visible Spectrophotometric Method Development and Validation of Assay of Paracetamol Tablet Formulation. *Journal of Analytical & Bioanalytical Techniques*, 3(6).
- Bestari, A.N., 2014. Penggunaan Siklodekstrin Dalam Bidang Farmasi. *Majalah Farmaseutik*, 10(1).
- Bintang, Maria., 2010. *BIOKIMIA-Teknik Penelitian*. s.l.:Erlangga.
- Biolabo., 2011. *Kit Insert Kreatinin*. s.l.:s.n.
- Biolabo, 2011. *Kit Insert Trigliserida*. s.l.:s.n.
- Bishop, M., et al., 2005. *Clinical Chemistry Principles Procerure*. 5 ed. s.l.:United States Of America.
- Blesso, C. N., 2015. Egg Phospholipids and Cardiovascular Health. *Nutriens*, Issue 7, pp. 2731-2747.
- Bonsness, 1945. On Colorimetric Determination of Creatinine by the Jaffe Reaction. *The Journal of Biological Chemistry*, Issue 158, pp. 581-591.
- Calmarza, P ., Cordero, J., 2011. Lipemia interferences in routine clinical biochemical tests. *Biochemia Medica*, 21(2), pp. 160-166.
- Castro, M.J., et al., 2018. Removing Lipemia in Serum/Plasma Samples: A Multicenter Study. *Clinical*, Volume 38, pp. 518-523.
- Chromy, V., Rozkosna, K. & Pavel, S., 2008. Determinationof serum creatinine by Jaffe method and how to calibrate to eliminate matrix interference problem. *Clon Cham Lab Med*, 46(8), pp. 1127-1133.
- Dareen, N., 2017. Prevalence of Pre-Analytical Errors in Clinical Chemistry Diagnostic Labs in Sulaimani City of Iraqi Kurdistan. *US National Library of Medicine*, p. 12(1).
- Dimeski, G., 2008. Interference Testing. *Clin Biochem*, I(29), pp. 43-48.

- Farrell, C.L. dan Carter, A.C., 2016. Serum Indices: Managing Assay Interference. *Annals of Clinical Biochemistry*, 53(5), pp. 527-538.
- Fauziah, P., 2017. *Optimasi Konsentrasi Polietilen Glikol dan Kecepatan Sentrifugasi Untuk Preparasi Serum Lipemik Pada Pemeriksaan Kadar Kreatinin*. Skripsi: Poltekkes Kemenkes Bandung.
- Gandjar, I. d. R., 2007. *Kimia Farmasi Analis*. Yogyakarta: Pustaka Pelajar.
- Izzati, A dan Riyani, A., 2018. Variasi Konsentrasi Alfa Siklodekstrin dan Waktu Sentrifugasi Dalam Preparasi Serum Lipemik Pada Pemeriksaan Glukosa Metode GPO-PAP. *Jurnal Teknologi Laboratorium*, maret, 7(1), pp. 31-37.
- Kazmierczak, Steven C., 2013. Hemolysis, Lipemia, and High Bilirubin Effect on Laboratory Tests. *Elevier*, Issue 5, pp. 53-62.
- Kee, J., 2008. *Pedoman Pemeriksaan Laboratorium dan Diagnostik*. 6 ed. Jakarta: Buku Kedokteran EGC.
- Krasowski, Matthew D., 2019. Hemolysis and Lipemia Interference With Laboratory Testing. *Sage journals of university of iowa hospitals and clinics*, 6(DOI : 10.117/2374289519888754).
- Kroll, M.H., 2004. Evaluating Interference Caused by Lipemia. *Clinica Chemistry*, 50(11).
- Laga, Amran., 2008. Produksi Siklodekstrin Dari Tapioka Dengan Menggunakan Pullulanase dan CG-Tase Secara Simultan. *J Tek. Ind Pert*, 18(2), pp. 99-105.
- Lieseke, C.L dan Zeibig, E.A., 2017. *Essentias of medical Laboratory Practise*. Jakarta: EGC.
- Marakala, V ., et al., 2012. Serum Creatinine Assay: Enzymatic vs Kinetic Jaffe's Method. *Journal of Evolution of Medical and Dental Sciences*, 1(4), pp. 328-331.
- Nicolac, N., 2014. Lipemia: Causes, Interference Mechanisms, Detection and Management. *Biochemia Medica*, 4(1), p. 57-67.
- Nicolac, N., et al, 2016. Croatian laboratories have a good knowledge of the proper detection and management of hemolyzed, icteric and lipemic samples. *Clin Chem Lab Med*, 54(3), pp. 419-425.
- Roberts, C M., et al, 2013. Cyclodekstrin Removal of Lipemic Interference: An Attractive Alternative to Ultracentrifugation fol satellite Laboratorium. *Archive of Pathology and Laboratory Medicine*, 137(8), pp. 1027-1028.
- Roggla, G., Fasan, M. & Kapiotis, S., 2007. Treating Hypertriglycerida. *Canadin Medical Association or its Licensors*, Issue 6, p. 177.
- Sacher, R.A dan McPherson, R.A., 2004. *Tinjauan Klinis Hasil Pemeriksaan Laboratorium*. 11 ed. Jakarta: EGC.

- Scientific, P., n.d. *Creatinine Regent Set*. USA: s.n.
- Sharma, A., et al, 1990. Flocculation of Serum Lipoproteins with Cyclodextrins: Application to Assay of Hyperlipidemic Serum. *Clinical Chemistry*, 36(3), pp. 529-532.
- Shin, D. H., Kim , J. & Yoon, K. J., 2014. Development of an integrated Reporting System for Hemolysis, Icterus.and Lipemia in Clinical Chemistry Result. *Annalis Of Laboratory Medicine*, pp. 34(4) : 307-312.
- Suhartati, T., 2017. *Dasar-Dasar Spektrofotometri UV-Vis dan Spektrofotometri Masa Untuk penentuan Struktur Senyawa Organik*. Lampung: AURA CV. Anugrah Utama Raharja.
- Syal, K., Banerjee, D. & Srinivasan, A., 2013. Creatinine Estimation and Interference. *Ind J Clin Biochem*, DOI : 10.1007/s12291-013-0299-y(.), p. ..
- Szente, L., Szeman, J, 2013. Cyclodextrins in Analytical Chemistry. Volume 85, pp. 8024-8030.
- Triyati, E., 1985. Spektropotometer Ultra-Violet Dan Sinar Tampak Serta Aplikasinya dalam Oseanologi. *Oseana*, Volume X, pp. 39-47.
- WHO, 2002. *Use Of Anticoagulants In Diagnostic*. s.l.:s.n.
- WHO, 2010. *Guidlines on Drawing Blood: Best Practice in Phlebotomy*. ISBN 978 92 4 159922 1 ed. s.l.:s.n.
- Wibowo, D.S., 2008. *Anatomi Tubuh Manusia*. Jakarta: Grasindo.