

DAFTAR PUSTAKA

- Adi, A. C., Setiawaty, N., Anindya, A., dan Rachmawati, H. (2019). Formulasi Dan Karakterisasi Sediaan Nanoemulsi Vitamin A. *Media Gizi Indonesia*, 14(1), 1.
- Agrios, G.N. (2005). *Plant Pathology. Fifth Edition*. New York: Elsevier Academic Press.
- Ali, S.M., & Yosipovitch, G., (2013), Skin pH: From Basic Science to Basic Skin Care, *Acta Derm Venereol*, 93: 261-267.
- Arianto, A., dan Cindy, C. (2019). Preparation and evaluation of sunflower oil nanoemulsion as a sunscreen. *Open Access Macedonian Journal of Medical Sciences*, 7(22), 3757–3761.
- Aulton, M.E. dan Taylor K. M. G. (2018). *Aulton's Pharmaceutic: The Design and Manufacture of Medicines*. Edisi Lima. Livingstone Elsevier.
- Azeem, A., Rizwan, M., Ahmad, F., Khan, Z., Khar, R., Aqil, M., dan Talegaonkar, S. (2008). *Emerging Role of Microemulsions in Cosmetics*. *Recent Patenon Drug Delivery & Formulation*. 2(3): 275–289.
- Baby, A. R., Migliato, K. F., Maciel, C. P. M., Zague, V., Aparecida Sales de Oliveira Pinto, C., Salgado, H. R. N., Kaneko, T. M., dan Velasco, M. V. R. (2007). Accelerated chemical stability data of O/W fluid emulsions containing the extract of *Trichilia catigua* Adr. Juss (and) *Ptychopetalum olacoides* Bentham. *Revista Brasileira de Ciencias Farmaceuticas/Brazilian Journal of Pharmaceutical Sciences*, 43(3), 405–412.
- Baboota, S., Shakeel, F., Ahuja, A., Ali, J., & Shafiq, S. (2007). Design, development and evaluation of novel nanoemulsion formulations for transdermal potential of celecoxib. *Acta Pharmaceutica*, 57(3), 315–332
- Bustomi, Sofyan. Rostiwati, Sudrajat., B. Leksono, S. Kosasih, I. Anggraini, D. Syamsuwida, Y. Lisnawat, Y. Mile, D. Djaenudin, Mahfudz, E. Rachman. (2008). *Nyamplung (Calophyllum inophyllum L) Sumber Energi Biofuel yang Potensial*. Jakarta: Badan Litbang Kehutanan.
- Candani, D., Ulfah, M., Noviana, W., & Zainul, R. (2018). Pemanfaatan Teknologi Sonikasi. *FMIPA Universitas Negeri Padang*, 2(26), 1–12.
- Carstensen, Jens T dan C.T Rhodes. (2000). *Drug Stability Principe and Practices 3rd edition*. New York: Marcel Dekker Inc.
- Chen, H., Khemtong, C., Yang, X., Chang, X., and Gao, J. (2010), *Nanomization Strategies for Poorly Water Soluble Drugs, Drugs Discovery Toda.*, 16(7-8): 354-36
- Chu, D. (2012). *Fitzpatrick's Dermatology in General Medicine: Overview of*

biology, development, and structure of skin Chapter 7. 55–73.

- Collier CN, Harper JC, Cantrell WC, Wang W, Foster W, Elewski BE. Prevalence of acne in adults 20 years and older. *J Am Acad Dermatol*. 2008.58(1): 56-59
- Debnath, S., Satayanarayana, dan Vijay, G.K. (2011). Nanoemulsion-A Method to Improve the Solubility of Lipophilic Drug. *An International Journal of Advances in Pharmaceutical Sciences*. 2(2-3): 74-78
- Dewi, R. K. (2010). Optimasi Formulasi Mikroemulsi Sediaan Hormon Testosteron Undekanoat, Skripsi, Program Studi Farmasi, Fakultas Kedokteran dan Ilmu Kesehatan. Universitas Islam Negeri Syarif Hidayatullah. Jakarta: 31
- Dweck, A. C., dan Meadows, T. (2002). Tamanu (*Calophyllum inophyllum*) - The African, Asian, Polynesian and Pacific Panacea. *International Journal of Cosmetic Science*. 24(6): 341–348.
- Ditjen POM. (2014). Farmakope Indonesia. Edisi Kelima. Jakarta: Departemen Kesehatan Republik Indonesia. Halaman 1033; 1257-1258, 1351-1352, 1609, 1662-1663, 1698, 1718.
- Dzen, S.M., Santoso, S., dan Winarsih, S. (2003). Bakteriologi Medik. Malang: Bayumedia Publishing.
- Fox, Shelley Chambers. (2014). Remington Education Pharmaceuticals. London: Pharmaceutical Press.
- Garg, T. (2014). Current nanotechnological approaches for an effective delivery of bio-active drug molecules in the treatment of acne. *Artificial Cells, Nanomedicine, and Biotechnology Informa Healthcare USA 2014*. ISSN: 2169-1401. 1–8.
- Gollnick, H.P., dan Krauthem, A. (2003). Topical Treatment in Acne: Current Status and Future Aspects. *Department of Dermatology and Venereology*. 206(1): 29-36.
- Holt, G.J., Kneg, N.R., Sneath, A.H., Starley, T.J., dan Witirams, T.S. (1988). *Bergey's Manual of Determinative Bacteriology*. Edisi Kesembilan. London: Williams & Wilkins Company.
- Jawetz, Melnick dan Adelberg. (2008). *Medical Microbiology* ed 24th. North America: Lange Medical book.
- Jaworska, M., Sikora, E., dan Ogonowski, J. (2015). Rheological Properties of Nanoemulsions Stabilized by Polysorbate 80. *Chemical Engineering and Technology*, 38(8), 1469–1476.
- Joker, Dorthe. (2004). *Calophyllum inophyllum* L. Denmark: Forest & Landscape.
- Jufri, M., E. Anwar dan P.M. Utami. (2006). Uji stabilitas Sediaan Mikroemulsi Menggunakan Hidrolisat Pati (De 35-40) sebagai Stabilizer. *Majalah Ilmu*

Kefarmasian. 3(1): 8-21

- Jusnita, Nina. (2014). Produksi nanoemulsi Ekstrak Temulawak dengan Metode Homogenasi. Bogor: Sekolah Pascasarjana Institut Pertanian Bogor.
- Kusantati, Herni., Prihatin, Pipin Tresna. dan Wiana, Winwin. (2008). Tata Kecantikan Kulit. Jilid Satu. Jakarta: Direktorat Pembinaan Sekolah Menengah Kejuruan.
- Lachman, L, Lieberman H. A Kanig, J. (1994) Teori dan Praktek Farmasi Industri. Edisi III. Jakarta: Universitas Indonesia.
- Leksono, B., Windyarini, E., dan Hasnah, T. M. (2014). Budidaya Nyamplung (*Calophyllum inophyllum* L.) untuk Bioenergi dan Prospek Pemanfaatan Lainnya. Jakarta: IPB Press.
- Listyorini N.M.D., Wijayanti N.L.P.D., Widayani Astuti. (2018). Optimasi Pembuatan Nanoemulsi Virgin Coconut Oil. Progam Studi Farmasi Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Udayana. p-ISSN 1907-9850
- Mardikasari, S. A., Jufri, M., dan Djajadisastra, J. (2016). Formulasi dan Uji Penetrasi In-Vitro Sediaan Topikal Nanoemulsi Genistein dari Tanaman *Sophora japonica*. *Jurnal Ilmu Kefarmasiaan Indonesia*, 14(2), 190–198.
- McClements DJ. (2011). Edible nanoemulsions: fabrication, properties, and functional performance. *Soft Matter*. 7(6): 2297–316
- Muehlbaue, P., & McGrowan, C. (2011). Anatomy and Physiology of the Skin. *Oncology Nursing Society*. 3(4): 120.
- Murtiningrum, Sarungallo, Z. L., Cepeda, G. N., dan Olong, N., 2013, Stabilitas Emulsi Buah Merah (*Pandanus Conoideus* L) pada Berbagai Nilai Hydrophile-Liphophile Balance (HLB) Pengemulsi, *Jurnal Teknologi Industri Pertanian*, 23 (1), 34.
- Natural Sourcing. (2014). *Tamanu Oil Calophyllum inophyllum L Specifications. England United Kingdom: Natural Sourcing Specialist in Cosmeceutical Ingridient.*
- Noor, S. U. dan Gozali, A. (2018). Effect of Gold Sea Cucumber (*Stichopus hermanni*) Extract Concentration on Antioxidant Activity of Grape Seed Oil (*Vitis vinifera*) nanoemulsion. *Jurnal Ilmu Kefarmasian Indonesia*, 16(1), 36.
- Olii, A. T., Sofi, J., Mudhakhir, D., dan Iwo, M. I. (2014). Pengembangan, Evaluasi, dan Uji Aktivitas Antiinflamasi Akut Sediaan Nanoemulsi Spontan Minyak Jintan Hitam. *Jurnal Farmasi Indonesia*, 7(2), 77–83.
- Pertiwi, R. D., Djajadisastra, J., Mutalib, A., dan Pujiyanto, A. (2018). Pembuatan, Karakterisasi dan Uji In Vitro Nanopartikel Emas Berbasis Konjugat Gom Arab-Vinkristin. *Jurnal Ilmu Kefarmasian Indonesia*, 16(1), 6.

- Proksch, E., Brandner, J. M., & Jensen, J. M. (2008). The skin: An indispensable barrier. *Experimental Dermatology*. 17(12): 1063–1072.
- Raharivelomanana, P., Ansel, J. L., Lupo, E., Mijouin, L., Guillot, S., Butaud, J. F., Pichon, C. (2018). Tamanu oil and skin active properties: From traditional to modern cosmetic uses. *OCL - Oilseeds and Fats, Crops and Lipids*. 25(5): 2-3
- Rai, V. K., Mishra, N., Yadav, K. S., & Yadav, N. P. (2017). Nanoemulsion as pharmaceutical carrier for dermal and transdermal drug delivery: Formulation development, stability issues, basic considerations and applications. *Journal of Controlled Release*. 6-7
- Rosen, Meyer R. (2005). *Delivery System Handbook for Personal Care and Cosmetics Product Technology, Applications, and Formulations*. New York: William Andrew, Inc.
- Ruyadi, A. (2009). *Evaluasi status kawasan konservasi Taman Hutan Raya Bukit Soeharto di Kabupaten Kutai Kartanegara*. Kaltim: BKSD Kaltim.
- Safitri, D., Samsiar, A., Astuti, D. Y., dan Roanisca, O. (2019). Nanoemulsi Ekstrak Daun Pelawan (*Tristanopsis Merguensis*) Sebagai Antibakteri (*Escherichia Coli* Dan *Staphylococcus Aureus*) Menggunakan *Microwave Assisted Extraction* (MAE). *Prosiding Seminar Nasional Penelitian & Pengabdian Pada Masyarakat*, 1–4.
- Salim, N., Ahmad, N., Musa, S. H., Hashim, R., Tadros, T. F., & Basri, M. (2016). Nanoemulsion as a topical delivery system of antipsoriatic drugs. *RSC Advances*. 6(8): 6234–6250.
- Sari, Denni Kartika dan Retno Sulistyو. (2015). Pengaruh Waktu dan Kecepatan Pengadukan Terhadap Emulsi Minyak Biji Matahari (*Helianthus annuus* L.) dan Air. *Jurnal Integrasi Proses*, 5(3), 155–159.
- Sari, F., Sinaga, K. R., dan Siahaan, D. (2018). Formulation and evaluation of red palm olein nanoemulsion. *Asian Journal of Pharmaceutical and Clinical Research*, 11(9), 237–240.
- Shaker, D. S., Ishak, R. A. H., Ghoneim, A., dan Elhuoni, M. A. (2019). Nanoemulsion: A review on mechanisms for the transdermal delivery of hydrophobic and hydrophilic drugs. *Scientia Pharmaceutica*. 87(3): 24-27.
- Sheskey, Paul J., Walter G dan Cable, Colin G. (2017). *Handbook of Pharmaceutical Excipient 8th Edition*. London: Pharmaceutical Press and American Pharmacist Association.
- Syaifuddin. (2009). *Anatomi Tubuh Manusia untuk Mahasiswa Keperawatan Edisi 2*. Jakarta : Salemba Media.
- Stephanie. (2016). Pengaruh Variasi Fase Minyak Virgin Coconut Oil dan Medium-Chain Triglycerides Oil Terhadap Stabilitas Fisik Nanoemulsi Minyak Biji

- Delima dengan Kombinasi Surfaktan Tween 80 dan Kosurfaktan PEG 400. *Skripsi Universitas Sanata Dharma*.
- Suciati, T dan Patricia, Lisa. (2012). Formulasi Natrium Ascorbyl Phosphate dalam Mikroemulsi A/M VCO. *Acta Pharmaceutica Indonesia*, 37(3): 90–94.
- Suyal, J., & Ganesh Bhatt, D. (2017). An introductory review article on nanoemulsion. *International Journal of Research in Pharmacy and Pharmaceutical Sciences*. 2(4): 2455–2698.
- Todar, K. (2012). *Staphylococcus aureus and Staphylococcal Disease*. <http://textbookofbacteriology.net/staph.html>
- Tranggono., I.R., dan Latifah, F. (2007). Buku Pegangan Ilmu Pengetahuan Kosmetik. Jakarta: PT Gramedia Pustaka Utama.
- Verjan, Gomez., Hernandez, Rodriguez., Chilpa, Reyes. (2017). Bioactive Coumarins and Xanthenes from Calophyllum Genus and Analysis of Their Druglikeness and Toxicological Properties. *Journal Studies in Natural Products Chemistry*. (53): 230.
- Vogt, A., Combadiere, B., Hadam, S., Stieler, K. M., Lademann, J., Schaefer, H., Blume-Peytavi, U. (2006). 40 nm, but not 750 or 1,500 nm, nanoparticles enter epidermal CD1a+ cells after transcutaneous application on human skin. *Journal of Investigative Dermatology*. 126(6): 1316–1322
- Vora, J., Srivastava, A., & Modi, H. (2018). Antibacterial and antioxidant strategies for acne treatment through plant extracts. *Informatics in Medicine Unlocked*. 13: 128–132.
- Wasitaatmadja, S. (2010). Akne Vulgaris: Ilmu Penyakit Kulit dan Kelamin. ed.6. Jakarta: Balai Penerbit FK UI, 254-60.
- Williams, H. C., Dellavalle, R. P., & Garner, S. (2012). Acne vulgaris. *The Lancet*. 379(9813): 361–372.
- Yimdjo, M. C., Azebaze, A. G., Nkengfack, A. E., Bodo, B., Fomum, Z. T., dan Meyer, A. M. (2004). Antimicrobial and cytotoxic agents from Calophyllum inophyllum. *Elsevier Phytochemistry*. 65: 2789–2795.
- Yuliani, Sri hartati., Medaliana Hartini., Bety Pudiastuti dan Enade Perdana Istyastono. (2016). Comparison of Physical Stability Properties of Pomegranate Seed Oil Nanoemulsion Dosage Forms With Long-Chain Triglyceride and Medium-Chain Triglyceride As the Oil Phase. *Majalah Obat Tradisional*, 21(2), 93–98.
- Zaenglein, A.L., Graber, E.M., Thiboutot, D.M., dan Strauss, J.S. (2008). Acne Vulgaris and Acneiform Eruption dalam Fitzpatrick's Dermatology in General Medicine. Edisi Ketujuh. United States: McGraw- Hill