

DAFTAR PUSTAKA

- Al-Jameil N, Khan FA, Arjumand S, Khan MF, Tabassum H. 2014. Associated liver enzymes with hyperlipidemic profile in type 2 diabetes patients. *Int J Clin Exp Pathol.* 7(7):4345-9
- Apak, Resat., Ozyurek, M., Guclu, K., dan Capanoglu, E. (2016). Antioxidant Activity/Capacity Measurement. 1. Classification, Physicochemical Principles, Mechanism, and Electron Transfer (ET)-Based Assays. *Journal of Agricultural and Food Chemistry.* (64) 997-1027.
- Amanpreet, Kaur; Abha, Shukla; Shukla, Rishi Kumar (2018). COMPARATIVE EVALUATION OF ABTS, DPPH, FRAP, NITRIC OXIDE ASSAYS FOR ANTIOXIDANT POTENTIAL, PHENOLIC & FLAVONOID CONTENT OF *EHRETIA ACUMINATA R. BR.* BARK *Int. Res. J. Pharm.* , 9 (12)
- Arifuddin, M. 2013. Sitotoksitas Bahan Aktif Lamun dari Kepulauan Spermonde Kota Makassar Terhadap *Artemia Salina* (Linnaeus, 1758). *Jurnal Ilmu Kelautan Universitas Hasanuddin Makassar.*
- Ashraduzzaman, M., Alam, M., Khatun, S., & Absar, N. (2016). Antimicrobial Activity of *Vigna unguiculata* L. Walp Seed Oil. *International Journal of Biotechnology for Wellness Industries*, 5(3), 70–75. <https://doi.org/10.6000/1927-3037.2016.05.03.1>
- Ashraduzzaman MD, Alam MA., Khatun S., Banu S., Absar N. 2011. *Vigna unguiculata* Linn. Walp. Seed oil exhibiting antidiabetic effects in alloxan induced diabetic rats. *Malaysian journal of pharmaceutical sciences*, 9(1): 13-23.
- Assunção, M. F., Amaral, R., Martins, C. B., Ferreira, J. D., Ressurreição, S., Santos, S. D., & Santos, L. M. 2017. Screening microalgae as potential sources of antioxidants. *Journal of Applied Phycology.* 29(2): 865-877.
- Cai R, Hettriarachchy MS, Jalaludin M. (2003). High-performance liquid chromatography determination of phenolic constituent in 17 varieties of cowpeas. *J Agric Food Chem.* 51:1623-1627
- Chen, M., T. Liu, X. Chen, L. Chen, W. Zhang, J. Wang, L. Gao, Y. Chen, dan X. Peng. 2012. "Subcritical Co-Solvents Extraction of Lipid from Wet Microalgae Pastes of *Nannochloropsis* Sp." *European Journal of Lipid Science and Technology* 114 (2): 205–12. <https://doi.org/10.1002/ejlt.201100120>.

- Doppalapudi S. 2014. Evaluation of Antibacterial activity of seed extract of *Vigna unguiculata*. *Int J Pharm Pharm Sci*; 6(1): 75-7.
- Egba SI, Uzoegwu PN, Emmanuel TN and Joshua PE. 2011. Amino Acid Content and Proximate Analysis of the Ethanol Seed Extract of *Vigna unguiculata* Used in the Management of Sickle Cell Disease *J. Chem. Pharm. Res.*, 2011; 3(4): 538-541.
- Ergina, Siti Nuryanti dan Indarini Dwi Pursitasari. 2014. UJI KUALITATIF SENYAWA METABOLIT SEKUNDER PADA DAUN PALADO (*Agave angustifolia*) YANG DIEKSTRAKSI DENGAN PELARUT AIR DAN ETANOL. *J. Akad. Kim.* 3(3): 165-172
- Fitriana, Zahrotul Wahidah. 2015. Pemanfaatan Kacang Tunggak (*Vigna unguiculata* L. Walp) Sebagai bahan Pembuatan Keju Nabati Berkalsium tinggi. Skripsi: Fakultas Ilmu Tarbiyah dan Keguruan Universitas Islam Negeri Walisongo Semarang
- Harborne, J., 1996. *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*. Cetakan kedua. Penerjemah: Padmawinata, K. dan I. Soediro. Bandung: Penerbit ITB.
- Ibrahim Sayeed, VK. Satish, S. Ajay Kumar dan Kanurakara Hegde. (2017). Pharmacological activities of *Vigna unguiculata* (L) Walp. A Review. *International Journal of Pharma and Chemical Research*. Vol. 3 (1).
- Ilyas, Asriany. 2013. *Kimia Organik Bahan Alam*. Makassar: Alauddin University Press.
- Kang K, Kim I, Kwon R, Lee J, Kang J & Ha B. 2008. The Effect of Fucoidan Ekstraks on CCl₄ Induced Liver Injury. *Archive of Pharmacol Research*. (15) :622–627.
- Kapraavelou, G.; Martínez, R.; Andrade, A.M.; Chaves, C.L.; López-Jurado, M.; Aranda, P.; Arrebola, F.; Cañizares, F.J.; Galisteo, M.; Porres, J.M. Improvement of the antioxidant and hypolipidaemic effects of cowpea flours (*Vigna unguiculata*) by fermentation: Results of in vitro and in vivo experiments. *J. Sci. Food Agric*. 2015, 95, 1207–1216. [CrossRef] [PubMed]
- Kee L. 2003. *Pedoman Pemeriksaan Laboratorium dan Diagnostik*. Jakarta: EGC; hlm. 856.
- Kurdi, A. 2011. *Bagian dari Tanaman Yang Digunakan Untuk Obat*. Fakultas Pertanian. Malang: Univeritas Muhammadiyah Press.

- Kitchenham, B. (2004). *Procedures for Performing Systematic Reviews*. Eversleigh: Keele University.
- Khyade, V. B., & Jagtap, S. G. (2016). Sprouting Exert Significant Influence on the Antioxidant Activity in Selected Pulses (Black Gram , Cowpea , Desi Chickpea and Yellow Mustard). *World Scientific News* 35, 73–86.
- Kirigia, D., Winkelmann, T., Kasili, R., & Mibus, H. (2018). Development stage, storage temperature and storage duration influence phytonutrient content in cowpea (*Vigna unguiculata* L. Walp.). *Heliyon*, 4(6), e00656. <https://doi.org/10.1016/j.heliyon.2018.e00656>
- Koppon, Alosius M., Baunsele, B., Boelan,,Erly G. 2020. Skrining Senyawa Metabolit Sekunder Ekstrak Metanol Biji Alpukat (*Persea Americana* Mill.) Asal Pulau Timor. *Akta Kimindo*. Vol. 5(1), 43-52
- Lesiak AD, Cody RB, Dane AJ, Musah R., 2014. Rapid detection by direct analysis in real time-mass spectrometry (DART-MS) of psychoactive plant drugs of abuse : The case of *Mitragyna speciosa* aka ““ Kratom .”” *Forensic Science International*, 242, pp.210–218.
- Lippi G, Targher G, Montagnana M, Salvagno GL, Guidi GC. 2007. Relationship between gamma-glutamyl transferase, lipids and lipoprotein(a) in the general population. *Clin Chim Acta*. 384:163-6.
- Lumbessy, Mirna., *et al.*, 2012. Uji Total Flavonoid Pada Beberapa Tanaman Obat Tradisional Di Desa Waitina Kecamatan Mangoli Timur Kabupaten Kepulauan Sula Provinsi Maluku Utara. *Jurnal MIPA UNSRAT* Vol 2 No.7 (2012), h. 50-55.
- Maisale AB, Patil MB, Jalalpure SS, Attimarad SL. 2012. Phytochemical properties and Anthelmintic activity of *Vigna Unguiculata*. *J Pharm Sci Innovat*, 1(2): 51-2.
- Manitto P, 1992. *Biosintesis Produk Alami*. Cetakan pertama. John Wiley & Sons. New York.
- Mariana, Lilik., Handiyani, Yayuk., Gunawan, Erin Ryantin. 2013. Analisis Senyawa Flavonoid Hasil Fraksinasi Ekstrak Diklorometana Daun Kewuluh. *A. Camansi*. Mataram.
- Marliana, S.D., Saleh, C. 2011. Uji Fitokimia dan Aktivitas Antibakteri Ekstrak Kasar Etanol, Fraksi nHeksana, Etil asetat, dan Metanol dari Buah Labu Air (Lagenari Siceraria (Morliana)). *J. Kimia Mulawarman*, 8(2): 39-63
- Moreira-Araújo, R. S. D. R., Sampaio, G. R., Soares, R. A. M., Silva, C. P. Da, Araújo, M. A. D. M., & Arêas, J. A. G. (2018). Identification And

Quantification Of Phenolic Compounds And Antioxidant Activity In Cowpeas Of Brs Xiquexique Cultivar. *Revista Caatinga*, 31(1), 209–216. <https://doi.org/10.1590/1983-21252018v31n124rc>

Muchoki, C., Lamuka, P., & Imungi, J. (2011). Reduction of nitrates, oxalates and phenols in fermented solar-dried stored cowpea (*Vigna unguiculata* L.) leaf vegetables. *African Journal of Food, Agriculture, Nutrition and Development*, 10(11), 4398–4412. <https://doi.org/10.4314/ajfand.v10i11.64284>

Mukhriani. *Farmakognosi Analisis*. Makassar: Alauddin University Press, 2014.

Nafessa SKA, IME and Amna EH. 2017 Phytochemical screening and hypolipidemic activity of extracts from seeds and leaves of *Vigna unguiculata* growing in Sudan. *Journal of Pharmacognosy and Phytochemistry*, 6(3): 488-491

Naim, Fathcun., Marianti, A., Susanti, R. 2017. Aktivitas Ekstrak Daun Jati Belanda Terhadap Kadar Kolesterol HDL dan LDL pada Tikus Hiperkolesterolimia. *Life Science* (6). 1-8.

Natalia, A. H. S. 2016. Skrining Fitokimia dan Aktivitas Antioksidan Ekstrak Metanol Daun Rinu (*Piper baccatum* BI) [SKRIPSI]. Fakultas Farmasi Universitas Sanata Dharma, Yogyakarta.

Ojwang, LO., Yang, L., Dykes, L., Awika, J. (2013). Proanthocyanidin profile of cowpea (*Vigna unguiculata*) reveals catechin-O-glucoside as the dominant compound. *Food Chem.* 139:35-43.

Onwuliri VA, Obu JA. (2002). Lipids and other constituents of *Vigna unguiculata* and *Phaseolus vulgaris* grown in northern Nigeria. *Food Chem.*78(1):1-7.

Pabodha W, Ruvini L, Janak V, Oshini P, Barana J. 2014. Hypocholesteolemic and Hypoglycemic effect of Cowpea (*Vigna Unguiculata* (L) Walp) incorporated experimental diets in Wistar rats (*Rattus Norvegicus*). *Agriculture and Agricultural Science Procedia*, 2: 401-405.

Panjaitan RGP, Manalu W, Handharyani E & Chairul. 2011. Aktivitas Hepatoprotektor Ekstrak Metanol Akar Pasak Bumi dan Fraksi-Fraksi Turunannya. *Jurnal Veteriner*; 12(4): 319–325.

Pal, Ajay & Bhushan, Bharat & Kumari, Rajesh & Saharan, Vinod. (2016). Extraction and Evaluation of Antioxidant and Free Radical Scavenging Potential Correlated with Biochemical Components of Red Rose Petals. *Iranian Journal of Science and Technology. Transaction A, Science.* 42. 10.1007/s40995-016-0071-2.

- Panda, S.K. (2012). Assay Guided comparison for enzymatic and non-enzymatic antioxidant activities with special reference to medicinal plants. In *El-Missiry, M.A. (ed.). Antioxidant Enzyme. IntechOpen. Rijeka.*
- Parwata, I Made A. 2016. *OBAT TRADISIONAL*. Bali: University Udayana Press.
- Prasetyo dan Endang Inorihah. 2013. *Pengelolaan Budidaya Tanaman Obat-Obatan (Bahan Simplicia)*. Cetakan ke-1. Bengkulu: Badan Penertiban Fakultas Pertanian UNIB.
- Prayoga, D.G.E., Nociantri, K.A., Puswati, N.N., 2019. Identifikasi Senyawa Fitokimia Dan Aktivitas Antioksidan Ekstrak Kasar Daun Pepe (*Gymnema Reticulatum* Br.) Pada Berbagai Jenis Pelarut. *Jurnal Ilmu dan Teknologi Pangan* ISSN : 2527-8010 (ejournal) Vol. 8, No. 2, 111-121.
- Petchiammal, C.; Hopper, W.2014. Antioxidant activity of proteins from fifteen varieties of legume seeds commonly consumed in India. *Int. J. Pharm. Pharm. Sci.*, 6, 476–479.
- Raharjo, Tri Joko. *Kimia Hasil Alam*. Yogyakarta: Pustaka Pelajar, 2013.
- Rastogi T, Bhutda V. 2009. Comparative studies on antelmintic activity of *Moringa oleifera* and *Vitex negundo*. *Asian J Research Chem.* 13: 532-39
- Reddy, UB., Seethram, YN. 2009. Antelmintic activity of Trikatu churna and its ingredients. *Ethanobotanical leaflets.* 2(2):181
- Redha, Abdi. 2010. Flavonoid: Struktur, Sifat Antioksidatif dan Peranannya Dalam Sistem Biologis. *Jurnal Bellan* Vol 9 No. 2, h. 196-202.
- Richard A. Harvey and Pamela C. Champe. 2009. Hyperlipidemias. Lippincott,s Illustrated Reviews: Pharmacology, 14th edition: *Awolters Kluwer Company, China.*
- Rizky, Dinda Widya. 2018. Uji Aktivitas Antibakteri dan Antioksidan Ekstrak Metanol Daun Kacang Panjang (*Vigna unguiculata* (L.) Walp [Skripsi]. *Repository USU*. Universitas Sumatera Utara.
- Robinson T, 1995. *Kandungan Organik Tumbuhan Tinggi*. Edisi Keenam. Terjemahan dari : *The Organic Constituent of Higher Plants*. ITB. Bandung.
- Saddam HM, Mohammad SH, Mohammad TA, Shalahuddin M. 2016. In vitro thrombolytic potential of methanolic extract of *Vigna unguiculata* Linn (seed). *Journal of Pharmacognosy and Phytochemistry*, 5(3): 129-131.

- Sánchez-Rangel, J. C., J. Benavides, J. B. Heredia, L. Cisneros-Zevallos, dan D. A. Jacobo-Velázquez. 2013. The Folin–Ciocalteu assay revisited: improvement of its specificity for total phenolic content determination. *Analytical Methods*. 5: 5990–5999. DOI: 10.1039/c3ay41125g
- Sari, L.A., 2019. Pertumbuhan Hasil Jagung dan Kacang Tunggak Dalam Sistem Tumpangsari. *Pertumbuhan Hasil Jagung dan Kacang*, hlm 102-116.
- Saridewi, A.I., Bogoriani, N.W., Suarya, P. Aktivitas Ekstrak Metanol Rimpang Kunyit Putih (*Curcuma zedoaria* Rosc.) Sebagai Hipolipidemia Pada Tikus Obestias dengan Diet Tinggi Kolesterol. *JURNAL KIMIA* 12. (2): 140-146
- Sayeed, I., S, S. K., & Hegde, K. (2017). Review Article Pharmacological Activities of *Vigna Unguiculata* (L) Walp : A Review. *International Journal of Pharma and Chemical Research*, 3(1), 44–49.
- Scalbert A, Ian TJ, and Mike A, 2005. *Poliphenols Antioxidants and Beyond*. Rev Food Sci (Inpress).
- Shakeri, A., Soheili, V., Karimi, M., Hosseininia, S. A., & Bazzaz, B. S. F. 2018. Biological activities of three natural plant pigments and their health benefits. *Journal of Food Measurement*
- Simaremare, Eva Susanty. 2014. SKRINING FITOKIMIA DAUN GATAL (*Laportea decumana* (Roxb.) Wedd). *PHARMACY*. Vol. 11 No.1.
- Singh. A *et al.* 2016. Review on standardization and phytochemical of *Vigna unguiculata*. *International Journal for Pharmaceutical Research Scholars*. 4(2):506-516.
- Siswanto. 2010. SYSTEMATIC REVIEW SEBAGAI METODE PENELITIAN UNTUK MENSINTESIS HASIL-HASIL PENELITIAN (SEBUAH PENGANTAR). Pusat Penelitian dan Pengembangan Sistem dan Kebijakan Ke Pusat Penelitian dan Pengembangan Sistem dan Kebijakan Kesehatan, Badan Litbang Kesehatan, Kementerian sehatan, Badan Litbang Kesehatan, Kementerian Kesehatan.
- Sombié, P. A. E. D., Compaoré, M., Coulibaly, A. Y., Ouédraogo, J. T., De La Salle Tignégré, J. B., & Kiendrébéogo, M. (2018). Antioxidant and Phytochemical Studies of 31 Cowpeas (*Vigna unguiculata* (L. Walp.)) genotypes from Burkina Faso. *Foods*, 7(9). <https://doi.org/10.3390/foods7090143>
- Supriadi. 2001. *Tumbuhan Hutan*. Yogyakarta: Gadjah Mada University Press.

- Sulistiyawati, D. dan Mulyati, S. 2009. Uji Aktivitas Anti Jamur Infusa Daun Jambu Mete (*Anacardium occidentale*, L.) Terhadap *Candida albicans*. *Biomedika*. 2(1)
- Svehla, G. 1990. Buku Teks Analisis Anorganik Kualitatif Makro dan Semimikro. Edisi kelima. Penerjemah: Setiono, L. dan A.H. Pudjaatmaka. Jakarta: PT Kalman Media Pusaka
- Tazin TQ, Rumi JF, Rahman S, Al-Nahain A, Jahan R, Rahmatullah M. 2014. Oral glucose tolerance and antinociceptive activity evaluation of methanolic extract of *Vigna unguiculata*. *World journal of pharmacy and pharmaceutical sciences*, 3(8): 28-37.
- Vifta, Rissa Laila., dan Yustisia Dian Advistasari. 2018. Skrining Fitokimia, Karakterisasi, dan Penentuan Kadar Flavonoid Total Ekstrak dan Fraksi-Fraksi Buah Parijoto (*Medinilla speciosa* B.) *Prosiding Seminar Nasional Unimus* (Volume 1) hlm. 8 – 14.
- Wachidah, L.N. 2013. *Uji aktivitas Antioksidan Serta Penentuan Kandungan Fenolat Total dari Buah Parijito (Medinilla speciosa blume)*. Jakarta:UIN
- Wardana, Andika & Tukiran, Tukiran & Surabaya, Universitas. (2016). SKRINING FITOKIMIA DAN AKTIVITAS ANTIOKSIDAN EKSTRAK KLOOROFORM TUMBUHAN GOWOK (*Syzygium polycephalum*) PHYTOCHEMICAL SCREENING AND ANTIOXIDANT ACTIVITIES OF CHLOROFORM EXTRACT OF GOWOK (*Syzygium polycephalum*). *Prosiding Seminar Nasional Kimia dan Pembelajarannya*, Jurusan Kimia FMIPA Universitas Negeri Surabaya.
- Wardhani, Rengganis Ayu Pramudya., dan Supartono. 2015. Uji Aktivitas ANTIBAKTERI EKSTRAK KULIT BUAH RAMBUTAN (*Nephelium lappaceum* L.) PADA BAKTERI. *Indo. J. Chem. Sci.* 4 (1).
- Wijayakusuma, H. 2006. *Atasi Asam Urat dan Reumatik*. Jakarta : Puspa Swara.
- Yang X, Yang L, Zheng H. 2010. Hypolipidemic and antioxidant effects of mulberry (*Morus alba* L.) fruit in hyperlipidaemia rats. *Food and Chemical Toxicology*, 48(8):2374-9.
- Yulistian, D., Utomo, E., Ulfa, S., & Yusnawan, E. (2015). studi pengaruh jenis pelarut terhadap hasil isolasi dan kadar senyawa fenolik dalam biji kacang tunggak (*Vigna unguiculata* (L.) Walp) sabagai antioksidan. *Jurnal Ilmu Kimia Universitas Brawijaya*, 1(1), pp-819.

Zia-Ul-Haq, M.S., Ahmad, E.C., Mehjabeen, S.A. (2013). Studies of oil from cowpea (*Vigna unguiculata* (L) Walp.) cultivars commonly grown in Pakistan. *Pak J Botany*. 42:1333-1341.

Zuhud, E.A. M. *et al.*, 2004. *Penyusunan Rancangan dan Pengembangan Sumberdaya Alam Hayati Berupa Tumbuhan di Kabupaten Sintang*. Kerjasama Fakultas Kehutanan IPB dengan Bapedda Kabupaten Sintang. Bogor.