

**POLITEKNIK KESEHATAN KEMENKES BANDUNG PROGRAM STUDI
KEBIDANAN (KAMPUS BOGOR) PROGRAM DIPLOMA TIGA
LAPORAN TUGAS AKHIR, JUNI 2024**

N. Wulan SriAyu Sulistya Purba Ningrum

NIM : P17324221063

**Asuhan Kebidanan Intranatal pada Ny. I Usia 40 Tahun G9P7A1
di RSUD Sekarwangi**

VI BAB, 73 halaman, 8 lampiran, 2 tabel, 3 gambar

ABSTRAK

Persalinan adalah proses dimana bayi, plasenta, dan selaput ketuban keluar dari uterus ibu. Pada persalinan dapat terjadi komplikasi pada ibu dengan usia >35 tahun dan paritas maka persalinan harus dilakukan di fasyankes untuk mencegah komplikasi persalinan. Tujuan penulisan Laporan Tugas Akhir ini adalah mampu memberikan asuhan kebidanan pada Ny. I usia 40 tahun G9P7A1 di RSUD Sekarwangi.

Metode yang digunakan adalah laporan kasus dengan pendokumentasian SOAP. Teknik pengumpulan data melalui wawancara, observasi, pemeriksaan fisik, studi dokumentasi dan studi literatur.

Data subjektif Ny. I usia 40 tahun G9P7A1, HPHT 29-06-2023 TP 06-04-2024 datang ke RS mengeluh mules hilang timbul disertai lendir darah, merasa lemas dan cemas sejak pukul 03.00 WIB. Data objektif TFU 35 cm, teraba bokong, punggung kanan, teraba kepala bagian terbawah, konvergen. His 2x/10'/15" intensitas lemah, DJJ 148x/menit reguler. Vulva vagina tidak ada kelainan, lendir bercampur darah, portio tebal lunak, pembukaan 4 cm, ketuban utuh, hodge I. Analisa didapatkan Ny. I usia 40 tahun G9P7A1 hamil 39 minggu inpartu kala I fase aktif janin tunggal hidup intrauterine dan keadaan janin baik. Penatalaksanaan melakukan pemantauan DJJ, His dan kemajuan persalinan serta kolaborasi dengan dokter obgyn melakukan akselerasi persalinan drip oksitosin 5 IU 20 tpm. Pembukaan menjadi lengkap dan pukul 03.18 WIB bayi lahir spontan pervaginam, menangis kuat, kulit kemerahan, dan tonus otot aktif.

Kesimpulan setelah dilakukan perawatan di RS keadaan ibu dan bayi baik serta pemeriksaan normal. Saran klien dan keluarga mampu melaksanakan anjuran yang disarankan oleh dokter maupun bidan dan keluarga dapat mengambil keputusan yang tepat dalam menentukan alat kontrasepsi.

Kata Kunci : Persalinan, Komplikasi, Oksitosin

Pustaka : 37 Sumber (2014-2024)

**BANDUNG MINISTRY OF HEALTH POLYTECHNIC MIDWIFERY STUDY
PROGRAM (BOGOR CAMPUS) THIRD DIPLOMA PROGRAM
FINAL PROJECT REPORT, JUNE 2024**

N. Wulan SriAyu Sulistya Purba Ningrum

NIM : P17324221063

**Intranatal Midwifery Care for Mrs. I aged 40 years old G9P7A1
at Sekarwangi Regional Public Hospital**

VI Chapter, 73 Pages, 8 Attachment, 2 Tables, 3 Images

ABSTRACT

Childbirth is the process where the baby, placenta, and amniotic membranes exit the mother's uterus. Complications can occur in mothers aged >35 years and parity, so delivery must be carried out in a health facility to prevent birth complications. The purpose of writing this Final Assignment Report is to be able to provide midwifery care to Mrs. I, 40 years old, G9P7A1 at Sekarwangi Regional Hospital.

The method used is a case report with SOAP documentation. Data collection techniques include interviews, observation, physical examination, documentation study and literature study.

Subjective data Mrs. I, 40 years old G9P7A1, HPHT 06-29-2023 TP 04-06-2024 came to the hospital complaining of intermittent heartburn accompanied by blood mucus, feeling weak and anxious since 03.00 WIB. Objective data TFU 35 cm, palpable buttocks, right back, palpable lower part of head, convergent. His 2x/10'/15'' weak intensity, DJJ 148x/minute regular. There are no abnormalities in the vaginal vulva, mucus mixed with blood, thick, soft portio, opening 4 cm, intact amniotic fluid, hodge I. Analysis obtained by Mrs. I, 40 years old, G9P7A1, 39 weeks pregnant inpartu, stage I, active phase, single fetus, live intrauterine and the condition of the fetus is good. Management is monitoring FHR, HIS and the progress of labor as well as collaborating with an ob-gyn doctor to accelerate labor by drip oxytocin 5 IU 20 tpm. So the opening was complete and at 03.18 WIB the baby was born spontaneously vaginally, crying strongly, with reddish skin and active muscle tone.

Conclusion after 3 days of treatment at the hospital, the condition of the mother and baby was good and the examination was normal. Suggestions the client and family are able to carry out the recommendations suggested by the doctor or midwife and the family can make the right decision in determining contraception.

Keywords : Childbirth, Complications, Oxytocin

References : 37 Source (2014-2024)