

LAMPIRAN 1
KUESIONER PENELITIAN

I. Karakteristik Responden

1. Nama :
2. Jenis Kelamin :
3. Tempat, Tanggal Lahir :
4. Berat badan saat lahir :
5. Panjang badan saat lahir :
6. Anak ke dari bersaudara
7. Nama Ibu :

II. Pemberian ASI Eksklusif

No	Nama	IMD	Bulan ke-0	Bulan ke-1	Bulan ke-2	Bulan ke-3	Bulan ke-4	Bulan ke-5	Bulan ke-6

Keterangan :

Ya = ASI eksklusif

Tidak = Tidak ASI eksklusif

III. Perkembangan Berat Badan

No	Nama	BB Lahir	Bulan ke-0	Bulan ke-1	Bulan ke-2	Bulan ke-3	Bulan ke-4	Bulan ke-5	Bulan ke-6

LAMPIRAN 2
DUMMY TABLE

Tabel 1
Gambaran karakteristik responden

Variabel	Jumlah (n)	Persentase (%)
Jenis kelamin		
Laki-laki		
Perempuan		
Total		
Berat badan lahir		
BBLR		
Tidak BBLR		
Total		
Panjang badan lahir		
Pendek		
Tidak Pendek		
Total		
Inisiasi menyusui dini		
IMD		
Tidak IMD		
Total		

Tabel 2
Hubungan pemberian ASI eksklusif dengan perkembangan berat badan

Jenis pemberian ASI	Berat Badan Naik		Berat Badan tidak naik		P	RR
	n	%	n	%		
Eksklusif						
Tidak eksklusif						
Total						

LAMPIRAN 3
OUTPUT SPSS

pemberian_ASI * bulan_1

Crosstab

			bulan_1		Total
			Naik	Tidak naik	
pemberian_ASI	ASI Eksklusif	Count	14	3	17
		Expected Count	13.5	3.5	17.0
		% of Total	41.2%	8.8%	50.0%
	Tidak ASI Eksklusif	Count	13	4	17
		Expected Count	13.5	3.5	17.0
		% of Total	38.2%	11.8%	50.0%
Total	Count	27	7	34	
	Expected Count	27.0	7.0	34.0	
	% of Total	79.4%	20.6%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.180 ^a	1	.671		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.180	1	.671		
Fisher's Exact Test				1.000	.500
Linear-by-Linear Association	.175	1	.676		
N of Valid Cases	34				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 3.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pemberian_ASI (ASI Eksklusif / Tidak ASI Eksklusif)	1.436	.269	7.678
For cohort bulan_1 = Naik	1.077	.764	1.518
For cohort bulan_1 = Tidak naik	.750	.197	2.857
N of Valid Cases	34		

pemberian_ASI * bulan_2

Crosstab

			bulan_2		Total
			Naik	Tidak naik	
pemberian_ASI	ASI Eksklusif	Count	11	6	17
		Expected Count	11.5	5.5	17.0
		% of Total	32.4%	17.6%	50.0%
	Tidak ASI Eksklusif	Count	12	5	17
		Expected Count	11.5	5.5	17.0
		% of Total	35.3%	14.7%	50.0%
Total	Count	23	11	34	
	Expected Count	23.0	11.0	34.0	
	% of Total	67.6%	32.4%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.134 ^a	1	.714		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.135	1	.714		
Fisher's Exact Test				1.000	.500
Linear-by-Linear Association	.130	1	.718		
N of Valid Cases	34				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pemberian_ASI (ASI Eksklusif / Tidak ASI Eksklusif)	.764	.181	3.229
For cohort bulan_2 = Naik	.917	.575	1.461
For cohort bulan_2 = Tidak naik	1.200	.451	3.191
N of Valid Cases	34		

pemberian_ASI * bulan_3

Crosstab

			bulan_3		Total
			Naik	Tidak naik	
pemberian_ASI	ASI Eksklusif	Count	11	6	17
		Expected Count	11.0	6.0	17.0
		% of Total	32.4%	17.6%	50.0%
	Tidak ASI Eksklusif	Count	11	6	17
		Expected Count	11.0	6.0	17.0
		% of Total	32.4%	17.6%	50.0%
Total	Count	22	12	34	
	Expected Count	22.0	12.0	34.0	
	% of Total	64.7%	35.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.000 ^a	1	1.000		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.000	1	1.000		
Fisher's Exact Test				1.000	.640
Linear-by-Linear Association	.000	1	1.000		
N of Valid Cases	34				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pemberian_ASI (ASI Eksklusif / Tidak ASI Eksklusif)	1.000	.245	4.083
For cohort bulan_3 = Naik	1.000	.609	1.643
For cohort bulan_3 = Tidak naik	1.000	.402	2.485
N of Valid Cases	34		

pemberian_ASI * bulan_4

Crosstab

			bulan_4		Total
			Naik	Tidak naik	
pemberian_ASI	ASI Eksklusif	Count	13	4	17
		Expected Count	11.5	5.5	17.0
		% of Total	38.2%	11.8%	50.0%
	Tidak ASI Eksklusif	Count	10	7	17
		Expected Count	11.5	5.5	17.0
		% of Total	29.4%	20.6%	50.0%
Total	Count	23	11	34	
	Expected Count	23.0	11.0	34.0	
	% of Total	67.6%	32.4%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.209 ^a	1	.271		
Continuity Correction ^b	.538	1	.463		
Likelihood Ratio	1.221	1	.269		
Fisher's Exact Test				.465	.232
Linear-by-Linear Association	1.174	1	.279		
N of Valid Cases	34				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pemberian_ASI (ASI Eksklusif / Tidak ASI Eksklusif)	2.275	.518	9.989
For cohort bulan_4 = Naik	1.300	.807	2.095
For cohort bulan_4 = Tidak naik	.571	.204	1.598
N of Valid Cases	34		

pemberian_ASI * bulan_5

Crosstab

			bulan_5		Total
			Naik	Tidak naik	
pemberian_ASI	ASI Eksklusif	Count	7	10	17
		Expected Count	8.0	9.0	17.0
		% of Total	20.6%	29.4%	50.0%
	Tidak ASI Eksklusif	Count	9	8	17
		Expected Count	8.0	9.0	17.0
		% of Total	26.5%	23.5%	50.0%
Total	Count	16	18	34	
	Expected Count	16.0	18.0	34.0	
	% of Total	47.1%	52.9%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.472 ^a	1	.492		
Continuity Correction ^b	.118	1	.731		
Likelihood Ratio	.473	1	.491		
Fisher's Exact Test				.732	.366
Linear-by-Linear Association	.458	1	.498		
N of Valid Cases	34				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pemberian_ASI (ASI Eksklusif / Tidak ASI Eksklusif)	.622	.160	2.416
For cohort bulan_5 = Naik	.778	.377	1.604
For cohort bulan_5 = Tidak naik	1.250	.658	2.376
N of Valid Cases	34		

pemberian_ASI * bulan_6

Crosstab

			bulan_6		Total
			Naik	Tidak naik	
pemberian_ASI	ASI Eksklusif	Count	7	10	17
		Expected Count	5.5	11.5	17.0
		% of Total	20.6%	29.4%	50.0%
	Tidak ASI Eksklusif	Count	4	13	17
		Expected Count	5.5	11.5	17.0
		% of Total	11.8%	38.2%	50.0%
Total	Count	11	23	34	
	Expected Count	11.0	23.0	34.0	
	% of Total	32.4%	67.6%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.209 ^a	1	.271		
Continuity Correction ^b	.538	1	.463		
Likelihood Ratio	1.221	1	.269		
Fisher's Exact Test				.465	.232
Linear-by-Linear Association	1.174	1	.279		
N of Valid Cases	34				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pemberian_ASI (ASI Eksklusif / Tidak ASI Eksklusif)	2.275	.518	9.989
For cohort bulan_6 = Naik	1.750	.626	4.893
For cohort bulan_6 = Tidak naik	.769	.477	1.240
N of Valid Cases	34		