

DAFTAR PUSTAKA

- Adam, J.M. 2009. Buku Ajar Ilmu Penyakit Dalam Jilid III Edisi V. Jakarta: Balai Penerbit FKUI.
- Adam JM. 2010. *Dislipidemia*. In: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, editors. Buku Ajar Ilmu Penyakit Dalam. Jakarta: Interna Publishing. p.1984-1992.
- Arranz-Pena, M.-L., Tasende-Mata, J., & Martin-Gil, F. J. (1998). Comparison of two homogeneous assays with a precipitation method and an ultracentrifugation method for the measurement of HDL-cholesterol. *Clinical Chemistry*, 44(12), 2499–2505. <https://doi.org/10.1093/clinchem/44.12.2499>
- Clark, S., Youngman, L. D., Palmer, A., Parish, S., Peto, R., & Collins, R. (2003). Stability of plasma analytes after delayed separation of whole blood : implications for epidemiological studies. *International Journal of Epidemiology*, 32, 125–130. <https://doi.org/10.1093/ije/dyg023>
- Cuhadar, S., Atay, A., Koseoglu, M., Dirican, A., & Hur, A. (2012). Stability studies of common biochemical analytes in serum separator tubes with or without gel barrier subjected to various storage conditions. *Biochimia Medica*, 22(2), 202–214. <https://doi.org/10.11613/bm.2012.023>
- Erizon, & Karani, Y. (2020). Hdl dan Aterosklerosis. *Jurnal Human Care*, 5(4), 1123–1131.
- Fernando, C., Flores, Y., De, Á., Hurtado, M., Maritza, V., Bonilla, C., & Sáenz-flor, K. (2020). Sample management : stability of plasma and serum on different storage conditions. *The Journal of the International Federation of Clinical Chemistry and Laboratory Medicine*, 31(1), 46–55.
- Goswami, B., Singh, B., & Chawla, R. (2010). Evaluation of errors in a clinical laboratory : A one-year experience Evaluation of errors in a clinical laboratory : a one-year. *Clin Chem Lab Med*, 48(1), 63–66. <https://doi.org/10.1515/CCLM.2010.006>
- Hartini, S., Suryani, M. E., Kesehatan, P., & Kaltim, K. (2016). UJI KUALITAS SERUM SIMPANAN TERHADAP KADAR. *Jurnal Ilmiah Manuntung*, 2(1), 65–69.
- Hedayati, M., Razavi, S. A., Boroomand, S., & Kia, S. K. (2020). The impact of pre-analytical variations on biochemical analytes stability : A systematic review. *Journal of Clinical Laboratory Analysis*, 1–15. <https://doi.org/10.1002/jcla.23551>
- Holzer, M., Kern, S., Trieb, M., Trakaki, A., & Marsche, G. (2017). HDL structure and function is profoundly affected when stored frozen in the absence of

- cryoprotectants. *Jurnal of Lipid Research*, 58, 2220–2228. <https://doi.org/10.1194/jlr.D075366>
- Ignatius, C. M., Emeka, E. N., Ebele, J. I., & Chinelo, V. M. (2009). The Effect of Sample Storage on Total Cholesterol and Hdl-cholesterol Assays. *Curr. Res. J. Biol. Sci.*, 1(2), 1–5.
- Jim, E. L. (2013). Metabolisme lipoprotein. *Jurnal Biomedik (JBM)*, 5(3), 149–156.
- Kachhwaha, K., Kachhwaha, P., Varma, M., Behera, R., Agrawal, D., & Kumar, S. (2017). Study of the Stability of Various Biochemical Analytes in Samples Stored at Different Predefined Storage Conditions at an Accredited Laboratory of India. *Journal of Laboratory Physician*, 9(1), 11–15. <https://doi.org/10.4103/0974-2727.187928>
- Montoya, M. T., Porres, A., Serrano, S., Fruchart, J. C., Mata, P., Gerique, J. A. G., & Castro, G. R. (2002). Fatty acid saturation of the diet and plasma lipid concentrations, lipoprotein particle concentrations, and cholesterol efflux capacity. *American Journal of Clinical Nutrition*, 75(3), 484–491. <https://doi.org/10.1093/ajcn/75.3.484>
- Musigavon, P., & Yipintsoi, T. (2005). Loss of High Density Lipoprotein Cholesterol in Serum: Effect of Storage. *J Med Assoc Thai*, 88(10), 1388–1394.
- NCCLS. (2004). *Procedures for the Handling and Processing of Blood Specimens* (Third, Vol. 24, Issue 38).
- Neogi, S. S., Mehndiratta, M., Gupta, S., & Puri, D. (2016). Pre-analytical phase in clinical chemistry laboratory. *J Clin Sci Res*, 5, 171–179. <https://doi.org/http://dx.doi.org/10.15380/2277-5706.JCSR.15.062>
- Norata, G. D., & Catapano, A. L. (2005). Molecular mechanisms responsible for the antiinflammatory and protective effect of HDL on the endothelium. *Vascular Health and Risk Management*, 1(2), 119–129. <https://doi.org/10.2147/vhrm.1.2.119.64083>
- Oktaviani, T. (2019). Sekolah tinggi ilmu kesehatan perintis padang padang 2019. In *Sekolah Tinggi Ilmu Kesehatan Perintis Padang*.
- Portela, R. D. P., Neto, E. M. R., Júnior, F. J. G., Ferreira, J. M., De Sousa Alves, R., De Jesus Ponte Carvalho, T. M., & Holanda, B. A. P. (2018). Comparative analysis of two methodologies for determination of HDL cholesterol. *Journal of Young Pharmacists*, 10(3), 308–312. <https://doi.org/10.5530/jyp.2018.10.68>
- Priya, T., Maurya, S., & Khan, K. H. (2013). Research Journal of Pharmaceutical , Biological and Chemical Sciences Cholesterol : Genetic , Clinical and Natural Implications. *Research Journal of Pharmaceutical, Biological and Chemical*

- Sciences*, 4(3), 1344–1364.
- Purbayanti, D. (2015). Pengaruh Waktu Penyimpanan Serum untuk Pemeriksaan Kolesterol Total. *Jurnal Surya Medika*, 1(1).
- Rifai, N., Horvath, A. R., & Wittwer, C. T. (2018). *Tietz Texbook Clinical Chemistry and Molecular Diagnostic* (6th ed.). Elsevier.
- Shimizu, Y., & Ichihara, K. (2019). *Elucidation of stability profiles of common chemistry analytes in serum stored at six graded temperatures*. 57(9), 1388–1396.
- Tuck, M., Turgeon, D. K., & Brenner, D. E. (2013). Serum and Plasma Collection: Preanalytical Variables and Standard Operating Procedures in Biomarker Research. In *Proteomic and Metabolomic Approaches to Biomarker Discovery*. Elsevier. <https://doi.org/10.1016/B978-0-12-394446-7.00005-4>
- WHO. (2002). *Use of Anticoagulants In Diagnostic*.
- WHO. (2010). *Guidelines on Drawing Blood : Best Practices in Phlebotomy*.