

DAFTAR PUSTAKA

- Akobeng, A. K. (2007) 'Understanding diagnostic tests 1: Sensitivity, specificity and predictive values', *Acta Paediatrica, International Journal of Paediatrics*, 96(3), pp. 338–341. doi: 10.1111/j.1651-2227.2006.00180.x.
- Bathool, F. and Kitchulu, R. K. (2019) 'The Efficacy Of Rapid Tests And Gram Stain For Early Detection Of Urinary Tract Infection', *University Journal of Pre and Para Clinical Sciences*, 5(8), pp. 2–4.
- Bensman, A., Dunand, O. and Ulinski, T. (2009) 'Urinary Tract Disorders', in *Pediatric Nephrology*. Springer-Verlag Berlin Heidelberg. doi: 10.1353/psg.2014.0135.
- Beveridge, T. J. (2001) 'Use of the Gram stain in microbiology', *Biotechnic and Histochemistry*, 76(3), pp. 111–118. doi: 10.1080/bih.76.3.111.118.
- Callens, A. J. and Bartges, J. W. (2015) *Urinalysis, Veterinary Clinics of North America - Small Animal Practice*. doi: 10.1016/j.cvsm.2015.02.001.
- Coico, R. (2005) *Gram Staining BASIC PROTOCOL Commonly Used Techniques, Current Protocols in Microbiology*. doi: 10.1002/9780471729259.mca03cs00.
- Dewi, K. S. (2015) *Uji Diagnostik Pemeriksaan Pewarnaan Gram dan Tes Dipstik Urin dalam Mendiagnosa Infeksi Saluran Kemih*. Universitas Sumatera Utara. Available at: <http://repositori.usu.ac.id/handle/123456789/19715>.
- Fatima, A. *et al.* (2017) 'Evaluation of Microscopic Screening Methods for Detection of Urinary Tract Infection', 9(6), pp. 44–49.
- Foxman, B. (2010) 'The epidemiology of urinary tract infection', *Nature Reviews Urology*. Nature Publishing Group, 7(12), pp. 653–660. doi: 10.1038/nrurol.2010.190.
- Ismaili, K. *et al.* (2011) 'Febrile urinary tract infections in 0- to 3-month-old infants: A prospective follow-up study', *Journal of Pediatrics*. Mosby, Inc., 158(1), pp. 91–94. doi: 10.1016/j.jpeds.2010.06.053.
- Lalkhen, A. G. and McCluskey, A. (2008) 'Clinical tests: Sensitivity and specificity', *Continuing Education in Anaesthesia, Critical Care and Pain*, 8(6), pp. 221–223. doi: 10.1093/bjaceaccp/mkn041.

- McPherson, R. A. and Pincus, M. R. (2017) *Henry's Clinical Diagnosis and Management by Laboratory Methods*. 23rd edn, Elsevier. 23rd edn. Elsevier.
- Moyes, R. B., Reynolds, J. and Breakwell, D. P. (2009) 'Differential staining of bacteria: Gram stain', *Current Protocols in Microbiology*, (SUPPL. 15), pp. 1–8. doi: 10.1002/9780471729259.mca03cs15.
- Mundt, L. A. and Shanahan, K. (2011) *Graff's Textbook of Routine Urinalysis and Body Fluids, Textbook of Routine Urinalysis and Body Fluids*. doi: papers3://publication/uuid/1705BC42-6BA0-4E75-A451-92F66F605CE6.
- Najeeb, S. *et al.* (2015) 'Comparison of Urine Dipstick Test with Conventional Urine Culture in Diagnosis of Urinary Tract Infection', *Journal of the College of Physicians and Surgeons Pakistan*, 25(2), pp. 180–110.
- Pratistha, F. S. M., Sudhana, I. W. and Adnyana, I. W. L. (2017) 'Diagnosis Cepat Infeksi Saluran Kemih Dengan Menghitung Jumlah Leukosituria Pada Urinalisis Metode Flowcytometry Sysmex Ux-2000 Dengan Baku Emas Kultur Urin Di Rsup Sanglah Denpasar', *Jurnal Penyakit Dalam Udayana*, 1(2), pp. 52–56. doi: 10.36216/jpd.v1i2.4.
- Putri, A. U. *et al.* (2013) 'Comparison of Urine Gram stain and urine culture to diagnose urinary tract infection in children', *Paediatrica Indonesiana*, 53(2), pp. 121–124.
- Ramadani, E. S., Anggraini, H. and Sukeksi, A. (2017) 'Hubungan Nitrit Urin dengan Jumlah Leukosit Urin pada Suspek Infeksi Saluran Kemih', *Repository Universitas Muhammadiyah Semarang*, p. 17.
- Siregar, M. T. *et al.* (2018) *Kendali Mutu, Kementerian Kesehatan Republik Indonesia*.
- Strasinger, S. K. and Lorenzo, M. S. Di (2008) *Urinalysis and Body Fluids, 6th Edition*. United States of America: F. A. Davis Company. doi: 10.1309/lmze9pxb0a1ojlhd.
- Sundayani, L. and Agrijanti (2019) 'Uji Sensitivitas Dan Spesifitas Uji Penyaringan Kandidiasis Vagina Menggunakan Sedimen Dengan Pengecatan Gram', *Jurnal Analis Medika Biosains (JAMBS)*, 2(1), pp. 13–22.
- De Toro-Peinado, I. *et al.* (2015) 'Microbiological diagnosis of urinary tract infections', *Enfermedades Infecciosas y Microbiologia Clinica*. Elsevier, 33(S2), pp. 34–39. doi: 10.1016/S0213-005X(15)30013-6.

- Trihono, P. P. *et al.* (2019) 'Pewarnaan Gram Urin untuk Diagnosis Infeksi Saluran Kemih pada Anak Usia 2 Bulan hingga 2 Tahun', *Sari Pediatri*, 20(4), p. 230. doi: 10.14238/sp20.4.2018.230-6.
- Vaillancourt, S. *et al.* (2007) 'To Clean or Not to Clean : Effect on Contamination Rates in Midstream Urine Collections in Toilet-', *Pediatrics*, 119, pp. e1288–e1293. doi: 10.1542/peds.2006-2392.
- Vellyana, D., Irianto, G. and Rahmad (2020) 'Teknik Pemasangan Kateter Pada Kejadian Infeksi Saluran Kemih Di Ruang Rawat Inap RSUD Pringsewu', *Jurnal Kesehatan Indonesia*, X(2), pp. 115–121.
- Yodoshi, T. *et al.* (2019) 'Utility of point-of-care Gram stain by physicians for urinary tract infection in children ≤ 36 months', *Medicine*, 98(14), p. e15101. doi: 10.1097/MD.00000000000015101.
- Zaetun, S. *et al.* (2015) 'Uji Sensitivitas dan Spesifitas Penemuan Basil Gram Negatif Dengan Pengecatan Gram Sebagai Diagnosis Penyaring Infeksi Saluran Kemih', *BiosaninsJurnal Analis Medika*, 2(1).