

DAFTAR PUSTAKA

- Adiwuyi, Adewela., Fasusi, Omolola H., dan Oderinde, Rotimi A. (2014). Antibacterial Activities of Acetinides Prepared From The Seed Oilsof *Caliphyllum inophyllum* and *Pterocarpus osun*. *Journal of Acute Medicine*, 4(2), 75–80.
- Agrios, G.N. (2005). *Plant Pathology* (5th ed). New York: Elsevier Academic Press.
- Allen Jr., Loyd V. (2002). *The Art, Science, and Technology of Pharmaceutical Compounding*. WDC: American Pharmaceutical Association.
- Ansel, H.C. (2008). *Pengantar Bentuk Sediaan Farmasi*. Edisi IV. Alih Bahasa Ibrahim,F. Jakarta: IU Press.
- Ansel, Jean Luc., Lupo, Elisel., Mijouin, Lily., Guillot, Samuel., Butaud, jea Francois., Ho, Raimana., Lecellier, Gael., Raharivelomanana, Phila., dan Picho, Chantal. (2016). Biological Activity of Polynesian *Calophyllum inophyllum* Oil Extract on Human Skin Cells. *Planta Medica*, 82(11–12), 961–966.
- Arinjani, Siti dan Ariani, Lilies Wahyu. (2019). Pengaruh Variasi Konsentrasi PVA pada Karakteristik Fisik Sediaan Masker Gel *Peel-Off* Ekstrak Daun Ungu (*Graptophyllum pictum* L. Griff). *Jurnal Media Farmasi Indonesia*, 14(2), 1525-1530
- Aulton, Michael E., dan Taylor K. M. G. (2018). *Aulton's Pharmaceutic: The Design and Manufacture of Medicines* (5th ed). UK: Elsevier.
- Ayuningtyas, Nurista Dida., Pitri, Agustina., Sudarsono, Pitasari., dan Hapsari, Azizah Yuka. (2016). Optimasi Formula Peel-Off Ekstrak Etanol 70% Bunga Rosela (*Hibiscus Sabdariffa* L.) dengan Kombinasi Carbomer dan Polivinil Alkohol. *Jurnal Akademi Farmasi Nusaputera*.
- Bagnoli, Fabio., Rappuoli, R., dan Grandi, Guido. (2017). *Staphylococcus aureus: Microbiology, Pathology, Immunology, Therapy and Prophylaxis*. Switzerland: Springer.
- Baisaeng, N., Kawaree,R., Boonma, A., Sadnen, J., dan Khamkaew. (2017). Antibacterial Activity of Essential Oil from *Wedelia trilobata* Leaves against *P granulosum*. *Journal Science Asia*, 43, 275–280.
- Basuki, Kinkin S. (2003). *Tampil Cantik dengan Perawatan Sendiri*. Jakarta: Gramedia Pustaka Utama.
- Baumann, L., Saghari, S., dan Weisberg, E. (2009). *Cosmetic Dermatology : Principles and Practice* (2nd ed). United States: The McGraw-Hill Companie, Inc.

- Beringhs, André O'Reilly., Rosa, Julia Macedo dan Stulzer, Hellen Karine. (2013). Green Clay and Aloe Vera Peel-Off Facial Masks: Response Surface Methodology Applied to the Formulation Design. *AAPS Journal*, 14(1), 445-455
- Brick, C. S., Degoutin, N., Tabaryy, V., Miri dan M. Bacquet. (2014). New Crosslinked cast Film Based on Poly (Vinyl alcohol), preparation and physico-chemical properties. *Journal Express Polymer Letters*, 8(12), 941–952.
- Butler, H. (2000). *Poachers Perfumes, Cosmetics and Soap* (10th ed). London: Kluwer Academic Publisher.
- Chellapa, Padmadevi., Mohamed, Aref T., Keleb, Eseldin I., Elmahgoubi, Assad., Eid, Ahmad M., Issa, Yosef S., dan Elmarzugi, Nagib A. (2015). Nanoemulsion and Nanogel as a Topical Formulation. *IQSR Journal of Pharmacy*, 5, 43-47.
- Convention, USP. (2009). *USP 32 NF 27: United States Pharmacopeia and National Formulary*. Rockville: The US Pharmacopeial Convention.
- Dahlan, M. Sopiudin. (2009). *Statistik untuk Kedokteran Kesehatan*. Jakarta: Salemba Medika.
- Dewi, Aulia Kania. (2020). Uji Stabilitas *Freeze Thaw* terhadap Sediaan Nanoemulsi Minyak dalam Air (M/A) Minyak tamanu (*Calophyllum inophyllum* L.). Karya Tulis Ilmiah. Jurusan Farmasi Poltekkes Bandung.
- Dewi, K.A. (2013). Isolasi, Identifikasi dan Uji Sensitivitas *Staphylococcus aureus* terhadap Amoxicillin dari Sampel Susu Kambing Peranakan Ettawa (PE) Penderita Mastitis di Wilayah Girimulyo, Kulonprogo, Yogyakarta. *Jurnal Sain Veteriner*, 31(2), 138-150.
- Djajadisastra dan Dessy. (2009). Formulasi Gel Topikal dari Ekstrak Nerii Folium dalam Sediaan Anti Jerawat. *Jurnal Farmasi Indonesia*, 4(4).
- Djajadisastra, J. (2004). Cosmetic Stability. Departemen Farmasi Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Indonesia. *Seminar Setengah Hari HIKI*. Jakarta.
- Draelos, Z. D. (2010). *Cosmetic Dermatology Product and Procedures*. UK: Blackwell Publishing, Ltd.
- Draelos, Z. D., dan Thaman, Lauren A. (2006). *Cosmetic Formulation of Skin Care Product*. New York: Taylor and Francis Group.
- Dwerk, A. C., dan Meadows T. (2002). Tamanu (*Calophyllum inophyllum*) – the African, Asian, Polynesian and Pacific Panacea. *UK International Journal of Cosmetic Science*, 24(6), 341–348.
- Felton, Linda A. (2013). Mechanisms of Polymeric Film Formation. *International Journal of Pharmaceutics*, 457(2), 423-427 .

- Friday, J. B., dan Dana Okano. (2006). *Calophyllum inophyllum* (kamani) USA Traditional Tree Initiative-Species Profiles for Pasific Island Agroforestry. Retrieved from www.traditionaltree.org.
- Garg, A., Aggarwal, D., Garg, S., dan Sigla, A. K. (2002). Spreading of semisolid Formulation: An Update. *Journal Pharmaceutical Technology*, 84-105
- Garg, T. (2014). Current nanotechnological approaches for an effective delivery of bio-active drug molecules in the treatment of acne. *Informa Health Care*, 1-8.
- Gennaro, A. R. (2000). *Remington: The Science and Practice of Pharmacy*. 20th Ed. Pennsylvania: Mack Publishing Company.
- Gillespie, Claire. (2018, April 26). The effect of Temperature on the pH of Water. *Sciencing*. 16 Juni 2020. <https://sciencing.com/effects-temperature-ph-water-6837207.html>
- Halvorsen, J.A., Stern, R.S., Dalgard, F., Thoresen, M., Bjertness, E., dan Lien L. (2010). *Suicidal ideation, mental health problems, and social impairment are increased in adolescents with acne: a population-based study J Invest Dermatol (Review)*.
- Hanan, Dian Mardiana dan Puji, Astri Nur. (2018). Formulasi dan Evaluasi Sediaan Gel *Peel-Off* Pati Bengkoang (*Pachyrrhizul erosus* L.) untuk Flek Hitam Bekas Jerawat. *Jurnal Farmasi Muhammadiyah Kuningan*, 3(2), 1-10.
- Harahap, M. (2000). *Ilmu Penyakit Kulit*. Jakarta: Hipokrate.
- Harry. (2011). *Harry Cosmetology* (7th ed). New York: Chemical Publisng.
- Heryati, Y., Rostiwati, T. dan Mile Y. (2007). *Tanaman Nyamplung*. Bogor: Departemen Kehutanan Badan Penelitian dan Pengembangan Kehutanan Pusat Penelitian dan Pengembangan Hutan Tanaman Kampus Balitbang Kehutanan.
- Hussain, Afzal., Samad, Abdus., Singh, S. K., Ahsan, M. N., Haque, M. W., Faruk, A., dan Ahmed, F. J. (2016). Nanoemulsion Gel-based Topical Delivery of an Antifungal Drug: Invitro activity and invivo evaluation. *Drug Delivery Informa Healthcare*, 23(2), 642-657.
- Islam, Mohammad T., Hornedo, Nair Rodriguez., Ciotti, Susan dan Ackermann Chrisita. (2004). Rheological Characterization of Topical Carbomer Gels neutralized to different pH. *Pharmaceutical Research*, 21(7), 1.192-1199.
- Jawetz, Melnick dan Adelberg. (2008). *Medical Microbiology* (24th ed). North America: Lange Medical book.
- Jie, L., Nguyen, Q., Zhou, J., dan Ping Z. (2003). Poly(vinyl alcohol) poly(vinyl pyrrolidone) pervaporation Properties. *Journal of Applied Polymer Science. Syntethesis and interpenetiting polymer network*. 89, 2808–2814.

- Joker, Dorthe. (2004). *Calophyllum inophyllum* L Seed Leaflet Forest & Landscape (87) Denmark.
- Kalyanaraman,, L. Kumar, R. Mohan., Vishweshar, Peddy., Pichai, R., dan Narasimhan, S. (2010). %-Methoxy-2,2-dimethyl-6-[(2E)-2-methylbut-2-enoyl]-10-phenyl-2H,8H-pyrano[2,3-f]chromen-8-one (*Calophyllolide*). *Acta Crystallographica Section E: Structure Reports Online*, 66(5).
- Kartal, Selda Pelin., dan Gonul, Muzeyyen. (2017). *Acne and Acneiform eruption*. Croatia: Intech Open.
- Kartika, Irfiana Dinta., Wirasti dan Isyti'aroh. (2020). Optimasi Dan Formulasi Masker Gel Peel-Off Ekstrak Etanol Buah Terong Belanda (*Solanum betaceum* Cav.) Perbedaan Konsentrasi Polivinil Alkohol. *Jurnal Universitas Muhammadiyah Pekajangan Pekalongan*, 1-11.
- Kartikasari, Dian dan Anggraini, Reni. (2018). Formulasi Masker Gel *Peel-Off* dari Ekstrak Etanol Umbi Bawang Dayak (*Eleutherinebulbosa* (Mill.) Urb. *Eleutherine americana* Merr). *Jurnal Ilmu Farmasi dan Farmasi Klinik*, 15(1), 1-11.
- Kataria, Usha., dan Chillar, Dinesh. (2015). *Acne: Etiopathogenesis and its management*. IAIM.
- Kedzia, Anna., Mscisz, Alina., dan Meissner, Henry O. (2011). The effect of Tamanu oil (*Calophyllum inophyllum*) on anaerobic bacteria isolated from respiratory tract. *Journal Prace Doswiadczalne Original Papers*, (2), 159–163.
- Kemenkes RI. (2014). *Farmakope Indonesia*. Edisi V. Jakarta: Kemenkes RI.
- Kielhorn, J. S., Melching-Kollmuß dan Mangelsdorf. (2006). *Dermal Absorption: Enviromental Health Criteria 235*, World Health Organization, WHO Press.
- Kim, Huynh Ba. 2008. *Handbook of Stability Testing in Pharmaceutical Development*. USA: Springer.
- Kusantati, Herni., Prihatin, Pipin Tresna., dan Wiana, Winwin. (2008). *Tata Kecantikan Kulit. Jilid Satu*. Jakarta: Direktorat Pembinaan Sekolah Menengah Kejuruan.
- Léguillier, Teddy., Marylin Lecs Bornet, Christelle Lémus, Delphine Rousseau Ralliard Nicolas Lebouvier ,Edouard Hnawia, Mohammed Nour, William Aalbersberg, Kamelia Ghazi, Phila Raharivelomanana dan Patrice Rat. (2015). The Wound Healing and Antibacterial Activity of Five Ethnomedical *Calophyllum inophyllum* Oils: An Alternative Therapeutic Strategy to Treat Infected Wounds. *Journal PLoS ONE*, 10(9), 1-20.
- Leksono, Budi. (2016). *Seleksi Berulang pada Spesies Tanaman Hutan Tropis untuk Kemandirian benih Unggul*. Bogor: Kementerian Lingkungan Hidup dan Kehutanan Badan Penelitian, Pengembangan dan Inovasi.

- Lestari, P.M., R.B. Sutyasningsih, R. Ruhimat. (2013). *The influence of increase concentration polivinil alcohol (PVA) as a gelling agent on physical properties of the peel-off gel of pineapple juice (Ananas comosus L.)*. Asian Societies of Cosmetic Scientists Conference. 14(1), 445–455.
- Lim, T. K. (2012). *Calophyllum inophyllum L. Edible Medicinal And Non-Medicinal Plants: Volume 2 Fruits*. *Journal Springer Scienc*, 7-20.
- Liu, Wei Hsien., Liu, Yen Wenn., Chen, Zih Fong., Chiou, Wen Fei., Tsai, Ying Chieh dan Che, Chien Chih. (2015). Calophyllolide Content in Calophyllum inophyllum at Different Stages of Maturity and Its Osteogenic Activity. *Molecules Journal*, 20, 12314-12327.
- Lubrizol. (2009, September). Neutralizing Carbopol®* and Pemulen™* Polymers in Aqueous and Hydroalcoholic Systems. Technical Data Sheet The Lubrizol Corporation.
- Maali, A., dan M. T. Hamed Mosavian. (2013). Preparation and Application of Nanoemulsians in the Last Decade (2010-2011). *Journal of Dispersion Science and Technology*, 92-105.
- Malvern. (2011). Zetasizer Nano Series: Research Performance, Operational Simplicity and Application Versatility. 17 Juni 2020. <https://www.malvernpanalytical.com>
- Mclaughlin, J., Watterson, S., Layton, A. M., Bjourson, a. J., Barnard, E., dan mcdowell, A. (2019). *Propionibacterium acnes and Acne Vulgaris: New Insight from the Integration of Population genetic, Multi-Omic, Biochemical and Host-Microbe studies (Review)*.
- Muliyawan, Dewi., dan Suriana, N. (2013). *A-Z tentang Kosmetik*. Jakarta: Elex Media Komputindo.
- Natural Sourcing. (2014). Tamanu Oil Calophyllum inophyllum L Specifications. Natural Sourcing Specialist in Cosmeceutical Ingridient. *England United Kingdom*. 203, 6478.
- Nilforoushadeh, Mohammad Ali., Amirkhani, Mohammad Amir., Zarrintaj, Payam., Moghaddam, Abolfazl Salehi., Mehrabi, Tina., Alavi, Shiva., dan Sisakht, Mahsa Mollapour. (2018). Skin care and rejuvenation by cosmeceutical facial mask. *Journal of Cosmetic Dermatology*, 17(5), 693–702.
- Oo, Win Min. (2018). Pharmacological Properties of Calophyllum inophyllum – Updated Review. *International Journal of Photochemistry and Photobiology. Science Publishing Group Myanmar*, 2(1), 28-32.
- Padmadisastra, Yudi., Syaugi, Amin., dan Anggia, Shinta. (2007). Formulasi Sediaan Salep Antikeloidal yang Mengandung Ekstrak Terfasilitasi Panas Microwave dari Herba Pegagan (*Centella asiatica L. Urban*). *Jurnal farmasi UNPAD*.

- Pathak, Yashwant., dan Thassu, Deepak. (2009). *Nanoparticulate Drug Delivery Formulation and Characterization*. New York: Informa Healthcare USA Inc.
- Pratiwi, Liza dan Wahdaningsih, Sri. (2018). Formulasi dan Aktivitas Antioksidan Masker Wajah *Peel-Off* Ekstrak Metanol Buah Pepaya (*Carica papaya L.*). *Pharmacy Media Journal*, 1(2), 50-62.
- Ramdani, Resti dan Hendra Tarigan Sibero. (2015). Treatment for Acne Vulgaris. *Artikel Penelitian*, 4(2), 87-95.
- Rekso, G. T., & Sunarni, A. (2007). *Karakteristik Hidrogel Polivinil Alkohol Kitosan Hasil Iradiasi Sinar Gamma*. Jakarta: Pusat Aplikasi Teknologi Isotop dan Radiasi (PATIR)-BATAN.
- Rohmani, Sholichah dan Dian, Ayuningtyas. (2018). Formulasi Masker Alami Berbahan Dasar Daun Kemangi. *Jurnal Annual Pharmacy conference*, 78-88.
- Ruyadi, A. (2009). Evaluasi status kawasan konservasi Taman Hutan Raya Bukit Soeharto di Kabupaten Kutai Kartanegara. *Jurnal BKSD Kaltim*, 3(1), 43–48.
- Salim, N., Ahmad, N., Musa, S. H., Hashim, R., Tadros, T. F., & Basri, M. (2016). Nanoemulsion as a topical delivery system of antipsoriatic drugs. *Journal RSC Advances*, 6(8), 6234-6250.
- Santoso, Ivan ., Prayoga, Tria., Agustina, Ika dan Rahayu, Wiwit Setya. (2020). Formulasi Masker Gel *Peel-Off* Perasan Lidah Buaya (*Aloe vera L.*) dengan gelling Agent Polivinil Alkohol. *Jurnal Riset Kefarmasian Indonesia*, 2(1), 17-25.
- Saraung, Veronika., Yamlean, Paulina V., dan Citraningtyas, Gayatri. (2018). Pengaruh Variasi Basis Carbopol dan HPMC pada Formulasi Gel Ekstrak Etanol Daun Tapak Kuda (*Ipomoea pes-carpes L. R. Br.*) dan Uji Aktivitas Antibakteri terhadap *Staphylococcus aureus*. *Pharmacon Jurnal Ilmiah Farmasi*, 7(3), 249–256.
- Sari, Nimas Ayu., Santoso, Rahmat., dan Mardhiani, Yanni Dhiani Mardhiani. (2017). Formulasi Masker Emulgel *Peel-Off* Ekstrak Rimpang Jahe Merah (*Zingiber officinale var. Rubrum*) sebagai Anti Jerawat. *Jurnal Farmasi Galenika Edisi Khusus SemNas TOI*. 4, 40-48.
- Sayuti, Nutrisia Aquariushinta. (2015). Formulation and Physical Stability of *Cassia alata L.* Leaf Extract Gel. *Jurnal Kefarmasian Indonesia*, 5(2), 74-82.
- Septiani, Shanti., Wathoni, Nasrul dan Mita, Soraya R. (2011). Formulasi Sediaan Masker Gel Antioksidan dari Ekstrak Etanol Biji Melinjo (*Gnetum Gnemon Linn*). *Jurnal Unpad*, 2-4.

- Shai, Avi., Howard I.M., dan Robert Baran. (2009). *Handbook of Cosmetic Skin Care* (2nd ed). USA: Informa Healthcare.
- Shanmugapriya., Chen, Yeng., Jothy, Subramanion Lachumy., dan Sasidharan, Sreenivasan. (2016). Calophyllum inophyllum: A Medical Plant with Multiple Curative Values. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 7(4), 1446–1452.
- Sheskey, Paul. J., Cook, Walter G, dan Cable, Colin G. (2017). *Handbook of Pharmaceutical Excipients* (8th ed). London: The Pharmaceutical Press.
- Sholikhah, Maratus dan Apriyanti, Rahayu. (2019). Formulasi dan Karakterisasi Fisik Masker Gel *Peel-Off* Ekstrak Lengkuas (*Alpinia galanga*, (L.) Sw). *Jurnal ilmu Farmasi dan Farmasi Klinik*, 16(2), 99-104.
- Sinala, Santi., Afriani, Amalia dan Arisanty. (2019). Formulation *Peel-Off* Gel Mask From Dengan Fruit Extract (*Dillenia serrata*). *Jurnal Media Farmasi Poltekkes Makasar*, 15(2), 178-184.
- Skov, R., Smyth, R., Larsen, A. R. (2006). Phenotypic detection of methicillin resistance in *Staphylococcus aureus* by disk diffusion testing and test on Mueller-Hinton agar. *Journal Clin Microbiol*, 44(12), 4395-4399.
- Suhaime, I.H.B., M. Tripathy, M.S. Mohamed dan A.B.A Majeed. (2012). *The Pharmaceutical Applications of Carbomer*. *Asian Journal of Pharmaceutical Sciences and Research*. 2(2), 1-12.
- Sutriningsih dan Astuti, Irna Wida. (2017). Uji Antioksidan dan Formulasi Sediaan Masker Gel *Peel-Off* dari Ekstrak Biji Alpukat (*Persea Americana* Mill.) dengan Perbedaan Konsentrasi PVA. *Indonesian Natural Research Pharmaceutical Journal*, 1(2), 67-75.
- Syahrurachman, A., Chatim, A., dan Triyanti M. R. (2010). *Buju Ajar Mikrobiologi Kedokteran*. Jakarta: Binarupa Aksara.
- Syamsuni. (2005). *Farmasetika Dasar dan Hitungan Farmasi*. Jakarta: EGC.
- Tambun, Rondang., Limbong, Harry P., Pinem, Christika., dan Manurung Ester. (2016). Influence of Particle Size, Time and Temperature to Extract Phenol from Galangal. *Jurnal Teknik Kimia USU*. 5(2), 53-56.
- Tan, J., dan Bhate, K. (2015). A Global Perspective on the Epidemiology of Acne. *British Journal Dermatolology*, 172(S1), 3–12.
- Tranggono, R. I. dan Latifah F. (2007). *Buku Pegangan Ilmu Pengetahuan Kosmetik*. Jakarta: Gramedia Pustaka Utama.
- Verjan, J.C. Gomez., Hernandez, K. D. Rodriguez., dan Chilpa, R. Reyes. (2017). Bioactive Coumarins and xantones from *Calophyllum* Genus and analysis of Their Druglikeness and Toxicological Properties. *Journal Natural Product Chemistry*, 53, 277-301.

- Vieira, R. P. (2009). Physical and Physicochemical Stability Evaluation of Cosmetic Formulations Containing Soybean Extract Fermented by *Bifidobacterium animalis*. *Brazilian Journal of Pharmaceutical Sciences*, 45(3), 515–525.
- Vogt, A., Combadiere, B., Hadam, S., Stieler, K. M., Lademann, J., Schaefer, H., dan Blume-Peytavi, U. (2006). 40 nm, but not 750 or 1,500 nm, nanoparticles enter epidermal CD1a+ cells after transcutaneous application on human skin. *Journal of Investigative Dermatology*, 126(6), 1316-1322.
- Webster, Guy F., dan Rawlings, Anthony V. (2007). *Acne and Its Therapy*. USA: Informa Healthcare.
- Wyatt, E., Sutter, S.H., dan Drake, L.A. (2001). Dermatology Pharmacology, in Goodman and Gilman's *The Pharmacological Basis of Therapeutics*. Hardman, J.G., Limbird, L.E., Gilman, A.G. (Editor). 10th ed. 1797. New York. McGraw-Hill.
- Yimdjo, M. C., Azebaze, A. G., Nkengfack., AE Meyer, A.M., Bodo, B dan Fomum, ZT. (2004). Antimicrobial and cytotoxic agents from *Calophyllum inophyllum*. *Journal Phytochemistr*, 65(20), 2789-2795.
- Young, Anne. (2002). *Practical Cosmetic Science*. London: Mills and Boon Limited.