

DAFTAR PUSTAKA

- Aherne, S. A. dan O'Brien N. M. (2002). Dietary flavonols: chemistry, food content, and metabolism. *Nutrition*, 18(1): 75–81.
- Ahmed, R., dkk. (2019). Phenolic contents-based assessment of therapeutic potential of *Syzygium cumini* leaves extract. *PLoS ONE*, 14(8): e0221318.
- Akbar, B. (2010). *Tumbuhan Dengan Kandungan Senyawa Aktif Yang Berpotensi Sebagai Bahan Antifertilitas*. Jakarta: Adabia Press.
- Arifin, Helmi, dkk. (2006). Standarisasi Ekstrak Etanol Daun *Eugenia Cumini* Merr. *J. Sains Tek. Farmasi*, 11(2).
- Atun, S. (2003). *Pemanfaatan Bahan Alam Bumi Indonesia Menuju Riset yang Berkualitas Internasional*. Yogyakarta: Jurusan Kimia FMIPA Universitas Yogyakarta.
- Ayyanar, Muniappan dan Pandurangan Subash-Babu. (2011). *Syzygium cumini* (L.) Skeels: A review of its phytochemical constituents and traditional uses. *Asian Pacific Journal of Tropical Biomedicine*, 2(3): 240–246.
- Benerjee, dkk. (2000). Assessment of The Anti-Inflammatory Effects of *Swertia chirata* in Acute and Chronic Experimental Models in Male Albino Rats. *Indian Journal of Pharmacology*, 32: 21-24.
- Brownlee, G. (1950). Effect of doxycortone and ascorbic acid on formaldehyde induced arthritis in normal and adrenalectomized rats. *Lancet*, 1(6596): 157.
- Buessa, Rene J. (2008). Histology Without Formalin. *Annals of Diagnostic Pathology*. 12(6):387-96.
- Chaabani, dkk. (2016). Effect of heat processing on thermal stability and antioxidant activity of six flavonoids. *Journal of Food Processing and Preservation*, 41(5): e13203.
- Chagas, dkk. (2015). *Syzygium cumini* (L.) skeels: a prominent source of bioactive molecules against cardio metabolic diseases. *Front. Pharmacol*, 6.

- Chagas, dkk. (2018). Protective effects of a Polyphenol-Rich Extract from *Syzygium cumini* (L.) Skeels Leaf on Oxidative Stress-Induced Diabetic Rats. *Oxidative Medicine and Cellular Longevity*, 2018: 1–13.
- Corwin, E.J. (2008). *Handbook of Pathophysiology*. Edisi ke-3. Philadelphia: Lippincort Williams & Wilkins.
- Daniel, dkk. (2015). Quantification of bioactive constituents and antioxidant activity of methanolic seed extracts of *Syzygium cumini* (L.). *Journal of Chemical and Pharmaceutical Research*, 7(12):256-259.
- D'Arcy, dkk. (1960). The anti-inflammatory action of gresiofulvin in experimental animals. *J Pharm Pharmacol*, 12:659-65.
- David, Alexander Victor Anand, Radhakrishnan Arulmoli, dan Subramani Parasuraman. (2016). Overviews of Biological Importance of Quercetin: A Bioactive Flavonoid. *Pharmacognosy Reviews*, 10(20):84-89.
- Departemen Kesehatan Republik Indonesia. (2006). *Monografi Ekstrak Tumbuhan Obat Indonesia*. Volume 2. Jakarta: Departemen Kesehatan RI.
- Departemen Kesehatan Republik Indonesia. (2018). *Riset Kesehatan Dasar*. Jakarta: Badan Penelitian dan pengembangan Kesehatan Kementerian Kesehatan RI.
- Gaber, D. M., Nafee, N., dan Abdallah, O. Y. (2017). Myricetin solid lipid nanoparticles: Stability assurance from system preparation to site of action. *European Journal of Pharmaceutical Sciences*, 10: 569–580.
- Goodman dan Gilman. (2003). *Dasar Farmakologi Terapi*. New York: The McGraw-Hill.
- Dewi, Sisilia Teresa Rosmala dan Sri Wahyuni. (2018). Uji Efek Antiinflamasi Rebusan Daun Jamblang (*Syzygium cumini*) pada Mencit (*Mus musculus*). *Media Farmasi*, Vol. 14, No.1.
- Gafur, Maryati Abd., dkk. (2011). Isolasi dan Identifikasi Senyawa Flavonoid dari Daun Jamblang (*Syzygium cumini*). *Skripsi*. Gorontalo: Universitas Gorontalo.
- Greene, R. J. dan Harris. (2008). *A Basis for Clinical Pharmacy Practice, Pathology and Therapeutics for Pharmacist*. Third edition. London: King's College London.

- Grodowska dan Andrzej. (2010). Analytical Methods for Residual Solvents Determination in Pharmaceutical Products. *Acta Poloniae Pharmaceutica - Drug Research*, 67 No. 1 pp. 13-26.
- Harborne, J.B. (1987). *Metode Fitokimi Penuntun Cara Modern Menganalisis*. Edisi ke-2. Bandung: Institut Teknologi Bandung.
- Hasanah, dkk. (2015). Analisis Pertumbuhan Mencit (*Mus musculus L.*) ICR Dari Hasil Perkawinan Inbreeding dengan Pemberian Pakan AD1 dan AD2. *Jurnal Prosiding Seminar Nasional Mikrobiologi Kesehatan dan Lingkungan*, ISBN 978-602-72245-0-6.
- Hasanuzzaman, dkk. (2018). Phytochemical screening of *Syzygium cumini* (L.) extracts in different solvents. *Journal of Bio-Science*, 24: 11-18.
- Hasyim, dkk. (2006). *Formalin Bukan Formalitas*. CP-Buletin Service Edisi Januari.
- Jain, A., dkk. (2010). Anti-inflammatory activity of *Syzygium cumini* leaves. *International Journal of Phytomedicine* 2: 124-126.
- Jeunesse, dkk. (2010). Paw inflammation Model in Dogs for Preclinical Pharmacokinetic/Pharmacodynamic Investigations of nonsteroidal Anti-Inflammatory Drugs. *The Journal of Pharmacology and Experimental Therapeutic*, 338(2):548-58.
- Karim, dkk. (2019). Anti-nociceptive and Anti-inflammatory Activities of Asparacosin A Involve Selective Cyclooxygenase 2 and Inflammatory Cytokines Inhibition: An in-vitro, in-vivo, and in-silico Approach. *Front. Immunol*, 10.
- Katzung, B. G. (2002). *Basic and Clinical Pharmacology*. Boston: McGraw.
- Katzung, B. G. (2007). *Basic and Clinical Pharmacology*. Boston: McGraw.
- Katzung, B. G. (2010). *Basic and Clinical Pharmacology*. Boston: McGraw.
- Kopanski dan Schnelle G. (1988). Isolation of bergenin from barks of *Syzygium cumini*. *Plant Med*, 54(6): 572.
- Kota, dkk. (2010) Anti-inflammatory activity of *Eugenia jambolana* in albino rats. *Int J Pharm Bio Sci*, 1(4): 435-438.
- Krinke, GJ. (2000). *The Handbook of Experimental Animals: The Laboratory Rat*. London: Academic Press.

- Kumar, dkk. (2008). Anti-inflammatory activity of *Syzygium cumini* seed. *African Journal of Biotechnology*, Vol. 7 No.8.
- Mahmoud, dkk. (2001). Acylated flavonol glycosides from *Eugene jambolana* leaves. *Phytochemistry*, 58(8):1239-1244.
- Marjoni, R. (2016). *Dasar-Dasar Fitokimia*. Jakarta: Trans Info Media.
- Markham, K.R. (1988). *Cara Mengidentifikasi Flavonoid* (Kosasih. Padmawinata, penerjemah). Bandung: ITB.
- Mathur, Abhishek, dkk. (2011). Pharmacological investigation of methanol extract of *Syzigum cumini* seeds and *Crateva nurvula* bark on the basis of antimicrobial, antioxidant and anti-inflammatory properties. *Der Chemica Sinica*, 2(1): 174-181.
- Muruganandan, dkk. (2001). Anti-inflammatory activity of *Syzygium cumini* bark. *Fitoterapia*, 72(4):369-75.
- Mycek, Mary J., Richard A. Harvey, dan Pamela C. Champe. (2001). *Farmakologi Ulasan Bergambar*. Edisi ke-2. Jakarta: Widya Medika.
- Nakamura, H., Motoyashi, S., dan Shimuzu, M. (1978). Therapeutic effect of anti-inflammatory drugs on hind paw edema induced by kaolin–carageenin in rats. *Japanese Journal of Pharmacology*, 28.
- Neugebauer, V., dkk. (2007). Techniques for assessing knee joint pain in arthritis. *Molecular pain*, 3: 8.
- Nijveldt, R. J., Van Nood, E., Van Hoorn, D. E. C., Boelens, P. G., Van Norren, K., dan Van Leeuwen, P. A. M. (2001). Flavonoid: A review of probable mechanisms of action and potential applications. *American Journal of Clinical Nutrition*, 74(4):418-25.
- Padhy, dkk. (2019). Anti-inflammatory Activity of Isolated Flavonoid from *Sida cordifolia* Leaves Extract. *International Journal of Medical Research & Health Sciences*, 8(8): 75-81.
- Parmar, N. S. dan Shiv Prakash. (2006). *Screening Methods in Pharmacology* 4. Oxford: Alpha Science International Ltd.
- Patil, K. R. dan Chandragouda P. R. (2017). Anti-inflammatory activity of bartogenic acid containing fraction of fruits of *Barringtonia racemosa* Roxb. in acute and chronic animal models of inflammation. *Journal of Traditional and Complementary Medicine*, 7(1): 86–93.

- Price, S.A. dan L.M. Wilson. (2006). *Patofisiologi, Konsep Klinis Proses- Proses Penyakit*. Edisi ke-6. Jakarta: EGC.
- Priyanto. (2008). *Farmakologi Dasar Untuk Mahasiswa Farmasi dan Keperawatan*. Edisi ke-2. Jakarta: Leskonfi.
- Ramya, S., K. Neethirajan, dan R. Jayakumararaj. (2012). Profile of bioactive compounds in *Syzygium cumini*: A review. *J. Pharm. Res*, 5(8),4548-4553.
- Rang, H.P., M.M. Dale, J.M. Ritter dan P.K. Moore. (2003). *Pharmacology*. Edisi ke-5. Edinburgh: Churchill Livingstone.
- Rohmaniyah, Kartika Febriyanti. (2017). Penentuan Model Klasifikasi dan Kandungan Fitokimia Ekstrak Metanol Daun Juwet (*Syzygium cumini*) di Madura, Jember, dan Malang Menggunakan Metode NIR dan Kemometrik. *Skripsi*. Jember: Universitas Jember.
- Roy, Anirban, dkk. (2011). Anti-inflammatory activity of *Syzygium cumini* leaf against experimentally induced acute and chronic inflammations in rodents. *Alternative Medicine Studies, Vol. 1 No. 1*.
- Ruan, dkk. (2008). Evaluation of the Antioxidant Activity of *Syzygium cumini* Leaves. *Molecules*, 13(10):2545-56.
- Saha, Santanu, dkk. (2013). Evaluation of antinociceptive and antiinflammatory activities of extract and fractions of *Eugenia jambolana* root bark and isolation of phytoconstituents. *Revista Brasileira de Farmacognosia Brazilian Journal of Pharmacognosy*, 23(4):651-661.
- Sarkar, dkk. (2017). Evaluation of Anti-inflammatory and Anti-arthritis Activity of Isolated Fractions from *Bauhinia purpurea* Leaves Extracts in Rats. *UK Journal of Pharmaceutical and Biosciences, Vol. 5(1)*, 47-58.
- Sharma, Bhavna, dkk. (2008). Effects of flavonoid-rich extract from seeds of *Eugenia jambolana* (L.) on carbohydrate and lipid metabolism in diabetic mice. *Food Chemistry*, 110(3):697-705.
- Sharma, Kavita, dkk. (2015). Temperature-dependent Studies on The Total Phenolics, Flavonoids, Antioxidants Activities, and Sugar Content in Six Onion Varieties. *Journal of Food and Drug Analysis*, 23(2):243-252.
- Singh, A., dkk. (2008). Antiinflammatory and Analgesic Agents from Indian Medicinal Plants. *International Journal of Integrative Biology*, Vol. 3, No. 1, 57.

- Susanti, Ratna Frida dan Desy Natalia. (2016). Pengaruh Penambahan Filler dan Suhu Pengeringan terhadap Kandungan Antionsidan pada Daun Ohysalis angulate yang diperoleh dengan Ekstraksi Menggunakan Air Subkrilik. *Pengembangan Teknologi Kimia untuk Pengolahan Sumber Daya Alam Indonesia*.
- Suwardi Hagani. (2010, 4 April). *Wikipedia, Ensiklopedia Bebas*. Juni 15, 2020. <https://id.wikipedia.org/wiki/Jamblang>.
- Tanko, dkk. (2008). Antinociceptive and anti-inflammatory activities of ethanolic flower extract of *Newbouldia laevis* in mice and rats. *Healthy Synergies Publications, Vol. 1(3), pp. 13-19.*
- Thompson, E. B. (1985). *Drug Bioscreening*. America: Graceway Publishing.
- Timbola, dkk. (2002). A new flavonoid from leaves of *Eugenia jambolana*. *Fitoterapia, 73(2):174-6.*
- Tjay, Tan Hoan dan Rahardja Kirana. (2007). *Obat-Obat Penting Khasiat, Penggunaan dan Efek-Efek Sampingnya*. Edisi Ke-6. Jakarta: Elex Media Komputindo.
- United States Department of Agriculture National Nutrient Database. (2015). *Syzygium cumini*. USA: National Agricultural Library.
- USP Convention. (2007). *The United States Pharmacopeia, USP 30/The National Formulary, NF 25*. Rockville, MD: U.S. Pharmacopeial Convention.
- Voight, R. (1994). *Buku Pengantar Teknologi Farmasi* (Soedani, N., Penerjemah). Edisi ke-5. Yogyakarta: Universitas Gadjah Mada Press.
- Wijayanti dan Dwi. (2018). Secondary Metabolites Exploration in Duwet (*Syzygium Cumini L.*) Stem Bark using Liquid Chromatograph Mass Spectrometry Method. *Bioma*.
- Wilmana, P. F. (2007). Analgesik-antipiretik, analgesik anti-inflamasi non-steroid dan obat gangguan sendi lainnya (Gunawan, S. G., Penerjemah). *Farmakologi dan Terapi*. Edisi ke-5. Jakarta: Bagian Farmakologi Fakultas Kedokteran Universitas Indonesia.
- Winter, Charles A., Edwin A. Risley dan George W. Nuss. (1962). Carrageenin-Induced Edema in Hind Paw of the Rat as an Assay for Antiinflammatory Drugs. *Experimental Biology and Medicine, 111(3), 544–547.*

Zahra, dkk. (2019). In Vitro phytochemical Screening and Antioxidant Activity of Jamun (*Eugenia jambolana* Linn.) Plants Parts Collected from Lahore, Pakistan. *Biochem Modern Applications, Volume 2 Issue 1.*