

**POLITEKNIK KESEHATAN KEMENKES BANDUNG  
PRODI KEBIDANAN BOGOR LAPORAN TUGAS AKHIR, MEI 2023**

**Viera Warsitasary  
NIM : P17324220061**

**Asuhan Kebidanan post partum pada Ny. I usia 37 tahun  
dengan Anemia Berat  
di RSUD Sekarwangi  
Xiii, VI BAB, 95 halaman, 9 lampiran, 1 tabel**

**ABSTRAK**

Angka kematian ibu di Indonesia pada tahun 2017 yaitu 305/100.000 KH. Salah satunya perdarahan (21%), penyebab salah satu perdarahan yaitu anemia, Anemia adalah kurang darah yaitu keadaan dimana kadar hemoglobin dalam darah kurang dari normal <11g/dL, Angka anemia (56,7%). Dampak anemia yaitu perdarahan post partum, memudahkan infeksi puerperium, pengeluaran ASI berkurang subinvolusi uteri. Tujuan dari Laporan Tugas Akhir ini yaitu untuk memberikan Asuhan Kebidanan Postpartum Pada Ny. I Usia 37 Tahun P5A0 dengan anemia berat di RSUD Sekarwangi.

Metode yang digunakan dalam penyusunan Laporan Tugas Akhir ini adalah laporan kasus dengan menggunakan pendekatan manajemen asuhan kebidanan dan pendokumentasian dalam bentuk SOAP (Subjektif, Objektif, Analisa, Penatalaksanaan). Teknik pengumpulan data diperoleh melalui wawancara, observasi, pemeriksaan fisik, studi dokumentasi, dan studi literatur.

Data subjektif pada Ny.I usia 37 tahun melahirkan anak kelima belum pernah keguguran keluhan merasa mules, pusing dan lemas, ibu mengatakan dirinya ditranfusi darah sebanyak 3 labu, Hb 6,3gr%, dan saat ini masih terpasang. Data objektif yang didapatkan Tekanan Darah: 130/80 mmHg, Nadi: 83x/menit, R: 24x/menit, wajah, pucat, mata konjungtiva puca, sclera pucat, bibir pucat, terdapat pengeluaran ASI pada payudara, TFU 2 jari dibawah pusat, konsistensi uerus keras, kandung kemih kosong, tampak pengeluaran darah ±30 cc berwarna merah pekat dan tampak luka jahitan masih basah. Analisis yang ditegakkan yaitu Ny. I usia 37 tahun P5A0 dengan anemia berat. Asuhan yang diberikan yaitu pemantauan TTV, perdarahan, kandung kemih dan involusi, konseling mengenai kebutuhan nutrisi, mobilisasi, personal hygiene, tanda bahaya pada masa nifas, dan edukasi alat kontrasepsi.

Kesimpulan setelah diberikan asuhan pada Ny. I dari asuhan kadar Hb ibu masih rendah, saran untuk ibu diharapkan dapat memperbaiki pola tidur, istirahat dan keluarga dapat membantu ibu untuk memenuhi nutrisi ibu, istirahat serta keluarga dapat membantu ibu untuk memotivasi pentingnya minum tablet Fe 2x60mg, tranfusi darah 3 labu , nutrisi, istirahat sehingga kejadian komplikasi yang terjadi akibat anemia pada ibu nifas dapat dicegah.

**Kata Kunci : Asuhan Kebidanan, Postpartum  
Pustaka : 27 (2013-2022)**

**BANDUNG MINISTRY OF HEALTH POLYTECHNIC  
BOGOR MIDWIFERY PROGRAM FINAL PROJECT REPORT, MAY 2023**

**Viera Warsitasary  
NIM : P17324220061**

***Post partum midwifery care for Mrs. I 37 years with Severe Anemia  
in the postpartum room of Sekarwangi Hospital  
Xiii, VI CHAPTERS, 80 pages, 9 appendices, 1 tables***

**ABTRACT**

*The maternal mortality rate in Indonesia in 2017 is 305/100,000 KH. One of them is bleeding (21%), the cause of one of the bleeding is anemia, Anemia is a lack of blood, namely a condition where the hemoglobin level in the blood is less than normal <11g/dL, Anemia rate (56.7%). The impact of anemia is post partum bleeding, facilitating puerperal infection, reduced milk output, uterine subinvolution. The purpose of this Final Project Report is to provide Postpartum Midwifery Care to Mrs. I 37 years old P5A0 with severe anemia at Sekarwangi Hospital.*

*The method used in preparing this Final Project Report is a case report using a midwifery care management approach and documentation in the form of SOAP (Subjective, Objective, Analysis, Management). Data collection techniques were obtained through interviews, observation, physical examination, documentation studies, and literature studies.*

*Subjective data on Mrs. I, 37 years old, gave birth to her fifth child, never had a miscarriage, complaints of feeling nauseous, dizzy and weak, the mother said herself, Hb 6.3gr%, and currently it is still installed. Obtained objective data Blood pressure: 130/80 mmHg, Pulse: 83x/minute, R: 24x/minute, face, pale, pale conjunctival eyes, pale sclera, pale lips, there is milk ejection in the breasts, TFU 2 fingers below the navel, the consistency of the uterus is hard, the bladder is empty, there is visible bleeding ± 30 cc of dark red color and the stitches are still wet. The analysis that was enforced was that Mrs. I, 37 years old P5A0 with severe anemia. The care provided is monitoring TTV, bleeding, bladder and involution, counseling regarding nutritional needs, mobilization, personal hygiene, danger signs during the puerperium, and education on contraceptives.*

*The conclusion after being given care to Mrs. I from the care of the mother's Hb level is still low, suggestions for the mother are expected to improve sleep patterns, rest and the family can help the mother to fulfill the mother's nutrition, rest and the family can help the mother to motivate the importance of taking 2 x 60 mg Fe tablets, 3 flask blood transfusion, nutrition, rest so that the incidence of complications that occur due to anemia in postpartum women can be prevented.*

***Keywords: Midwifery Care, Postpartum  
Literature : 27 (2013-2022)***