

DAFTAR PUSTAKA

- Aladaileh, S. H., Saghir, S. A. M., Murugesu, K., Sadikun, A., Ahmad, A., Kaur, G., Murugaiyah, V. (2019). Antihyperlipidemic and antioxidant effects of averrhoa carambola extract in high-fat diet-fed rats. *Biomedicines*, 7(3).
- Budiasih Kun Sri dan Kartika Ratna Pertiwi. (2015). *Pengembangan Suplemen Hipoglikemik Berbasis Cr(III) melalui Uji Pre Klinik sebagai Sumber Nutraceutical Product bagi Penyandang Diabetes Mellitus Tipe-2. 0002027213(November)*.
- Chaudhary, H. R., & Brocks, D. R. (2013). *The single dose poloxamer 407 model of hyperlipidemia; systemic effects on lipids assessed using pharmacokinetic methods, and its effects on adipokines*. Journal of Pharmacy and Pharmaceutical Sciences, 16(1), 65–73.
- Dipiro, J.T. 2005, *Pharmacotherapy: A patophysiologic Approach*, McGraw-Hill, New York, Amerika Serikat.
- Do GM, Kwon EY, TaeYH, Kim HJ, Jeon SM, Lee MK. 2011. *Tannin acid is more effective than clofibrate for elevation of hepatic β -oxidation and inhibition of 3-hydroxy-3-methylglutaryl-deficient mice*. British Journal of Nutrition
- Elfrida, Elsa. 2015. *Uji Efek Antihiperlipidemia Ekstrak ETANOL 96% Buah Parijoto (Medinilla Speciosa Blume) Terhadap Jaringan Hati Tikus Putih Jantan*. UIN Syarif Hidayatullah. Jakarta.
- Embun, B. (2012, April 17). Banjir Embun. Retrieved from Penelitian Kepustakaan
- Ganiswara, G. S. (2008). *Farmakologi dan Terapi*. Edisi kelima. Jakarta: Balai penerbit FK UI.
- Ghori, S. S., Khan, M. A. R., Alam, K., & Abrar, A. H. (2015). Evaluation of Antihyperlipidemic Activity of Ethanolic Extact of Glycosmis Pentaphylla in Hyperlipidemic Wistar Rats. *International Journal of Pharma Sciences and Research (IJPSR)*, 6(2), 282–292.
- Gilman. 2012. *Goodman and Gilman : Dasar Farmakologi Terapi*. Edisi 10. Vol. 2. Jakarta: EGC.
- Gunawan,S. G. 2012. *Farmakologi dan Terapi*. Edisi kelima. Jakarta: Departemen Farmakologi dan Teapeutik Fakultas Kedokteran Universitas Indonesia.
- Guyton, A. C., John E.H. 1997. Fisiologi Kedokteran, Edisi 9. EGC. Jakarta.

- Hardjoeno, H. 2003. Interpretasi Hasil Tes Laboratorium Diagnostik. Jakarta : EGC.
- Hatma, R.D. (2011). *Sosial Determinan Dan Faktor Risiko Kardiovaskular Disease in Dyslipidemic Patients: Results from a survey in 13 cities in Indonesia*, Med. J. Indonesia, 10 : 42-4.
- Herlina, H., Untari, B., Solihah, I., & Santia, M. (2019). *Antihyperlipidemic Activity of Ethanol Extract Mindi's Leaves (Melia azedarach Linn.) in Male Wistar Rats Induced Propiltiouracil*. Science and Technology Indonesia, 4(1), 24.
- Herwiyarirasanta., BA, Eduardus. (2010). Effect of Black Soybean Extract Supplementation in Low Density Lipoprotein Level of Rats (*Rattus norvegicus*) With High Fat Diet. Science Article Universitas Airlangga. Surabaya
- Inalegwu, B., Ornguga, G., & Etim, E. E. (2018). Effect of the Aqueous Extracts of Grewiavenusta Leaves on Poloxamer 407-Induced Hyperlipidemic Rats. *International Journal of Science and Research*, 7(5), 398–404.
- Ismawati, Ernikarmial A, Muhammad YH. (2012). *Pengaruh air perasan umbi bawang merah (Allium scalonicum L.) terhadap malondialdehid (MDA) plasma mencit yang diinduksi hipercolesterolemia*. Jurnal Natur Indonesia.14(2):150-54
- Katno. 2008. *Tingkat Manfaat, Keamanan dan Efektivitas Tanaman Obat dan Obat Tradisional*. Tawangmangu: Balai Besar Penelitian dan Pengembangan Tanaman Obat dan Obat Tradisional.
- Katzung, B.G., Masters, S.B., dan Trevor, A.J. (2014). *Farmakologi Dasar dan Klinik*. Edisi ke-12. Jakarta: Buku Kedokteran EGC.
- Keshetty, V., Pabba, S., Gudipati, R., Kandukuri, J. M., & Allenki, V. (2009). *Antihyperlipidemic activity of methanolic extract of garlic (Allium sativum L.) in Triton X-100 induced hyperlipidemic rats*. Journal of Pharmacy Research, 2(5), 777–780.
- Kitchenham, B. (2004). Procedures for Performing Systematic Reviews. Eversleigh: Keele University
- Khopkar, S.M. 2003. Kimia Analitis. Jakarta : UI-Press.
- Kumar V, Khan MM, Khanna AK. (2010). *Lipid lowering activity of Anthocephalus indicus root in hyperlipidemic rats*. E-Based Complem Alt Med. 7: 317-22
- Leon, C., Wasan, K. M., Sachs-Barrable, K., & Johnston, T. P. (2006). *Acute P-407*

- administration to mice causes hypercholesterolemia by inducing cholesterogenesis and down-regulating low-density lipoprotein receptor expression.* *Pharmaceutical Research*, 23(7), 1597–1607.
- Lipman TH, Hayman LL, Fabian CV, DiFazio DA, Hale PM, Goldsmith BM, dkk (2000). *Risk factors for cardiovascular disease in children with type I diabetes.* *Nurs Res*; 49:160-166
- Mahan V L. 2014. *Clinical Trial Phases.* International Journal of Clinical Medicine, 5, 13741383.
- Mahmud, Z. A., Bachar, S. C., & Qais, N. (2011). *Antihyperlipidemic activity of leaf and root extracts of Premna esculenta (Roxb.) in Poloxamer-407 induced hyperlipidemic mice and rats.* *Oriental Pharmacy and Experimental Medicine*, 11(4), 263–270.
- Marks, D. B., dan C. M. Smith. 2000. *Biokimia Kedokteran Dasar. Sebuah Pendekatan Klinis.* Jakarta: EGC.
- Masyhuri dan Zainuddin. 2008. Metodologi Penelitian (Pendekatan Praktis dan Aplikatif). Bandung: Refika Aditam
- Mishra, R., Pandit, K., Bhagwat, A. M., & Brijesh S. (2014). Antihyperlipidemic activity of alcoholic extracts of Trichosanthes anguina in Triton WR 1339 induced hyperlipidemic rats. *International Journal of Pharmaceutical Sciences and Research*, 5(10), 4269–4274.
- Moriwaki, K, T. Shiroishi, H. (Yonekawa. 1994). *Genetic in Wild Mice. Its Application to Biomedical Research.* Tokyo: Japan Scientific Sosieties Press. Karger.
- Mounika G, Chaitanya B, Bairi R, Radhika T. (2015). *Effect of serratiopetidase on Triton X-100 induced hyperlipidemia and atherosclerotic rats.* *Int J Res Pharmacol Pharmacotherap.* 4: 131-9.
- Muhtadi, M., Haryoto, H., Sujono, T. A., & Suhendi, A. (2016). *Antidiabetic and antihypercholesterolemia activities of rambutan (Nephelium lappaceum L.) and durian (Durio zibethinus Murr.) fruit peel extracts.* *Journal of Applied Pharmaceutical Science*, 6(4), 2231–3354.
- Murray, Robert K, Granner, and Rodwell. 2009. *Biokimia Harper* ed. 27. Jakarta: EGC.
- Meilinda, Puspa., Sudiastuti., Rudy Agung Nugroho. (2015). *Profil Lipid dan*

Gambaran Histologi Hepar Mencit (Mus Musculus L.) yang Diinduksi Kuning Telur sebagai Sumber Kolesterol. Universitas Mulawarman.

- Neuman, W. Lawrence (2011). *Social Research Methods. Qualitative and Quantitative Approaches.* Boston: Pearson.
- Onwe, P., Folawiyo, M., Ogah, A., Umahi, G., Okorocha, A., & Afoke, A. (2015). *Hyperlipidemia: Etiology and Possible Control.* IOSR Journal of Dental and Medical Sciences, 14(10), 2279–2861.
- Polychronopoulos, E.P., Demosthenes, B. & Polystipioti Anna. 2005, *Diet, Lifestyle factors and hypercholesterolemia in elderly men and women from Cyprus,* Journal of Lipids Health Disease, 4(17): 1 – 7.
- Pradana, D. A., Rahmah, F. S., & Setyaningrum, T. R. (2016). *Potential of Red Spinach Leaves (Amaranthus tricolor L.) Ethanolic Extract Standardized as Antihyperlipidemia: in Vivo Study Based on LDL (Low Density Lipoprotein) Parameter.* Jurnal Sains Farmasi & Klinis, 2(2), 122–128.
- Prasetyo, A. dan Sadhana, M. 2000. *Profil Lipid dan Ketebalan Dinding Arteri Abdominalis Tikus Wistar pada Injeksi Inisial Adrenalin Intra Vena (IV) dan Diet Kuning Telur “Intermittent”.* Jurnal Media Medika Universitas Diponegoro 35.(3): 149-57.
- Rahayuningsih, N., & Nofianti, T. (2015). *Efek Antihiperlipidemia Ekstrak Etanol Buah Strawberry (Fragaria x ananassa Duchesne) pada Tikus Putih dari Daerah Bandung.* Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-Ilmu Keperawatan, Analis Kesehatan Dan Farmasi, 13(1), 1–8.
- Rahman, Aminur, Park, Deog- Su and Shim, YoonBo. (2005). *Electrochemical Biosensors for Biomedical and Clinical Applications : A Review.* J. Biomed. Eng. Res., Vol. 26, hal. 271-282.
- Rustanto,T.N. (2013). *Efek Ekstrak Metanol Daun Bayam (Amaranthus sp) terhadap Kadar Kolesterol Tikus (Rattus norvegicusgalur Wistar) yang Diberi Diet Aterogenik.* Skripsi, Universitas Brawijaya Malang.
- Saravana Kumar, A., Mazumder, A., & Saravanan, V. S. (2008). *Antihyperlipidemic activity of Camellia sinensis leaves in Triton WR-1339 induced albino rats.* Pharmacognosy Magazine, 4(13), 60–64.
- Sari, Lusia O.R.K., (2006). *Pemanfaatan obat tradisional dengan pertimbangan manfaat dan keamanannya.* Majalah Ilmu Kefarmasian, 3, 1 – 7.
- Sarker, M., Mahmud, Z. A., Saha, S. K., Tithi, N. S., Ali, M. S., & Bachar, S. C.

- (2012). *Antihyperlipidemic activity of flowers of punica granatum in poloxamer-407 induced hyperlipidemic mice model*. *Pharmacognosy Journal*, 4(27), 66–70. <https://doi.org/10.5530/pj.2012.27.11>
- Sheneni, V. D., Odiba, V. A., Omede, A., & Idih, F. M. (2018). *Anti-hyperlipidemic effect of Vitex doniana in poloxamer induced hyperlipidemia*. *MOJ Biology and Medicine*, 3(4), 168–173. <https://doi.org/10.15406/mojbm.2018.03.00093>
- Soeharto, 2004, *Serangan Jantung dan Stroke Hubungannya dengan Lemak dan Kolesterol*, Edisi Ketiga, hal 387, Gramedia Pustaka Utama, Jakarta.
- Sugiyono, 2009, *Metode Penelitian Kuantitatif, Kualitatif dan R&D*, Bandung : Alfabeta.
- Suhartatik N. (2013). *Aktivitas antioksidan antosianin beras ketan hitam selama fermentasi*. *Jurnal Teknologi Industri Pangan*. 24(1):115-19.
- Suharti, Tati. (2017). *Dasar-dasar Spektrofotometri Uv-Vis dan Spektrometri Massa untuk penentuan struktur senyawa organik*. Lampung: Anugrah Utama Raharja.
- Sukardi. (2009). *Metodologi Penelitian Pendidikan*, PT Bumi askara: Jakarta.
- Surya, S., Arun Kumar, R., Carla, B., & Sunil, C. (2017). Antihyperlipidemic effect of *Ficus dalhousiae* miq. stem bark on Triton WR-1339 and high fat diet-induced hyperlipidemic rats. *Bulletin of Faculty of Pharmacy, Cairo University*, 55(1), 73–77.
- Suwandi David, Christine Sugiarto, Fenny. (2005). *Perbandingan Hasil Pemeriksaan Kadar Kolesterol Total Metode Electrode-Based Biosensor dengan Metode Spektrofotometri*. Fakultas Kedokteran Universitas Kristen Maranatha, Bandung.
- Suyatna, F.D. Hipolipidemik. Dalam: Gunawan, S. G., R. Setiabudy, Nafrialdi, Elysabeth (Ed). (2007). *Farmakologi dan Terapi*. Edisi kelima. Jakarta: Departemen Farmakologi dan Terapeutik Fakultas Kedokteran Universitas Indonesia, 373-385.
- Syamsudin. 2011. *Buku Ajar: Farmakoterapi Kardiovaskular dan Renal*. Jakarta: Salemba Medika.

- Talbert, R.L.(2005). Hyperlipidemia, In Dipiro, J. T., Talbert R. L., Yee, G., C., Matzke, G. R., Wells, B.G., Posey, L. M., (Eds), *Pharmacology, A Pathophisiologyc Approach*, 6th Edition, McGraw-Hill Medical Publishing Division, USA.
- Triyati, Etty. (1985). *Spektrofotometer Ultra-Violet dan Sinar Tampak Serta Aplikasinya dalam Oseanologi*. Jakarta
- Vijayaraj, P., Muthukumar, K., Sabarirajan, J., & Nachiappan, V. (2013). Antihyperlipidemic activity of Cassia auriculata flowers in triton WR 1339 induced hyperlipidemic rats. *Experimental and Toxicologic Pathology*, 65(1–2), 135–141. <https://doi.org/10.1016/j.etp.2011.07.001>
- Wasan, K. M., Subramanian, R., Kwong, M., Goldberg, I. J., Wright, T., & Johnston, T. P. (2003). *Poloxamer 407-mediated alterations in the activities of enzymes regulating lipid metabolism in rats*. Journal of Pharmacy and Pharmaceutical Sciences, 6(2), 189–197.
- World Health Organization (WHO). (2013). *Cardiovaskular Disease*. WHO.
- World Health Organization (WHO). (2015). *Cardiovaskular Disease*. WHO.
- Wulansari AN. (2018). *Alternatif Cantingi Ungu Vaccinium varingiaefolium sebagai Antioksidan Alami*: Review.
- Yalcinkaya U, Oztop F. (2005). *Xanthoma of the calcaneus associated with hyperlipoproteinemia*. Journal of the American Paediatric Medical Association. 95 (6):602-4