

## DAFTAR PUSTAKA

- A, A.-P., Y, A. S., & B, S. K. (2010). Growth and cultural characteristics of selected bacteria on Cowpea Agar (*Vigna unguiculata*). *African Journal of Microbiology Research* , 2626-2628.
- Acharya, T. (2019, Agustus 26). *Microbeonline*. Retrieved from Blood Agar: Composition, Preparation, Uses and Types of Hemolysis: <https://microbeonline.com/blood-agar-composition-preparation-uses-and-types-of-hemolysis/>
- Andrianto, T. T., & Indarto, N. (2004). *Budidaya dan Analisis Usaha Tani Kedelai, Kacang Hijau, Kacang Panjang*. Yogyakarta: Absolut.
- Andualem, B., & Gessesse, A. (2013). Production of microbial medium from defatted brebra (*Milletia ferruginea*) seed flour to substitute commercial peptone agar. *Asian Pacific Journal of Tropical Biomedicine*, 790-797.
- Anisah, & Rahayu, T. (2015). Media Alternatif untuk Pertumbuhan Bakteri Menggunakan Sumber Karbohidrat yang Berbeda. *Biologi, Sains, Lingkungan, dan Pembelajarannya*, 855-860.
- Arbeitssicherheit, A. (2019, September 4). *Pepton aus Soja papainisch verdaut 250 g*. Retrieved from augusta laborbedarf GmbH: <http://www.augusta-laborbedarf.de/871457317/1/AD9/MjM2NTE=/9%2023651%20Augusta%20Laborbedarf.html>
- Arulanantham, R., Pathmanathan, S., Ravimannan, N., & Niranjan, K. (2012). Alternative culture media for bacterial growth using different formulation of protein sources. *Scholars Research Library*, 697-700.
- Basu, S., Bose, C., Ojha, N., Das, N., Das, J., Pal , M., & Khurana, S. (2015, April 30). Evolution of Bacterial and Fungal Growth Media. *Bioinformation*, 11, 182-184. Retrieved from [www.bioinformation.net](http://www.bioinformation.net)
- Buxton, R. (2005, September 30). Blood Agar Plates and Hemolysis Protocols. *American Society for Microbiology*, 1-9.
- Carroll, K. C., Butel, J. S., Morse, S. A., & Mietzner, T. (2016). *Jawetz, Melnick & Adelberg's Medical Microbiology*. New York: McGraw-Hill Education.
- Danela, S., Gede, L. S., & Ariam, P. (2019). Kacang Kedelai Sebagai Media Alternatif Pertumbuhan Bakteri *Pseudomonas Aeruginosa*. *Jurnal Analis Medika Bio Sains*.

- Egwuatu, T., Ogunsola, F., Okodugha, I., Jide, B., Arewa, D., & Osinupebi, O. (2014). Effect of Blood Agar from Different Animal Blood on Growth Rates and Morphology of Common Pathogenic Bacteria. *Advances in Microbiology*, 1237-1241.
- Elliott, T., Worthington, T., Osman, H., & Gill, M. (2013). *Mikrobiologi kedokteran & infeksi* (4th ed.). Jakarta: EGC.
- Entjang, I. (2003). *Mikrobiologi & Parasitologi*. Bandung: PT. Citra Aditya Bakti.
- Fachraniah, Fardiaz, D., & Idiyanti, T. (2002). Pembuatan Pepton Dari Bungkil Kedelai dan Khamir Dengan Enzim Papain Untuk Media Pertumbuhan Bakteri. *Jurnal. Teknol. dan Industri Pangan*, 260-266.
- Gould, D., & Brooker, C. (2003). *Applied Microbiology For Nurses*. (M. Ester, Ed., & B. U. Pendit, Trans.) Jakarta: EGC.
- Harti, A. S. (2015). *Mikrobiologi Kesehatan* (1 ed.). (E. Risanto, Ed.) Yogyakarta: CV. ANDI OFFSET.
- Juariah, S., & Sari, W. P. (2018). PEMANFAATAN LIMBAH CAIR INDUSTRI TAHU SEBAGAI MEDIA ALTERNATIF PERTUMBUHAN *Bacillus* sp. *Jurnal Analis Kesehatan Klinikal Sains*, 24-29.
- Juariah, S., & Sari, W. P. (2018). PEMANFAATAN LIMBAH CAIR INDUSTRI TAHU SEBAGAI MEDIA ALTERNATIF PERTUMBUHAN *Bacillus* sp. *JURNAL ANALIS KESEHATAN KLINIKAL SAINS*, 24-29.
- Juariah, S., Darmadi, Irawan, M. P., Surya, A., Dewi, M. P., Rz, I. O., . . . Hutaaruk, D. (2019). Expired human blood as an alternative substituent of sheep blood for streptococcus sp. growth. *Journal of Physics: Conference Series*, 1-7. doi:10.1088/1742-6596/1175/1/012012
- Kartiningrum, E. D. (2015). *Panduan Penyusunan Studi Literatur*. Lembaga Penelitian dan Pengembangan Masyarakat.
- Kaswinarni, F. (2007). *Kajian Teknis Pengolahan Limbah Padat dan Cair Industri Tahu*. Semarang: Program Syudi Ilmu Lingkungan Universitas Diponegoro.
- Koswara, S. (2009). *Teknologi Pengolahan Kedelai (Teori dan Praktek)*. Semarang: Universitas Muhammadiyah Semarang.
- Kurniati, I. (2016). *Modul Praktikum Bakteriologi II*. Bandung: Politeknik Kesehatan Kemenkes Bandung.
- Kuswiyanto. (2016). *Bakteriologi 2: Buku Ajar Analis Kesehatan*. (E. A. Mardella, Ed.) Jakarta: EGC.

- Kuswiyanto. (2016). *Bakterologi 2: Buku Ajar Analisis Kesehatan*. Jakarta: EGC.
- Lowry, O. H., Rosebrough, N. J., Farr, A. L., & Randall, R. J. (1951). Protein Measurement With The Folin Fenol Reagen. *J Biol Chem*, 65-270.
- Mahon, C. R., Lehman, D. C., & Manuselis, G. (2018). *Textbook of Diagnostic Microbiology* (6th ed.). St. Louis Missouri: Elsevier Saunders.
- Noori, M. S. (2018, November 13). *Comparison of seed viability in vegetable and grain type soybean (Glycine max L.) Merrill as influenced by packing materials and seed treatments during storage – IJAAR*. Retrieved from International Network For Natural Sciences: <https://innspubnet.wordpress.com/2018/11/13/comparison-of-seed-viability-in-vegetable-and-grain-type-soybean-glycine-max-l-merrill-as-influenced-by-packing-materials-and-seed-treatments-during-storage-ijaar/>
- Putri, M. H., Sukini, & Yodong. (2017). *Bahan Ajar Keperawatan Gigi Mikrobiologi*. Jakarta: Badan Pengembangan dan Pemberdayaan Sumber Daya Manusia Kesehatan Kementerian Kesehatan Republik Indonesia.
- Ravimannan, N., Arulanantham, R., Pathmanathan, S., & Niranjana, K. (2014). Alternative culture media for fungal growth using different formulation of protein sources. *Annals of Biological Research*, 1, 36-39. Retrieved from <http://scholarsresearchlibrary.com/archive.html>
- Republik Indonesia, K. K. (2018, Februari 4). *Komposisi Gizi Pangan*. Retrieved from Data Komposisi Pangan Indonesia: <http://www.panganku.org/id-ID/view>
- Rosidah, U. (2016). *Tepung Ampas Tahu Sebagai Media Pertumbuhan Bakteri Serratia marcescens*. Semarang: Universitas Muhammadiyah Semarang.
- Rukmana, R., & Yuniarsih, Y. (2012). *Kedelai, Budidaya dan Pasca Panen*. Yogyakarta, Indonesia: Kanisius. Retrieved from [www.kanisiusmedia.com](http://www.kanisiusmedia.com)
- Scientific, T. (2001-2020). *Dehydrated Culture Media*. Retrieved from Thermo Scientific Oxoid Microbiology Product: [http://www.oxoid.com/UK/blue/prod\\_detail/prod\\_detail.asp?pr=CM0003](http://www.oxoid.com/UK/blue/prod_detail/prod_detail.asp?pr=CM0003)
- Scientific, T. (2020). *Dehydrated Culture Media*. Retrieved from Thermo Scientific Microbiology Products: [http://www.oxoid.com/UK/blue/prod\\_detail/prod\\_detail.asp?pr=CM0271&c=UK&lang=EN](http://www.oxoid.com/UK/blue/prod_detail/prod_detail.asp?pr=CM0271&c=UK&lang=EN)
- Setiadi. (2013). *Konsep dan Praktek Penulisan Riset Keperawatan*. Yogyakarta: Graha Ilmu.

- Suhartati, R., Sulistiani, & Nuraini, A. (2018, April 21). Pemanfaatan Serbuk Kacang Kedelai (*Glycine max*) Sebagai Bahan Pembuatan Media Manitol Salt Agar (MSA) Untuk Pertumbuhan Bakteri *Staphylococcus*. *Prosiding Seminar Nasional dan Diseminasi Penelitian Kesehatan*, 163-167.
- Swarjana, I. K. (2015). *Metodologi Penelitian Kesehatan (edisi Revisi) Tuntunan Praktis Pembuatan Proposal Penelitian Untuk Mahasiswa Keperawatan, Kebidanan dan Prrofesi Bidang Kesehatan Lainnya*. Yogyakarta: Andi.
- T, D. R. (2016). *Outlook Komoditas Pertanian Tanaman Pangan Kedelai*. (L. Nurhayati, B. Waryanto, & R. Widaningsih, Eds.) Jakarta, Indonesia: Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian.
- Tankeshwar, A. (2013). *Bacitracin Test: Principle, Procedure, expected results*. Retrieved January 1, 2020, from <https://microbeonline.com/bacitracin-test-principle-procedure-expected-results-and-quality-control/>
- Tankeshwar, A. (2016). *Preparation of McFarland Turbidity Standards*. Retrieved September 6, 2019, from <https://microbeonline.com/preparation-mcfarland-turbidity-standards/>
- Tankeswar, A. (2020, January 1). *Bacitracin Test: Principle, Procedure, expected results*. Retrieved from 2013: <https://microbeonline.com/bacitracin-test-principle-procedure-expected-results-and-quality-control>
- Tomkins, R. G. (1932). Measuring Growth The Petri Dish Method. *Transactions Of The British Mycological Society*.
- Utami, T., Kusuma, E. N., Satiti, R., Rahayu, E. S., & Cahyanto, M. N. (2019, Februari). Hydrolyses of meat and soybean proteins using crude bromelain to produce halal peptone as a complex nitrogen source for the growth of lactic acid bacteria. *International Food Research Journal*, 117-122. Retrieved from <http://www.ifrj.upm.edu.my>
- Uthayasooryan, M., Pathmanathan, S., Ravimannan, N., & Sathyaruban, S. (2016). Formulation of alternative culture media for bacterial and fungal growth. *Scholars Research Library*, 431-436.
- Winarsi, H. (2014). *Protein Kedelai dan Kecambah*. (H. P, Ed.) Yogyakarta, Indonesia: Kanisius. Retrieved from [www.kanisiusmeida.com](http://www.kanisiusmeida.com)
- Yeh, E., Pinsky, B. A., Banaei, N., & Baron, E. J. (2009, July 3). Hair Sheep Blood, Citrated or Defibrinated, Fulfills All Requirements of Blood Agar for Diagnostic Microbiology Laboratory Tests. (A. J. Ratner, Ed.) *PloS ONE*, 1-8.

Yustina, I., & Abadi, F. R. (2012). *Potensi Tepung dari Ampas Industri Pengolahan Kedelai Sebagai Bahan Pangan*. Madura: Seminar Nasional Kedaulatan Pangan dan Energi, Fakultas Pertanian, Universitas Trunojoyo.