

DAFTAR PUSTAKA

- Abubakar, Abdullahi Rabiu dan Haque, Mainul. (2019). Anxiolytic Testing of Medicinal Plants in Nigeria: Frequently Used Experimental Models. *Medeniyet Medical Journal*, 34(1), 83-98.
- Adeyemi O.O., Yetmitan OK & Taiwo AE. (2006). Aktivitas Neurosedatif dan Musleralaxant dari Etil Asetat, Terkombinasi dengan *Baphia nitida*. *Journal Edophannacol*, 106-312.
- Aggarwal B.B., eb, L., dan Prasa, S. (2015). Curcumin Differs from Tetrahydrocurcumin for molecular Targets, Signaling Pathway and Cellular Responses. *Molecules*, 20, 185-205.
- Agoes, Azwar. (2010). *Tanaman Obat Indonesia*. Buku 3. Jakarta: Salemba Medika.
- Ahmed, A.M Abu., Sharmin, Farjan., and Rahman Md. Atiar. (2015). Phytochemical, Analgesic, Antibacterial, and Cytotoxic Effects of *Alpinia nigra* (Gaertn.) Burtt Leaf Extract. *Journal of Traditional and Complementary Midicine*.
- Akbar, Djumadi. (2015). *Hubungan antara Tingkat Kecemasan dengan Prestasi Akademik Mahasiswa di Fakultas Psikologi Universitas Muhammadiyah Surakarta*. Surakarta: Fakultas Kedokteran Universitas Muhammadiyah Surakarta.
- Ali, Mohammad Shawkat., Dash, Pritesh Ranjan., dan Nasrin, Mahmuda. (2015). Study of Sedative Activity of Different Extracts of *Kampferia galanga* in Swiss Albino Mice. *BMC Complementary and Alternative Medicine*, 15, 158.
- Anggitha, I. (2012). Performa Flokulasi Bioflokulasi DYT pada Beragam Keasaman dan Kekuatan Ion terhadap Turbiditas Larutan Kaolin. Universitas Pendidikan Indonesia, Jakarta.
- Asmadi. (2008). *Teknik Prosedural Keperawatan: Konsep dan Aplikasi Kebutuhan Dasar Klien*. Jakarta: Salemba Medika.

- Balgooy, Van. (2001). *Malaysian Seed Plants*. (Volume 3). National Herbarium. Universiteid Leiden Branch, Netherland.
- Begum, A., Hossen, A., Moly, A. A., Bhuiyan, MMR., Shahed-Al-Mahmud M (2019). In Vivo Sedative and Anxiolytic Activities of *Thunbergia aerecata* (Acanthaceae) Leaves Activate Gamma-Aminobutyric Acid (GABA) Mediated Hyperpolarizationin Swiss Albino Mice.
- Budiarsa, Ketut., Susilawathi, Ni Made., Yaputra, Faldi, dkk. (2019). Sawar Otak. *IQ*, 2(1), 14-18.
- Christmas, D dan Nutt, D. (2008). Potential Novel Anxiolytic Drugs. *Current Pharmaceutical Design*, 14: 3534-46.
- Deacon, Robert M. J. (2013). Measuring Motor Coordination in Mice. *Jove*, 75, 2609.
- DiPiro, J. T., Wells, B. G., Schwinghammer, T. L. (2015). *Pharmacotherapy Handbook*. Ninth Edition. New York: McGraw-Hill.
- Direktorat Jendral Pengawasan Obat dan Makanan. (2000). Parameter Standar Umum Ektra Tanaman Obat. Jakarta: Departemen Kesehatan RI.
- Driver, H., Gottschalk, R., Hussain, M., Morin, C. M., Shapiro, C., dan Zyl, L. Van. (2012). *The Youthdale Series 1 insomnia in adults and children*.
- Durand, M.V. dan Barlow, H. David. (2006). *Psikologi abnormal*. Jakarta: Penerbit Pustaka belajar.
- Erry. (2000). *Pengaruh Insomnia dalam Aktivitas Sehari-hari*. Jakarta: Dexa Medika.
- Fadaki, Fatemeh., Modaresi, Mehrdad., dan Sajadian, Ilnaz. (2017). The Effect of Ginger Extract and diazepam on Anxiety Reduction in Aminal Model. *Indian Journal of Pharmaceutical Education and Research*, 51(3).
- Ferdous, Mahmuda., Daula, Shahid Ud., Naznin, Shahnaz., dkk. (2020). Analgesic, Anxiolytic, and Sedative-Like Activities of Leaves of *Alpinia calcarata* Roscoe in Mice. *Journal of Medicinal Plants Research*, 14(4), 155-163.

- Ganiswara, G Sulistia, dkk. (2009). *Farmakologi dan Terapi*. Edisi 5. Jakarta: FKUI.
- Gilhotra N, Dhingra D. (2010). GABAergic and Nitriergic Modulation by Curcumin for its Antianxiety-Like Activity in Mice. *Brain Res*, 13, 167-175.
- Ghosh, S., Majumder, PB., Sen Mandi S. (2011). Species-specific AFLP markers for identification of *Zingiber officinale*, *Z. montanum* and *Z. zerumbet* (Zingiberaceae). *Genet. Mol. Res*, 10, 218–229.
- Ghosh, Sudipta., Ozek, Temel., Tabanca, Nurhayat., Ali, Abbas., dkk. (2014). Chemical composition and bioactivity studies of *Alpinia nigra* essential oils. *Industrial Crops and Products* 53, 111– 119.
- Gholib, Djaenudin. (2011). Uji Daya Antifungi Ekstrak Etanol Rimpang Kencur (*Kaempferia galanga* L.) Terhadap Pertumbuhan Jamur *Trichophyton verrucosum* Secara In Vitro. Seminar Nasional Teknologi Peternakan dan Veteriner.
- Goodman & Gilman. (2012). *Dasar Farmakologi Terapi*. Edisi 10. Jakarta: Buku Kedokteran EGC.
- Gould, Tood D., Dao, David T., dan kavacsics, Colleen. (2009). The Open Field Test. *Neuromethod*. 42, 1-20.
- Guysor-Ozdemir Y, Tas YC. (2017). Anatomy and Physiology of The Blood-Barrier. Dalam: Nanotechnology Methods for Neurological Disease and Brain Tumors. *Elsivier*, 3-13.
- Guyton, A. C. dan Hall, J. E. (2014). *Buku ajar Fisiologi Kedokteran*. (Edisi 12). Jakarta: EGC.
- Halter, Margaret J. (2014). *Arcarolis' Foundations of Psychiatric-Mental Health Nursing*. 8th Edition. USA: Elsivier.
- Handayani, Nestri., Wartono, Widyo., dan Wijaya, Nirub (2011). Isolasi, Identifikasi komponen,dan Uji Aktivitas Antibakteri Rimpang lempuyang wangi (*Zingiber aromaticum* Val.). FMIPA Universitas Sebelas Maret Surakarta.

- Hanrahan JR, Chebib M, Johnston GAR. (2011). Flavonoid modulation of GABAA receptors. *J Pharmacol*, 163(2), 234-245.
- Hanwar, Dedi., Elisafitri, Oki., dan Suhendi, Andi. (2019). Standarisasi Rimpang Ekstrak Lempuyang Gajah (*Zingiber zerumbet* Smith). *University Research Colloquium*.
- Hema PS, Nair MS (2013). Flavonoids and Other Constituents From The Rhizomes of *Alpinia calcarata*. *Biochemical Systematics and Ecology*, 37, 52-54.
- Heuberger, E., Hongratanaworakit, T., Bohm, C., Weber, R., Buchbauer, G., (2001). Effects of chiral fragrances on Human Autonomic Nervous System Parameters and Selfevaluation. *Chemical Senses* 6, 281–292.
- Huang L, Yagura T, Chen S. (2008). Sedative Activity of Hexane Extract of *Keampferia galanga* L. and its Active Compounds. *J Ethnopharmacol*. 120(1), 123–5.
- Holttum, R.E. (1950). The Zingiberaceae of the Malay Peninsula. *The Garden Buletin Singapore*, 13(1).
- Islam, F., Islam, S., Shahjahan, M., Nandi, N. C. dan Satter, M. A. (2014). Chemical Constituent of Essential Oil from The Leaf of *Alpinia nigra* of Bangladesh. *International Food Research Journal*, 21(1), 161-164.
- Kaplan & Sadock. (2009). *Buku Ajar Psikiatri Klinis*. Jakarta: Edisi Dua.
- Katrin, Ermin., Andayani Winarti., Susanto, S., dan Winarno, H. (2014). Pengaruh Irradiasi Gamma Pada Toksisitas Akut Ekstrak Etanol Jahe Merah (*Zingiber officinale*). *Jurnal Batan*, 10(1).
- Katzung, B.G., Masters, S.B. dan Trevor, A.J. (2013). *Farmakologi Dasar & Klinik*. Vol.2. Edisi 12. Jakarta: Buku Kedokteran EGC.
- Kementerian Kesehatan RI. (2018). *Riset Kesehatan Dasar Riskesdas 2018*. Badan Penelitian dan Pengembangan Kementerian Kesehatan, Jakarta: Kemenkes RI.
- Kitchenham, B. (2004). Procedures for Performing Systematic Reviews. Eversleigh: Keele University.

- Kumar, Anil dan Singh, Anant. (2008). Possible Nitric Oxide Modulation in Protective Effect of (*Curcuma longa*, Zingiberaceae) Against Sleep Deprivation-Induced Behavioral Alterations and Oxidative Damage in Mice. *Phytomedicine*, 15, 577–586.
- Lallo, Subehan., Kasim, Syaharuddin., Tayeb, Rosany., dkk (2018). Analisis Zerumbone dalam *Zingiber zerumbet* dan Aktivitas Penghambatannya terhadap Bakteri *Mycobacterium tuberculosis*. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)*, 4 (2), 126 – 132.
- Lanywati, E. (2001). *Insomnia: Gangguan Sulit Tidur*. Jakarta: EGC.
- Larsen, K., Ibrahim, H., Khaw, S.H. dan Saw, L.G. (1999). *Gingers of Peninsular Malaysia and Singapore*. Kota Kinabalu: Natural History Publications.
- Lawrence, G. H. M. (1964). *Taxonomy of Vascular Plants*. New York: The Macmillan Company
- Lely, N., dan Rahmanisah, D., (2017). Uji Daya Hambat Minyak Atsiri Rimpang Kencur (*Kaemferia galanga* L) Terhadap *Trichophyton mentagrophytes* dan *Trichophyton rubrum*. *Jurnal Penelitian Sains*, 19(2).
- Li, Shiyou., Yuan, Wei., Deng , Guangrui., Wang, Ping., dkk. (2011). Chemical Composition and Product Quality Control of Turmeric (*Curcuma longa* L.). *Pharmaceutical Crops*, 2, 28-54.
- Lipinski, C.A., Lombardo, F., Dominy, B. W., Feeney, P. J. (2001). Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Adv Drug Deliv Rev*. 46(1-3), 3 26.
- Liu J, Zhai W. M., Yang Y. X., Shi J. L., Liu Q, T., Liu G. L. dkk. (2015). GABA and 5-HT Systems are Implicated in The Anxiolyticlike Effect of Spinosin in Mice. *Pharmacology, Biochemistry and Behavior*, 128, 41-49.
- Lombardero, Anayansi., Hansen, Ciara D., Richie, Andrew E, dkk. (2019). A Narrative Review of The Literature on Insufficient Sleep, Insomnia, and Health Correlates in American Indian/Alaska Native Populations. *Journal of Environmental and Public Health*, 463.

- Jayaprakasha, G. K., J. M. Rao. Dan K. K.Sakariah. (2005). Chemistryand biological activities of C. longa. *Trends in Food Science and Technology*, 16, 533-548.
- Johnston GA. (2005). GABA(A) Receptor Channel Pharmacology. *Curr Pharm*, 11, 1867-1885.
- Maramis, W. F. (2009). *Catatan Ilmu Kedokteran Jiwa*. Surabaya: Airlangga University Press.
- Mathew, J.S., Rebecca, B.P., and Dennis, S.C. (2008). Recent Advances in the Neurobiology of Anxiety Disorders: Implications for Novel Therapeutics. *American Journal of Medical Genetics*, 148: 89-98.
- Melanathuru, Vijayalakshmi. (2017). Comparative Stuy of Antioxidant and Anticancer Activity of *Alpinia calcarata* and *Alpinia galanga*. *International Journal of Pharmacy and Pharmaceutical Sciences*. 9(12), 186.
- Muchtaridi, & Moelyono. (2015). *Aromaterapi*. Yogyakarta: Graha Ilmu.
- Neal, M.J. (2006). *At a Glance Farmakologi Medis Edisi Kelima*. Jakarta: Erlangga.
- Nurainas dan Yunaldi. (2007). Panduan Lapangan Jahe-Jahean Liar di Taman Nasional Siberut. Garisatra, Padang, p 4-9.
- Nurmala, Sara. (2017). Uji Toksisitas Akut Senyawa Etil p-metosisinamat yang Diisolasi dari Rimpang Kencur (*Kaempferia galanga* L). *Fitofarmaka*. 7(2).
- Nurul, Hidajati dan Suyatno. (2008). Sintesis Senyawa Tabir Matahari n- Oktil Para-Metoksi Sinamat Menggunakan Material Awal Etil Para-Metoksi Sinamat Hasil Isolasi dari Rimpang Kencur (*Kaemferia galanga* L.). *Jurnal Ilmu Dasar*, 9(1).
- Nutt, D.J., Forshall, S., Bell, C., Rich, A., Sandford, J., Nash, J., & Argyropoulos, S. (1999). Mechanisms of Action of Selective Serotonin Reuptake Inhibitors in The Treatment of Psychiatric Disorders. *European Neuropsychopharmacology*, 9(3), 81-86.

- Ogawa K, Miyoshi T, Kitayama T, Ito M. (2014). Locomotor-Reducing Effects and Structural Characteristics of Inhaled Zerumbone and Tetrahydrozerumbone Derivatives. *Biol Pharm Bull*, 37, 1559–1563.
- Pandey, B. P. 2003. *Angiosperms: Taxonomy, Anatomy, Embryology*. Ram Nagar: S. Chand and Company Ltd, 5-15.
- Parle, Milind., Devi, Suman., dan Kumar, Suresh. (2010). Animal Models for Screening Anxiolytic Agents. *Annals of Pharmacy and Pharmaceutical Sciences*, 1(2), 116-128.
- Piri M, Shahab Z, dan Shahin MS. (2013). Interaction Between Mecamylamine and Nitric Oxide in Dorsal Hippocampus Using The Elevated Plus-Maze Test of Anxiety. *Feyz*. 17(5), 429-31.
- Potter, P. A. dan Perry, A. G. (2005). *Buku Ajar Fundamental Keperawatan: Konsep, Proses dan Pratik*. (Edisi 4 Volume 1). Jakarta: EGC.
- Poulsen, A. D. 2006. *Gingers of sarawak*. Kota kinabalu: Natural History Publication (Borneo).
- Qiao CF, Wang ZT, Dong H, Xu LS, Hao XJ. (2000). The Chemical Constituents of Blackfruit Galangal (*Alpinia nigra*). *Chin Tradit Herb Drugs*, 31: 404-405.
- Rafnowadge. (2004). *Insomnia dan Gangguan Tidur Lainnya*. Jakarta: PT. Elex.
- Rahman, Atiar dan Islam, Shahidul (2015). *Alpinia calcarata* Roscoe A potential Phytopharmacological Source of Natural Medicine. *Elsivier*.
- Rahman MA, Rahman MM, Ahmed NU (2013). Essential oil of *Alpinia alcarata* Rosc. rhizome: Heals inflammation and Nociception in Animal Models. *Journal of Biologically Active Products from Nature*, 2(6), 365-376.
- Rahmadani, Santi., Sa'diah, Siti., dan Wardatun, Sri. (2018). Optimasi Ekstrak Jahe Merah (*Zingiber officinale*) dengan Metode Maserasi. *JOM Bidang Farmasi*, 1(1).

- Raina, A.P., Abraham, Z., & Sivaraj, N. (2015). Diversity analysis of *Kaempferia galanga* L. germplasm from South India using DIVA-GIS approach. *Industrial Crops and Products*, 69, 433-439.
- Rajendra, C.E., Magadum, G.S., Nadaf, M.A., Yashoda, S.V., & Manjula, M. (2011). Phytochemical screening of the rhizome of *Kaempferia galanga*. *International Journal of Pharmacognosy and Phytochemical Research*, 3(3), 61-63.
- Rasyir, Murniyanti., Umar., Suheban. (2012). Uji Toksisitas Akut Ekstrak Etanol Lempuyang Wangi (*Zingiber aromaticum* Val.) pada mencit. *Majalah Farmasi dan Farmakologi*. 16(1).
- Respir, A. J. (2014). Insomnia. *American Thoracic Society*. 190, P9–P1. Retrieved from <http://www.sleepeducation.org>.
- Revindran, P. N., and Babu, K. N. (2005) *Ginger The Genus Zingiber*. RC Press New York, 87-90.
- Saifudin, A., Rahayu, V., & Teruna, H. Y. (2011). *Standardisasi Bahan Obat Alam*. Yogyakarta: Graha Ilmu.
- Setyawan, E., Putratama, Pandhu., Ajeng, Asriningtyas., dan Rengga, Wara D.P. (2012). Optimasi Yield Etil p-metosisinamat pada Ekstraksi Oleoresin Kencur (*Kaempferia galanga*) menggunakan Pelarut Etanol. *Jurnal Bahan Alam Terbarukan*, 2303-2323.
- Sadock, B. J. dan Sadock V. A. (2014). *Synopsis of Psychiatry*. (Edisi 11). New York: Wolters Kluwer.
- Santrock, John. W. (2002). *Life Span Development (Perkembangan Masa Hidup)*. Jilid 2. Jakarta: Erlangga.
- Sharmen, Farjana., Mannan, Adnan., Rahman, Mominur., dkk (2014). Investigation of in vivo Neuropharmacological Effect of *Alpinia nigra* Laef Extract. *Asian Pasific Journal of Tropical Biomedicine*. 137-142.
- Silalahi, Marina. (2018). Botani dan Bioaktivitas Lempuyang (*Zingiber zerumbet* (L.) Smith) *Jurnal EduMatSains*, 2, 147-160.

- Silalahi, Marina. (2019). Kencur (Kaempferia galangal) dan Bioaktivitasnya. *Jurnal Pendidikan Informatika dan Sains*. Volume 8(1).
- Steidl S, Wasserman DI, Blaha CD, Yeomans JS (2017). Opioidinduced Rewards, Locomotion, and Dopamine Activation: A proposed Model for Control by Mesopontine and Rostromedial Tegmental Neurons. *Neuroscience and Biobehavioral Reviews*, 83, 72-82.
- Stuart, G.W. (2013). *Psyciatric Nursing*. (Edisi 10). Jakarta: EGC.
- Swargiary, Ananta dan Roy Bishnupada. (2015). Phytochemical Screening and Antioxidant Property of Shoot Extract of *Alpinia nigra* (Gaertn.) Burtt (Family Zingiberaceae). *Medical Plant.*, 7(1), 100-110.
- Sweetman, S.C. (2009). *Martindale 36 The Complete Drug Reference*. London: The Pharmaceutical Press.
- Taiz, L., & Zeiger, E. (2006). Plant Physiology. *Sinauer Associates, Inc, Sunderland*, 764.
- Tjay, Tan Hoan dan Rahardja, Kirana. (2007). *Obat-Obat Penting*. Jakarta: Gramedia.
- Tjitrosoepomo, G. (2005). *Morfologi Tumbuhan*. Yogyakarta: Gajah Mada University Press.
- Tririzqi, F. (2013). Ekstraksi Senyawa Gingerol Dari Rimpang Jahe Dengan Metode Maserasi Bertingkat. Institut Pertanian Bogor, 11-26.
- Videbeck, Sheila L. (2011). *Psychiatric Mental Health Nursing Fifth Edition*. Lippincott Williams & Wilkins.
- Vishwakarma, S. L., Pal, S. C., kasture, Veena S., dan kasture S. B. (2002). Anxiolytic and Antiemetic Activity of *Zingiber officinale*. *Wiley InterScience*, 16, 621-626.
- Wahyuningtyas, Sasy Eka Putri., Permana, I Dewa Gede Mayun., dan Wiadnyani, A.A.I.S. (2017). Pengaruh Jenis Pelarut terhadap Kandungan Senyawa Kurkumin dan Aktivitas antioksidan Estrak Kunyit (*Curcuma domestica* Val.). *Jurnal ITEPA*. 6(2), 61 – 70.

- Wasowski C and M Marder. (2012) "Flavonoids as Gabaa Receptor Ligands: The Whole Story?" *Journal of Experimental Pharmacology*, 4, 9-24.
- Xia, X., Cheng, G., Pan, Y., Xia, Z.H., & Kong, L.D. (2007). Behavioral, Neurochemical and Neuroendocrine Effects of The Ethanolic Extract From *Curcuma longa* L. in The Mouse Forced Swimming Test. *Journal of Ethnopharmacology*, 110, 356-363.
- Xu, Y., Ku, B.S., Yao, H.Y., Lin, Y.H., Ma, X., Zhang, Y.H. & Li, X.J. (2005). Antidepressant Effects of Curcumin in The Forced Swim Test and Olfactory Bulbectomy Models of Depression in Rats. *Pharmacology Biochemistry and Behavior*, 82, 200-206.
- Yob, N.J., Jofry, S.M., Affandi, M.M., Teh, L.K., Salleh, M.Z., and Zakaria, Z.A. (2011). *Zingiber zerumbet* (L.) Smith: A Review of Its Ethnomedicinal, Chemical, and Pharmacological Uses. Evid. Based Complement. *Alternat. Med*, 52, 216.
- Yu, Z.F., Kong, L.D., & Chen, Y. (2002). Antidepressant activity of aqueous extracts of *Curcuma longa* in mice. *Journal of Ethnopharmacology*, 83 (1-2), 161-165.
- Wahyuni, S., Nurliani, B., and Natalini, N.K. 2013. Karakteristik morfologi, potensi produksi dan komponen utama rimpang sembilan nomor lempuyang wangi. *Jurnal Littri*, 19(3): 99-107.
- Walf, Alicia A dan Frye, Cheryl A. (2007). The Use of The Elevated Plus Maze as an Assay of Anxiety-Related Behavior in Rodens. *Nature Protocol*. Vol 2. No. 2.
- Zancan, K.C., Marques, M.O.M., Petenate, A.J., and Meireles, M.A.A. (2002). Extraction of ginger (*Zingiberofficinale* Roscoe) oleoresin With CO₂ and co-solvents: a study of the antioxidant action of the extracts. *Journal of Supercritical Fluids*, 24, 59.