

## DAFTAR PUSTAKA

- Anggitha, I. (2012). Performa Flokulasi Bioflokulan DYT pada beragam keasaman dan kekuatan ion terhadap turbiditas larutan kaolin. [*Skripsi*]. Jakarta: Universitas Pendidikan Indonesia
- Aristanti, P. A. (2015). Efektivitas Terapi Antibiotik Pada Pasien Rawat Inap Penderita Infeksi Saluran Kemih Di RSD Dr. Soebandi Jember Periode Januari-Desember 2014
- Azmir, J, I.S.M. Zaidul., M.M. Rahman., K.M Sharif.(2013). Techniques for Extraction of Bioactive Compounds From Plant Material : A Review. *Journal Food Engineering*.117;426-436.
- Bhattacharjee, Soroj Kumar Chatterjee, Anupam Ghosh, Goutam Chandra. (2011). Antibacterial activities of some plant extracts used in Indian traditional folk medicine. *Asian Pacific Journal of Tropical Biomedicine*
- Berlian, Zainal, dkk. (2016). Aktivitas Antifungi Ekstrak Daun Kemangi (*Ocimum americanum* L.) terhadap Fungi *F. oxysporum schlecht*. *Jurnal biota*, 2(1):99-103.
- Borah R dan Biswas S. P. (2018). Tulsi (*Ocimum sanctum*), excellent source of Phytochemicals. *International Journal of Environment, Agriculture and Biotechnology (IJEAB)*. Vol-3, Issue-5, Sept-Oct- 2018
- Broeren M.A.C, Bahceci S., Vader H.L and Arents N.L.A.(2011). Screening for Urinary Tract Infection with the Sysmex UF-1000i Urine Flow Cytometer. *JCM.*; 49 (3) : 1025–029
- Corwin, E. J. (2008). *Handbook of Pathophysiology*. 3 Edition, diterjemahkan oleh Nike Budhi Subekti, Egi Komara Yudha (editor). Jakarta: EGC
- Cushnie, T. P. & Lamb, A. J. (2005). Antimicrobial activity of flavonoids, *International Journal of Antimicrobial Agents*, 26, 343–356
- Depkes RI. (2000). *Parameter Standar Umum Ekstrak Tumbuhan Obat* (Edisi I). Jakarta: Direktorat Jenderal Pengawasan Obat dan Makanan.

- Depkes RI. (2014). Survei Demografi dan Kesehatan Indonesia. Jakarta: Depkes RI.
- Desmiaty, Y, Dkk. (2008). Penentuan Jumlah Tanin Total pada Daun Jati Belanda (*Guazuma ulmifolia* Lamk) dan Daun Sambang Darah (*Excoecaria bicolor* Hassk.) Secara Kolorimetri dengan Pereaksi Biru Prusia. *Ortocarpus*. Vol 08.106-109.
- Dhulgende, G., A.R. Birari. dan D.A. Dhale. (2010). Preliminary Screening of Antibacterial and Phytochemical Studies of *Ocimum americanum* Linn. *Journal of Ecobiotechnology*, 2(8): 11-13
- Dipiro, J.t., Wells, (s.l). B.G., et al. (2008). *Pharmacotherapy Handbook*. Ninth Edition, McGraw-Hill Education, USA.
- Doli J.Jain dan S.K. Rajurkar. (2019). Preliminary phytochemical analysis and antimicrobial activity of extract of *Ocimum santum* L. *International Journal of Engineering Science Invention (IJESI) ISSN (Online): 2319 – 6734*, Volume 8 Issue 02 Series.
- Donald C. Vinh., Kim A. Nichol., Fern Rand., James A. Karlowsky. (2006). Not so Pretty in Pink *Staphylococcus cohnii* Masqueredingas Methicillin resisten *Staphylococcus aureus* on Chromogenic Media. *Journal Of Clinical Microbiology*
- Dwidjoseputro, D. (2003). *Dasar-dasar Mikrobiologi*. Jakarta: Djambatan.
- Ekta Singh, Sheel Sharma, Jaya Dwivedi and Swapnil Sharma. (2012). Diversified Potentials Of *Ocimum sanctum* Linn (Tulsi): An Exhaustic Survey *Journal of Natural Product and Plant Resources* 2012, 2 (1):39-48 ISSN : 2231 – 3184
- Elfidasari D, Saraswati A M, Nufadanti G, Samiah R, Setiowati V. (2011). Perbandingan kualitas es dilingkungan universitas alazhar indonesia dengan restoran fastfood di daerah senayan dengan indikator jumlah *Escherichia coli* terlarut. *Jurnal Al-Azhar Indonesia Seri Sains dan Teknologi*, 1(1):18-23.
- Fauci AS, Kasper DL, Longo DL. (2008). *Harrison's Principles of Internal Medicine*. 17th ed. USA: The McGraw-Hill Companies. 112.

- Francis G., Zohar Kerem., Harinder P.S., Makkar & Klaus Becker. (2002). The biological action of saponins in animalsystems. *British Journal of Nutrition.*, 88:587-605
- Fitriani. (2013). Faktor-Faktor Risiko Kejadian Infeksi Saluran Kemih pada Pasien yang Terpasang Kateter Menetap Di ruang Rawat Inap RSUD Tarakan. Program Studi Ilmu Keperawatan Fakultas Kedokteran Universitas Hassanudin Makasar.
- Handa, S.S., S.P.S Khanuja, G.Longo, D.D. Rakesh. (2008). *Extraction Technologies for Medical and Aromatic Plants*. Italy: Trieste. 22-32.
- Harborne, J.B. (1987). Metode Fitokimia Penuntun Cara Modern Menganalisis Tumbuhan. Penerbit ITB.Bandung.
- Huma Ali dan Savita Dixit. (2012). In Vitro Antimicrobial Activity of Flavonoids of *Ocimum sanctum* with Synergistic Effect of Their Combined Form. *Asian Pacific Journal of Tropical Disease*
- Ikmalia. (2008). Analisa Profil Protein Isolat *Escherichia coli* Hasil Iradiasi Sinar Gamma.
- Ismail, M. (2006). Central Properties and Chemical Composition of *Ocimum basilicum* Essential Oil. *Pharmaceutical Biology*, 44 (8), 619-626.
- Jain A.S., Surana S.J., Gokhale S.B.,Tatiya A.U & Bothara R.C. Antimicrobia lproperties of *Eranthemum roseum* (Vahl) R. Br. (2007). *Iranian Journal of Pharmaceutical Research*. 6(2):131-13328.
- Jawetz; Melnick; dan Adelberg's. (2008). *Mikrobiologi Kedokteran*. Jakarta: Salemba Medika.
- Jayanegara, A. and A. Sofyan. (2008). Penentuan aktivitas biologis tanin beberapa hijauan secara in vitro menggunakan 'hohenheim gas test' dengan polietilen glikol sebagai determinan. *Media Peternakan* 31(1): 44-52
- Kitchenham, B. & Charters, S. (2007). Guidelines for performing systematic literature reviews in software engineering.
- Koneman, E.W., Allen, S.D., Janda, W.M., Schreckenberger, P.C., and Winn, W.C. (1932). Color Atlas and Textbook of Diagnostic Microbiology, Fifth Edition, Lippincot Williams and Wilkins, Philadelphia, 597

- Kraus T. E. C., Dahlgren R. A., Zasoski R. J. (2003). Tannins in nutrient dynamics of forest ecosystems -a review. *Plant Soil* 256, 41–66. 10.1023/A:1026206511084
- Kumar A, Dubey NK, Srivastava S. (2013). Antifungal evaluation of *Ocimum sanctum* essential oil against fungal deterioration of raw materials of *Rauvolfia serpentina* during storage. *Ind Crop Prod.*;45:30–5. [[Google Scholar](#)]
- Kusuma, S.A.F. (2010). *PCR*. Bandung: Fakultas Farmasi. Universitas Padjajaran.
- Kuswandi. (2001). *Perkembangan Penyakit Infeksi di Daerah Tropis*. Kompas 12 April 2001.
- Laode Rijai. (2016) Senyawa Glikosida Sebagai Bahan Farmasi Potensial Secara Kinetik. *J. Trop. Pharm. Chem.*. Vol 3. No. 3213p-ISSN: 2087-7099
- Lestari W., Almahdy A., Zubir N., dkk. (2011). Studi Penggunaan Antibiotik Berdasarkan Sistem ATC/DDD dan Kriteria Gyysens di Bangsal Penyakit Dalam RSUP DR.M.Djamil Padang. Padang: Fakultas Farmasi Pascasarjana, Universitas Andalas.
- Linda Barus dan Agus Sutopo. (2012). Pemanfaatan Ekstrak Daun Kemangi (*Ocimumsanctum*) sebagai Repelan Lalat Rumah (*Musca domestica*). *Jurusan Kesehatan Lingkungan*
- Madduluri S, Rao KB, Sitaram B. (2013). In vitro evaluation of antibacterial activity of five indigenous plants extract against five bacterial pathogens of human. *International Journal of Pharmacy and Pharmaceutical Science*; 5(4).h.679-84
- Madigan MT, Martinko JM, Bender KS, Buckley DH, Stahl DA. (2015). *Brock Biology of Microorganisms. Chapter 5. Microbial Growth and Control. Fourteenth Edition.*. Boston: Pearson, 143-182
- Megha N. M and Sabale A. B. (2014). Antimicrobial, Antioxidant and Haemolytic Potential of Brown Macroalga Sargassum. *World Journal of Pharmacy and Pharmaceutical Sciences*. 3(8): 2091-2104.
- Mittal R, Kumar R, Chahal H. (2018). Antimicrobial activity of *Ocimum sanctum* leaves extracts and oil. *Journal of Drug Delivery & Therapeutics*.

- Mufida, D. C., E. Suswati, S. S. Wahyudi, dan A. Kurniawan. (2010). 45 kDa fimbria protein of *Proteus mirabilis* as hemagglutinin and adhesion protein. *Folia Medica Indonesiana*. 46(2): 88-94.
- Mukhtar, M.H., Adnan, A.Z., PitraM.W., (2007). Uji Sitotoksitas MinyakAtsiri Daun Kamanggi (*OcimumBasilicum L.*) dengan Metoda BrineShrimp Lethality Bioassay. *J. Sains TekFar.*, Vol.12 (1): 1-4
- N Prasannabalaji, G Muralitharan, RN Sivanandan, S Kumaran dan SR Pugazhvendan. (2012). Antibacterial activities of some Indian traditional plant extracts. *Asian Pacific Journal of Tropical Disease*
- National Kidney Foundation (NKF). (2012). KDOQI Clinical Practice Guideline For Diabetes and CKD: 2012 Update. *AmericanJournal of Kidney Diseases*. 60(5):850-86
- Nicolle LE, Bradley S, Colgan R etal (2005). Infectious Diseases Society of America guidelines forthe diagnosis and treatment of asymptomatic bacteriuria in adults. *Clin. Infect. Dis.* 40(5), 643–654
- Nurchayanti A.D.R., Dewi L. Dan Timotius K.H. (2011). Antioxidant and Antibacterial Activities from Polar and Non Polar Basil (*Ocimum sanctum* Linn.) Seed Extract. *Jurnal Teknologi dan Industri Pangan*.
- Nychas GJE, Tassou CC. (2000). Traditional preservatives-oils and spices. *African Crop Sci J.* 18(1): 15–22..
- O. K. Mirzoeva, R. N. Grishanin, P. C. Calder. 1997. Antimicrobial action of propolis and some of its components: the effects on growth, membrane potential and motility of bacteria. *Microbiologigcal Research*.
- potential and motility of bacteria. *Microbiologigcal Research*.
- Panchal P, Parvez N. (2019). Phytochemical analysis of medicinal herb (*ocimum sanctum*). *Int J Nanomater Nanotechnol Nanomed* 5(2): 008-011.
- Parwata IMOA, Dewi PFS. (2008) Isolasi dan uji aktivitas antibakteri minyak atsiri dari rimpang lengkuas (*Alpinia galanga L.*). *Jurnal Kimia.*; 2(2): 100-4.
- Pasaribu, S. (2009). Uji Bioaktivitas MetabolitSekunder Dari Daun TumbuhanBandotan. *Jurnal Kimia Mulawarman*.

- Patra, A. K. and J. Saxena. (2010). A new perspective on the use of plant secondary metabolites to inhibit methanogenesis in the rumen. *J. Phytochemistry*. 71: 1198–1222
- Permenkes RI. (2011). Pedoman Umum Penggunaan Antibiotik. Jakarta: Kementerian Kesehatan RI.
- Poeloengan M, Praptiwi P. (2012) Uji aktivitas antibakteri ekstrak kulit buah manggis (*Garcinia mangostana* linn). *Media litbang kesehatan*.; 20(2).h.65-9
- Priyanto (2010). *Farmakologi dasar*. Edisi II November 2008 dan April 2010.
- Purnomo, B. B. (2014). *Dasar-dasar urologi*. Edisi Ketiga. Malang: penerbit CV Sagung seto
- Rahmawati, D. (2009). Mikroba Endofit Solusi Bahan Baku Obat Yang Murah Dan Ramah Lingkungan. Siaran pers. Deputi direktur kantor komunikasi UI.
- Rajesh.H, Rao S.N, Prathima.K.Shetty , Megha Rani. N, Rejeesh E .P,Lovelyn Joseph . (2013). Phytochemical Analysis Of Aqueous Extract Of *Ocimum Sanctum* Linn. *International Journal of Universal Pharmacy and Bio Sciences* 2(2): March-April 2013
- Rialita, Tita. dkk. (2015). Antimicrobial Activity of Red Ginger (*Zingiber Officinale* Var. Rubrum) and Red Galangal (*Alpinia purpurata* K. Schum) Essential Oils Against Pathogenic and Food Spoilage Bacteria. *Agritech*.;35(1):43-52.
- Rumondang, M., D. Kusriani, dan E. Fachriyah. (2013). Isolasi, Identifikasi, Dan Uji Antibakteri Senyawa Triterpenoid Dari Ekstrak n-Heksana Daun Tempuyung (*Sonchus arvensis*L.). *Chem Info*.1:156-164
- Safwan, dkk. (2016). Pengaruh Ekstrak Daun Kemangi (*Ocimum sanctum* L.) Terhadap Motilitas dan Konsentrasi Spermatozoa Mencit Jantan (*Mus musculus*). *Jurnal Ilmiah Ibnu Sina*, 1(2), 173-181 .
- Santoso, J., Anwariyah, S., Rumiantin, R. O., Putri, A. P., Ukhty, N., & Yoshie-Stark, Y. (2012). Phenol content, antioxidant activity and fibers profile of four tropical seagrasses from Indonesia. *Journal of Coastal Development*, 15(2), 189-196.

- Sarma, D. S. K dan Babu, A. V. S. (2011). Antioxidant and Antimicrobial Activity of *Ocimum americanum*. PHARMANEST – *An International Journal of Advances In Pharmaceutical Sciences Vol.2*.
- Sasidharan, S., Y. Chen, D. Saravanan., K.M. Sundram and L.Y. Latha. (2010). Extraction, Isolation and Characterization of Bioactive Compounds from Plants Extract. *African Journal of Traditional, Complementary and Alternative Medicines*. 8(1):1-10.
- Saurabh G dan Komal S. (2017). Comparative Characterization for Antimicrobial Activity and Bioactive Compounds Present in Leaf Extract of *Ocimum sanctum*. *Journal of Food & Industrial Microbiology*
- Senah L. Dohare, Mohd. Shuaib, Mohd. Imtiyaz Ahma2, Kamran J. Naquvi. (2012). Chemical Composition Of Volatile Oil Of *Ocimum Sanctum* Linn. *International Journal of Biomedical and Advance Research*
- Sentosa Ginting. (2004). Pengaruh Lama Penyulingan Terhadap Rendemen Dan Mutu Minyak Atsiri Daun Sereh Wangi. Fakultas Pertanian Universitas Sumatera Utara.
- Sjahrurachman A, Mirawati T. (2004). Etiologi dan Resistensi Bakteri penyebab Infeksi Saluran Kemih di R.S. Cipto Mangunkusumo dan R.S. Metropolitan Medical Center Jakarta 2001-2003. *Jakarta:Medika*. 9:557-62.
- Soetan k. O., Oyekunle M. A., Aiyelaagbe O.O & Fafunso M. A. (2006). Evaluation of the antimicrobial activity of saponins extract of *Sorghum Bicolor* L. Moench. *African Journal of Biotechnology*. 2006, 5(23): 2405-2407
- Stamm WE. (2001). An Epidemic of Urinary Tract Infections. *The New England Journal of Medicine*.
- Sugiyono. (2016). *Metode Penelitian Kuantitatif, Kualitatif dan R&D*. Bandung: PT Alfabet.
- Suharyanto., Abdul, Madjid. (2009). *Asuhan Keperawatan Pada Klien dengan Gangguan Sistem Perkemihan*. Jakarta: Trans Info Media.
- Syahrurachman, dkk. (2010). *Buku Ajar Mikrobiologi Kedokteran*. Jakarta : Binarupa Aksara Publishers

- Sugoro I. (2004). Pengontrolan penyakit masitis dan manajemen pemerahan susu. Artikel Patir Batan.2: 20-22.
- Sukandar, (2006). *Gagal Ginjal dan Panduan Terapi Dialisis*. Pusat Informasi Ilmiah, Jakarta.
- Tahira Khaliq, Malik Abdul Waseemb, Ali Mohd Lonec, Qazi Parvaiz Hassand. (2018). Oscimum sanctum extract inhibits growth of Gram positive and Gram negative bacterial strains. *Microbial Pathogenesis*
- Verma, Sonia., & Kothiyal. Preeti. (2016). Pharmacological Activities of Different Species of Tulsi. *International Journal of Biopharm & Phytochemical Research* Vol. 1(1); 21-39.
- Voigt, R., 1995, Buku Pelajaran Teknologi Farmasi, Diterjemahkan oleh Soendani N. S., UGM Press, Yogyakarta
- Wasito, Hendri. (2011). *Obat Tradisional Kekayaan Indonesia*. Yogyakarta: Graha Ilmu.
- Zand, J.N.D., Rountree R.M.D. and Walton, R. (2003). Urinary Tract Infection, Smart Medicine for a Healthier Child, 2nd Edition, Putnam Group, USA, pp. 476.