

DAFTAR PUSTAKA

- Ansel, H. C. (1989). *Pengantar Bentuk Sediaan Farmasi*. Edisi IV diterjemahkan oleh Ibrahim, F. Jakarta: Penerbit Universitas Indonesia Press.
- Angraini, Dian Isti, Seftia Varera Nanda. (2016). Efek Pemberian Ekstrak Teh Putih terhadap Obesitas. *Majority*, vol. 5 No. 3-158.
- Anjarsari. (2016). Katekin Teh Indonesia: Prospek dan Manfaatnya. *Jurnal Kultivasi Vol. 15(2)*.
- Azwanadi, N., N. (2015). A Review On the Extraction Methods Use In in Medicinal Plants, Principle, Strength and Limitation. *Medicinal and Aromatic Plants*. 4(3): 1-6.
- Budavari, S. (1996). *Merck Index an Encyclopedia of Chemical Drugs and Biological*, 2th ed. Merck & Co., Inc.
- Chaturvedula, V. S. P. dan I. Prakash. (2011). The aroma, taste, color, and bioactive constituents of tea. *Journal of Medicinal Plants Research*. 5(11): 2110-2124.
- Das, S., Jyoti T., Saif H., Zeeshan F. (2014). Antimicrobial potential of epigallocatechin-3-gallate (EGCG): a green tea polyphenol. *Journal of Biochemical and Pharmacological Research*, Vol. 2 (3): 167-174.
- Depkes RI. (1995). *Farmakope Indonesia Ed. IV*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Dionex Application Note No. 275. (2016). Sensitive Determination of Catechins in Tea by HPLC. *Dionex Corporation*, 408(737-070), 1-9.
- Dirjen POM RI. (2000). *Parameter Standar Umum Ekstrak Tumbuhan Obat*. Jakarta: Departemen Kesehatan.
- Epshtein, N. A. (2004). Validation of HPLC Techniques for Pharmaceutical Analysis. *Pharmaceutical Chemistry Journal* 38(4): 212-228.
- Fujiki, H., Eisaburo S., Tatsuro W., Masami S. (2014). Synergistic enhancement of anticancer effects on numerous human cancer cell lines treated with the combination of EGCG, other green tea catechins, and anticancer compounds. *J Cancer Res Clin Oncol*.

- Gandjar, I. G., dan Rohman, A. (2012). *Kimia Farmasi Analisis*. Cetakan ke-10. Yogyakarta: Pustaka Pelajar.
- Handa, S., Suman, P., S., K., Gennaro, L., dan Dev, D., R. (2008). *Extraction Technologies for Medicinal and Aromatic Plants*. Italy: ICS-UNIDO, AREA Science Park.
- Handoko, D. (2007). *Pengaruh Tekanan dan Suhu Pada Kondisi Evaporasi Ekstrak Daun Teh Hijau* (skripsi). Bogor: Institut Pertanian Bogor.
- Harborne, J. B. (1996). *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*. Terbitan Kedua. Bandung: ITB.
- Harmita. (2004). Petunjuk Pelaksanaan Validasi. *Ilmu Kefarmasian*, *I*(3), 117–135.
- Harmita. (2014). *Analisis Fisikokimia: Kromatografi*. Jakarta: EGC.
- International Conference on Harmonization (ICH). (2005). *Validation of Analytical Procedures: Text and Methodology Q2(R1)*. Geneva: International Conference on Harmonization.
- Johnson, E.L., dan Stevenson, R. (1991). *Dasar Kromatografi Cair Kinerja Tinggi*. Bandung: Penerbit ITB.
- Kementerian Kesehatan RI. (2014). *Farmakope Indonesia Edisi V*. Jakarta: Kemenkes RI.
- Khopkar. (2007). *Konsep Dasar Kimia Analitik*. Saptorahardjo, Penerjemah. Jakarta: UI Press.
- Martono, Yohanes dan Sudibyo, Martono. (2012). *Analisis Kromatografi Cair Kinerja Tinggi untuk Penetapan Kadar Asam Galat, Kafein, dan Epigalokatekin Galat pada Beberapa Produk Teh Celup*. Yogyakarta: Univ. UGM Press.
- Mereles, D., dan Hunstein, W. (2011). Epigallocatechin-2-Gallate (EGCG) For Clinical Trials: More Pitfalls Than Promises. *International Journal of Molecular Sciences*. *12*: 5592-5603.
- Meyer, V. R. (2004). *Practical High-Performance Liquid Chromatography*, 4th edition. St. Gallen: John Wiley and Sons. Ltd.
- Moldoveanu, S. C., Dn David, V. (2014). Modern sample preparation for

- chromatography. *Elsevier*.
- Mukhtar, H. dan N. Ahmad. (2010). Tea polyphenols: prevention of cancer and optimizing health. *The American Journal of Clinical Nutrition*. 71: 1698S-1702S.
- Notoatmodjo, S. (2005). *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Ohishi, T., Shingo G., Pervin M., Mamoru I., Yoriyuki N. (2016). Anti-inflammantory Action of Green Tea. *Bentham Science: Anti-inflamantory & Anti-Allery Agents in Medical Chemistry*, 15, 74-90.
- Oktalion, Steve. (2018). *Potensi Teh Hijau dan Teh Hitam sebagai Minuman Fungsional Antidiabetes Tipe 2*. Surabaya: Widya Mandala Catholic University.
- Putra, Effendy De Lux. (2004). *Kromatografi Cair Kinerja Tinggi dalam Bidang Farmasi*. Medan: Jurusan Farmasi, FMIPA Universitas Sumatra Utara.
- Redkar, S., Silvia S., Roger I., dan Dee Dee Zhang. (2011). Ghost Peak Investigation in a Reversed-Phase Gradient LC System. *LCGC North America Volume 29, Issue 5*, hlm 394–400.
- Rohdiana, D., Shabirri, S. (2012). Analisis Individual Katekin Teh Hijau Hasil Ekstrak dan Fraksionasi Kromatografi Kolom. *J Pusat Penelitian Teh dan Kina*
- Rohdiana, D. (2015). Teh : proses, karakteristik, dan komponen fungsionalnya. *Food Review Indonesia*. 10 (8): 34-37.
- Rohman, A. (2016). *Validasi dan Penjamin Mutu Metode Analisis Kimia*. Cetakan ke-2. Yogyakarta: Universitas Gadjah Mada Press.
- Sekretariat Jendral Kementerian Pertanian. (2016). *Outlook Teh: Komoditas Pertanian Subsektor Perkebunan*. Kementerian Pertanian: Pusat Data dan Sistem Informasi Pertanian.
- Setyamidjaja, D. (2000). *Teh Budidaya dan Pengolahan Pascapanen*. Yogyakarta: Kanisius.
- Sharma, V., Gulati, A., Ravndranath, S. D., Kumar, V. (2005). A Simple and Convenient Method For Analysis of Tea Biochemicals by Reverse Phase HPLC. *Palampur*

- Singh, Brahma N., Prateeksha A. K. S., Rawat R., Bhagat, M., dan Singh, B. R. (2017). Black Tea: Phytochemicals, cancer chemoprevention, and clinical studies. *Critical Reviews in Food Science and Nutrition*, 57:7, 1394-1410.
- Snyder, L. R., Kirkland, S.J., and Dolan, J.W. (2010). *Introduction to modern Liquid Chromatography* (3rd ed). New York: John Wiley & Son.
- Somantri, R. dan Tanti K. (2011). *Kisah dan Khasiat Teh*. Jakarta: Gramedia Pustaka Utama.
- Sugihartini, N., Fudholi, A., Pramono, S., Sismindari. (2014). Validasi Metode Analisa Penetapan Kadar Epigalokatekin Galat dengan Kromatografi Cair Kinerja Tinggi. *Pharmaciana*. 4(2): 111-115.
- Susanti, meri dan Dachriyanus. (2017). *Kromatografi Cair Kinerja Tinggi*. Padang: Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK) Universitas Andalan.
- Tayeb, M.A., Ismail, B.S., Khairiatul-Mardiana, J., dan Goh Choo Ta. (2016). Troubleshooting and Maintenance of High-Performance Liquid Chromatography during Herbicide Analysis: An Overview. *Sains Malaysiana* 45(2): 237–245.
- Taylerson, Katie. (2012). The health benefits of tea varieties from *Camellia sinensis*. *Medicine Published*.
- The United States Pharmacopeial Convention. (2007). *The United States Pharmacopeia (USP)*. 30th Edition. United State.
- Towaha, J. (2013). Kandungan senyawa kimia pada daun teh (*Camellia sinensis*). *Warta Penelitian dan Pengembangan Industri*. 19(3):12-16.
- United States Department of Agriculture (USDA) Plant Profil. (2019). *Camellia sinensis* (L.) Kuntze tea. *Natural Resources Coservation Service*. Diakses tanggal 20 November 2019, tersedia di <https://plants.sc.egov.usda.gov/core/profile?symbol=CASI16>.
- Van Der Hooft, J. J. (2012). Structural annotation and elucidation of conjugated phenolic compounds in black, green, and white tea extracts. *J Agric Food Chem*, 60(1):8841-50.
- Widyasanti, A., Dadan Rohdiana, dan Novriana Ekatama. (2016). Aktivitas Antioksidan Ekstrak Teh Putih dengan Metode DPPH. *FORTECH I* (1).

- Williams, Stuart. (2004). Ghost peaks in reversed-phase gradient HPLC: a review and update. *Journal of Chromatography A*, 1052, 1–11.
- Winarno, F., G., dan Kristiono L. (2016). *Green Tea & White Tea*. Jakarta: PT Gramedia Pustaka Utama
- Yoshino, S., Mitoma, T., Tsuruta, K., Todo, H., dan Sugibayashi, K. (2013). Effect of Emulsification On the Skin Permeation and UV Protection of Catechin. *Pharmaceutical Development and Technology*.